



DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-63
111.0.130

DATA ITEM IN	FROM	TO	DATA ITEM NAME
5020.....VAR	1116		2 = ABNORMAL 0 = UNKNOWN Hearing summary, final 3 YR. SLW HEARING-SUMMARY CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 0 = UNKNOWN
5030.....VAR	1117		Speech mechanism, summary, final 3 YR. SLW-SPEECH MECHANISM CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 0 = UNKNOWN
5031.....VAR	1118		Speech production, summary, final 3 YR. SLW-SPEECH PRODUCTION CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 0 = UNKNOWN
5032.....VAR	1119		Global scoring, summary, final 3 YR. SLW-GLOBAL SCORING CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 0 = UNKNOWN
5033.....VAR	1120		Adequacy of exam 3 YR. SLW-ADEQUACY CODES: 0 = ADEQUATE 1 = INADEQUATE 0 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-83
111.A.135

DATA ITEM ID	FORM	IN	DATA ITEM NAME
S034.....VAR	1121		Articulation Summary Score ARTICULATION SUM. SCORE CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 9 = UNKNOWN
S035.....VAR	1122		Crv. first, before or after delivery FIRST CRV. BEFORE OR AFTER DELIVERY CODES: 0 = BEFORE 1 = AFTER 9 = NOT REPORTED
S036.....VAR	1123		Neurological abnormalities, neonatal NEUROLOGICAL ABNORMALITIES: NEONATAL CODES: 0 = NORMAL 1 = SUSPECT 2 = ABNORMAL 3 = OTHER 9 = UNKNOWN
S037.....VAR	1124		Neurological abnormalities, 8 months NEUROLOGICAL ABNORMALITIES: 8 MONTH CODES: 0 = NONE 1 = SUSPECT 2 = DEFINITE 9 = UNKNOWN
S038.....VAR	1125		Development reported; locomotor postural LOCOMOTOR AND POSTURAL DEVELOPMENT-REPORTED CODES: 0 = WALKS UNAIDED 1 = WALKS SUPPORTED 2 = STANDS UNAIDED 3 = PULLS TO STANDING 4 = STANDS SUPPORTED 5 = CREEPS

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-63
111.A.116

DATA ITEM IN	FROM TO	DATA ITEM NAME
5030.....VAR	1120	0 0 NONE OF ABOVE 9 0 UNKNOWN Development observed; locomotor postural LUNCMOTOR AND POSTURAL DEVELOPMENT-OBSERVED CODES: 0 0 WALKS UNAIDED 1 0 WALKS SUPPORTED 2 0 STANDS UNAIDED 3 0 PULLS TO STANDING 4 0 STANDS SUPPORTED 5 0 CREEPS 9 0 NONE OF ABOVE 9 0 UNKNOWN
5040.....VAR	1127 1129	AGE (WKS) AGE (IF CHILD AT 4-MO. EXAM) CODES: 01-97 0 NO. OF WEEKS 98 0 98 WEEKS OR MORE 99 0 UNKNOWN
5041.....VAR	1129	BLOOD TYPE BLOOD TYPE, CHIL CODES: 1 0 A 2 0 B 3 0 AB 4 0 AM 9 0 UNKNOWN
5042.....VAR	1130	RA TYPE RA FACTOR-CHILD CODES: 1 0 POSITIVE 2 0 NEGATIVE 9 0 UNKNOWN
5043.....VAR	1131 1133	HEMOGLOBIN, LOWEST, 0-6 (MO) HEMOGLOBIN CHILD: AGE AT LOWEST (WKS)

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000-03
III.A.137

DATA
ITEM
ID

FROM TO

DATA ITEM NAME

CODES: 000 = LESS THAN 1 HR
001-007 = AS GIVEN IN MSG.
008 = ONE HOUR OR MORE
009 = UNKNOWN

5040.....VAR 1134 1136

MEMORICIT, lowest, etc (hrs)
MEMORICIT CHIEF AG AT LOWEST (HRS)
CODES: 000 = LESS THAN 1 HR
001-007 = AS GIVEN IN MSG.
008 = ONE HOUR OR MORE
009 = UNKNOWN

5050.....VAR 1137

Intelligence, clinical impression
4 VR, PSYCH, EXAM-CLINICAL IMPRESSIONS INTELLIGENCE
CODES: 1 = SUPERIOR
2 = AVERAGE
3 = BORDERLINE
4 = MENTALLY DEFECTIVE
5 = COMMENT ONLY
6 = UNKNOWN

5060.....VAR 1138

Development, motor, fine, clinical impression
4 VR, PSYCH, EXAM-CLINICAL IMPRESSIONS FINE MOTOR DEVELOP.
CODES: 1 = NORMAL
2 = SUSPECT
3 = ABNORMAL
4 = COMMENT ONLY
5 = UNKNOWN

5070.....VAR 1139

Development, motor, gross, clinical impression
4 VR, PSYCH, EXAM-CLINICAL IMPRESSIONS GROSS MOTOR DEVELOP.
CODES: 1 = NORMAL
2 = SUSPECT
3 = ABNORMAL
4 = COMMENT ONLY
5 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each
indicator, when a not in data file occurs when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000003
111.4.11A

DATA ITEM IN	FROM	TO	DATA ITEM NAME
5948.....VAM	1140		CONSENT FORMATION, CLINICAL IMPRESSION 4 YR. PSYCH. EXAM-CLINICAL IMPRESSION, CONCEPT FORMATION CODES: 1 = NORMAL 2 = SUSPECT 3 = ABNORMAL 4 = COMMENT ONLY 9 = UNKNOWN
5949.....VAM	1141		BEHAVIOR PROFILE, CLINICAL IMPRESSION CLINICAL IMPRESSIONS BEHAVIORAL CODES: 1 = NORMAL 2 = SUSPECT 3 = ABNORMAL 4 = COMMENT ONLY 9 = UNKNOWN
5950.....VAM	1142		ADEQUACY OF ENTIRE 4 YEAR PSYCH EXAM 4 YR. TEST MATTER-ADEQUACY OF ENTIRE CODES: 1 = ADEQUATE 2 = NOT ADEQUATE 4 = COMMENT 9 = UNKNOWN
5951.....VAM	1143		OVERALL IMPRESSION, NORMAL, SUSPECT, ABNORMAL, UNKNOWN 4 YR. PSYCH. EXAM-OVERALL IMPRESSIONS SUMMARY CODES: 1 = NORMAL 2 = SUSPECT 3 = ABNORMAL 9 = UNKNOWN
5952.....VAB	1144	1146	AGE CHRONOLOGICAL 4 YR. PSYCH. EXAM-AGE OF CHILD (YRS & MOS) CODES: 100-500 = AS GIVEN 999 = UNKNOWN
5953.....VAR	1147	1148	GROGAN EPOCHES BLOCK (NOT TEST) FOR SCIP, SUMMARY, TOTAL 4 YR. PSYCH. EXAM-GROGAN-EPOCHES BLOCK SORT NEW SCORE TOP 40 NOTE: In addition to codes specified, code blank is also valid for each location, blank = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.130

DATA ITEM IN	FORM IN	DATA ITEM NAME
S050.....VAR	1140	CODES: 00-45 = AS GIVEN 46 = INCOMPLETE TEST 47 = NOT ADMINISTERED, UNKNOWN
		MOTOR TEST: DOMINANCE, HAND 4 YR. NEURO. EXAM-DOMINANCE=HAND CODES: 1 = RIGHT 2 = LEFT 3 = INDETERMINATE 4 = UNKNOWN
S055.....VAR	1150	MOTOR TEST: DOMINANCE, LEG 4 YR. NEURO. EXAM-DOMINANCE=LEG CODES: 1 = RIGHT 2 = LEFT 3 = INDETERMINATE 4 = UNKNOWN
S056.....VAR	1151	MOTOR TEST: DOMINANCE, EYE 4 YR. NEURO. EXAM-DOMINANCE=EYE CODES: 1 = RIGHT 2 = LEFT 3 = INDETERMINATE 4 = UNKNOWN
S057.....VAR	1152	MOTOR TEST: DOMINANCE, OVERALL SUMMARY 4 YR. NEURO. EXAM-DOMINANCE=OVERALL SUMMARY CODES: 1 = RIGHT 2 = LEFT 3 = OTHER 4 = UNKNOWN
S058.....VAR	1153 1155	AGE (YR/MO) AGE OF CHILD AT 7 YR. NEUROLOGICAL EXAM (YR). 3 MOB CODES: 000-000 = AS GIVEN

NOTE: In addition to codes specified, code blank is also valid for each location, blank = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0000-03
111.0.140

DATA ITEM IN	FORM TO	DATA ITEM NAME
5050.....VAR 1150		Neurological abnormalities, 7 years NEUROLOGICAL ABNORMALITIES-7 YR. CODES: 0 = NONE 1 = SUSPICIOUS 2 = DEFINITE 9 = UNKNOWN
5060.....VAR 1157 1158		Chest circumference at birth (cm) CHEST CIRCUMFERENCE AT BIRTH (CM.) CODES: 12,15-43 = AS GIVEN 45,48,50 = AS GIVEN 99 = UNKNOWN
5061.....VAR 1159 1160		Head circumference, neonatal (cm) HEAD CIRCUMFERENCE-NEONATAL (CM.) CODES: 14-25,40 = AS GIVEN 99 = UNKNOWN
5062.....VAR 1161		Head circumference, neonatal (cm) HEAD CIRCUMFERENCE-NEONATAL (CM.) CODES: 1 = 30 OR LESS 2 = 31-34 3 = 35-38 4 = 39-42 5 = 43-46 6 = 47-50 7 = 51 OR MORE 9 = UNKNOWN
5063.....VAR 1162 1163		Head circumference, 4 mo (cm) HEAD CIRCUMFERENCE-4 MONTH (CM.) CODES: 27,30-50 = AS GIVEN 53,60 = AS GIVEN 99 = UNKNOWN
5064.....VAR 1164		Head circumference (cm) HEAD CIRCUMFERENCE (CM.) CODES: 1 = 30 OR LESS 2 = 31-34 3 = 35-38 4 = 39-42 5 = 43-46 6 = 47-50 7 = 51 OR MORE 9 = UNKNOWN

NOTE: In entries 3 codes specified, code shown in first column for each location, blank = not in data file record; when appropriate specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000003
111.4.101

DATA ITEM IN	FROM TO	DATA ITEM NAME
		CODES: 1 0 3/4 OR LESS 2 0 35-36 3 0 37-38 4 0 39-40 5 0 41-42 6 0 43-44 7 0 45 OR MORE 8 0 UNKNOWN
5005.....VAR	1145 1160	MEAN CIRCUMFERENCE, 0 YR (CMS) MEAN CIRCUMFERENCE-M0. (CMS.) CODES: 01-00 0 AS GIVEN 00 0 UNKNOWN
5006.....VAR	1167 1180	MEAN CIRCUMFERENCE, 3 YR (CMS) MEAN CIRCUMFERENCE-3 YR. (CMS.) CODES: 01-00 0 AS GIVEN 00 0 UNKNOWN
5007.....VAR	1180 1176	MEAN CIRCUMFERENCE, 4 YR (CMS) MEAN CIRCUMFERENCE-4 YR. (CMS.) CODES: 01-00 0 AS GIVEN 00 0 UNKNOWN
5008.....VAR	1171 1172	MEAN CIRCUMFERENCE, 7 YR (CMS) MEAN CIRCUMFERENCE-7 YR. (CMS.) CODES: 00-00 0 AS GIVEN 00 0 UNKNOWN
5009.....VAR	1173 1176	WEIGHT, NUMBER, MINIMUM (GMS) WEIGHT-NUMBER, MAXIMUM (GMS) CODES: AS GIVEN 0000 0 UNKNOWN
5070.....VAR	1177 1180	WEIGHT, 4 MO (LBS/OZ) WEIGHT-M0. (LBS. & OZ.)

NOTE: In addition to codes specified, code blank is also valid for each location, blank 0 not in data file except when otherwise specified.

12-0000-03
113.A.102

DISTRIBUTION OF CODES FOR VARIANTS OF DATA ITEMS

DATA ITEM IN	FROM	TO	DATA ITEM NAME
5071.....VAR	1141	1142	CODES: 050002315 0 AS GIVEN 000 0 UNKNOWN
			HEIGHT: 0 AS GIVEN HEIGHT: 0 00. (CM, 0 00.) CODES: 05 GIVEN 000 0 UNKNOWN
5072.....VAR	1145	1147	HEIGHT: 1 00 (000) HEIGHT: 1 00. (CM, 0 00) 10 (0000) CODES: 030,001,005 0 AS GIVEN 000,001,005 0 AS GIVEN 000 0 UNKNOWN
5073.....VAR	1148	1149	HEIGHT: 3 00 (000) HEIGHT: 3 00. (CM, 0 00) 10 (0000) CODES: 001,000 0 AS GIVEN 000 0 UNKNOWN
5074.....VAR	1101	1103	HEIGHT: 0 00 (000) HEIGHT: 0 00. (CM, 0 00) 10 (0000) CODES: 001,000 0 AS GIVEN 000 0 UNKNOWN
5075.....VAR	1104	1106	HEIGHT: 7 00 (000) HEIGHT: 7 00. (CM, 0 00) 10 (0000) CODES: 010,020,035 0 AS GIVEN 100,157,160 0 AS GIVEN 171,180,183 0 AS GIVEN 000 0 UNKNOWN
5076.....VAR	1107	1108	LENGTH BODY, BIRTH (CM) BODY LENGTH AT BIRTH (CM, 0) CODES: 15-01,03 0 AS GIVEN 00 0 UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank 0 not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000003
111.1.1.1.1

DATA ITEM ID	FROM	TO	DATA ITEM NAME
5077.....VAR	1100		LENGTH BODY (CODED) GROUP/INTERVAL CODE CODES: 1 = 24 OR LESS 2 = 25-29 3 = 30-34 4 = 35-39 5 = 40-44 6 = 45-49 7 = 50-54 8 = 55 OR MORE 9 = UNKNOWN
5078.....VAR	1200	1201	LENGTH BODY, A NO (C=8) BODY LENGTH AT A NO. (C=8) CODES: 25-79, 80 = AS GIVEN 99 = UNKNOWN
5079.....VAR	1202	1203	LENGTH BODY, A NO (C=8) BODY LENGTH - A NO. (C=5) CODES: AS GIVEN 99 = UNKNOWN
5080.....VAR	1204	1205	LENGTH BODY, I YR (C=8) BODY LENGTH AT I YR. (C=5) CODES: 40, 50-99 = AS GIVEN 99 = UNKNOWN
5081.....VAR	1206	1207	LENGTH BODY (CODED) GROUP/INTERVAL CODE CODES: 01 = 50 OR LESS 02 = 60-61 03 = 62-63 04 = 64-65 05 = 66-67 06 = 68-69 07 = 70

NOTES: In addition to codes specified, code 99 is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIOUS FILE DATA ITEMS

12-DEC-83
111.A.140

DATA ITEM IN	FORM	IN	DATA ITEM NAME
5082.....VAR	1210	1210	LENGTH BODY 3 VR (CMB) BODY LENGTH = 3 VR. (CMB.) CODES: 001-999 = AS GIVEN 999 = UNKNOWN
5083.....VAR	1211	1213	LENGTH BODY 4 VR (CMB) BODY LENGTH = 4 VR. (CMB.) CODES: 001-999 = AS GIVEN 999 = UNKNOWN
5084.....VAR	1210	1210	LENGTH BODY 7 VR (CMB) BODY LENGTH = 7 VR. (CMB.) CODES: 070,000 = AS GIVEN 000-145 = AS GIVEN 147,171 = AS GIVEN 173 = AS GIVEN 999 = UNKNOWN
5085.....VAR	1217	1217	LENGTH BODY (CODED) GROUP/INTERVAL CODE CODES: 1 = 100 OR LESS

NOTE: In addition to codes specified, code blank is also valid for each location, given a var in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-83
11.0.105

DATA ITEM ID	FROM TO	DATA ITEM NAME
5086.....VAR	1214 1221	2 0 105-109 3 0 110-114 4 0 115-119 5 0 120-124 6 0 125-129 7 0 130-134 8 0 135-139 9 0 UNKNOWN
		RICH TIME (HRS:MIN) TIME OF RICH (HRS: MIN:SEC) CODES: 0001-2400 0 AS GIVEN 9999 0 DELIVERED ELSEWHERE 9999 0 UNKNOWN
5087.....VAR	1222 1223	HOURS: FIRST, TIME BEFORE/After Delivery (min) TIME OF FIRST DELIVERY (MIN:SEC) CODES: 00 0 LESS THAN ONE MINUTE 01-20,22 0 AS GIVEN 23,25,26 0 AS GIVEN 31,33-35,52 0 AS GIVEN 99 0 DELIVERED ELSEWHERE 99 0 UNKNOWN
5088.....VAR	1224	NOT USED CODES: 0 0 ABSENT OR MINIMAL 1 0 MISSING 9 0 DELIVERED ELSEWHERE 9 0 UNKNOWN
5089.....VAR	1225	FORCEPS MARKS CODES: 0 0 ABSENT 1 0 PRESENT 9 0 DELIVERED ELSEWHERE 9 0 UNKNOWN

NOTE: In addition to codes specified, each block is also valid for each location, block 0 not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-61
111.6.14

DATA ITEM	IN	FROM	TO	DATA ITEM NAME
5000.....VAR	1220			Cord. retained / unstained UMBILICAL CORD STAINING CODES: 0 = UNSTAINED 1 = STAINED 8 = NOT COLLECTED 9 = UNKNOWN
5001.....VAR	1227	1220		MEMORIALIZATION OF HRS (CODE) MEMORIALIZATION OF HOURS CODES: 05-30 = AS GIVEN 30-55, 55 = AS GIVEN 55-60, 60 = AS GIVEN 60 = UNKNOWN
5002.....VAR	1220	1230		MEMORIALIZATION OF HRS (CODE) MEMORIALIZATION OF HOURS CODES: 10, 20-29 = AS GIVEN 30 = UNKNOWN
5003.....VAR	1231			ADDER REPORT RATE, 10 MINUTE TEN MINUTE AVERAGE - PLANS RATE CODES: 0 = AS REPORTED 1 = 800 2 = 1000 9 = UNKNOWN
5004.....VAR	1232			ADDER REPORTED RATE, 10 MINUTE TEN MINUTE AVERAGE - REGISTRATION RECORD CODES: 0 = AS REPORTED 1 = AS REPORTED 2 = CRYING LUSTERS 9 = UNKNOWN
5005.....VAR	1233			ADDER AVERAGE RATE, 10 MINUTE TEN MINUTE AVERAGE - REGISTRATION RECORD

NOTE: In addition to code specification, code plans to also valid for each location, plans a map in more file except when otherwise specified.

REVISION OF CODES AND STANDARD FILE DATA TYPES

12-28-68
111.0.137

DATA TYPE ID	FORM	DATA ITEM NAME
5000.....VAR	1234	CODES: 0 = FLACCID 1 = SOME FLEXION 2 = WELL FLEXED 9 = UNKNOWN ANGER PERIOD INTENSITY, 10 MINUTE TEN MINUTE APGAR - REFLEX IRRITABILITY CODES: 0 = NO RESPONSE 1 = SOME ACTION 2 = CRY 9 = UNKNOWN
5007.....VAR	1235	ANGER COLOR, 10 MINUTE TEN MINUTE APGAR - COLOR CODES: 0 = BLUE PALE 1 = BLUE HANDS & FEET 2 = ENTIRELY PINK 9 = UNKNOWN
5000.....VAR	1230 1237	ANGER TOTAL, 10 MINUTE TEN MINUTE APGAR - SCORE CODES: 00-10 = AS GIVEN 20-29 = PART SCORE 90 = UNKNOWN
5000.....VAR	123A	ANGER TOTAL, 10 MINUTE, CLASSIFIED GROUP/INTERVAL CODE CODES: 1 = 3 OR LESS 2 = 4-6 3 = 7-10 4 = PART SCORE 9 = UNKNOWN
6000.....VAR	1239	ANGER HEART RATE, 15 MINUTE FIFTEEN MINUTE APGAR - HEART RATE CODES: 0 = ABSENT 1 = SLOW

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-63
111.A.140

DATA ITEM IN	FROM	TO	DATA ITEM NAME
6001.....VAR	1240		2 = 100 OR OVER 0 = UNKNOWN
			ADDER RESPIRATORY EFFORT, 15 MINUTE FIFTEEN MINUTE APGAR - RESPIRATORY EFFORT CODES: 0 = ABSENT 1 = WEAK CHY 2 = CRYING LUSTILY 0 = UNKNOWN
6002.....VAR	1241		ADDER MUSCLE TONE, 15 MINUTE FIFTEEN MINUTE APGAR - MUSCLE TONE CODES: 0 = PLACID 1 = SOME FLEXION 2 = WELL FLEXED 0 = UNKNOWN
6003.....VAR	1242		ADDER REFLEX IRRITABILITY, 15 MINUTE FIFTEEN MINUTE APGAR - REFLEX IRRITABILITY CODES: 0 = NO RESPONSE 1 = SOME MOTION 2 = CHY 0 = UNKNOWN
6004.....VAR	1243		ADDER COLOR, 15 MINUTE FIFTEEN MINUTE APGAR - COLOR CODES: 0 = BLUE PALE 1 = BLUE HANDS & FEET 2 = 1 BLUE HAND 0 = UNKNOWN
6005.....VAR	1244	1245	ADDER TOTAL 15 MINUTE FIFTEEN MIN APGAR - SCORE CODES: 0 = 0 1 = 1 2 = 2 3 = 3 4 = 4 5 = 5 6 = 6 7 = 7 8 = 8 9 = 9 10 = 10 11 = 11 12 = 12 13 = 13 14 = 14 15 = 15 16 = 16 17 = 17 18 = 18 19 = 19 20 = 20 21 = 21 22 = 22 23 = 23 24 = 24 25 = 25 26 = 26 27 = 27 28 = 28 29 = 29 30 = 30 31 = 31 32 = 32 33 = 33 34 = 34 35 = 35 36 = 36 37 = 37 38 = 38 39 = 39 40 = 40 41 = 41 42 = 42 43 = 43 44 = 44 45 = 45 46 = 46 47 = 47 48 = 48 49 = 49 50 = 50 51 = 51 52 = 52 53 = 53 54 = 54 55 = 55 56 = 56 57 = 57 58 = 58 59 = 59 60 = 60 61 = 61 62 = 62 63 = 63 64 = 64 65 = 65 66 = 66 67 = 67 68 = 68 69 = 69 70 = 70 71 = 71 72 = 72 73 = 73 74 = 74 75 = 75 76 = 76 77 = 77 78 = 78 79 = 79 80 = 80 81 = 81 82 = 82 83 = 83 84 = 84 85 = 85 86 = 86 87 = 87 88 = 88 89 = 89 90 = 90 91 = 91 92 = 92 93 = 93 94 = 94 95 = 95 96 = 96 97 = 97 98 = 98 99 = 99 100 = 100 101 = 101 102 = 102 103 = 103 104 = 104 105 = 105 106 = 106 107 = 107 108 = 108 109 = 109 110 = 110 111 = 111 112 = 112 113 = 113 114 = 114 115 = 115 116 = 116 117 = 117 118 = 118 119 = 119 120 = 120 121 = 121 122 = 122 123 = 123 124 = 124 125 = 125 126 = 126 127 = 127 128 = 128 129 = 129 130 = 130 131 = 131 132 = 132 133 = 133 134 = 134 135 = 135 136 = 136 137 = 137 138 = 138 139 = 139 140 = 140 141 = 141 142 = 142 143 = 143 144 = 144 145 = 145 146 = 146 147 = 147 148 = 148 149 = 149 150 = 150 151 = 151 152 = 152 153 = 153 154 = 154 155 = 155 156 = 156 157 = 157 158 = 158 159 = 159 160 = 160 161 = 161 162 = 162 163 = 163 164 = 164 165 = 165 166 = 166 167 = 167 168 = 168 169 = 169 170 = 170 171 = 171 172 = 172 173 = 173 174 = 174 175 = 175 176 = 176 177 = 177 178 = 178 179 = 179 180 = 180 181 = 181 182 = 182 183 = 183 184 = 184 185 = 185 186 = 186 187 = 187 188 = 188 189 = 189 190 = 190 191 = 191 192 = 192 193 = 193 194 = 194 195 = 195 196 = 196 197 = 197 198 = 198 199 = 199 200 = 200 201 = 201 202 = 202 203 = 203 204 = 204 205 = 205 206 = 206 207 = 207 208 = 208 209 = 209 210 = 210 211 = 211 212 = 212 213 = 213 214 = 214 215 = 215 216 = 216 217 = 217 218 = 218 219 = 219 220 = 220 221 = 221 222 = 222 223 = 223 224 = 224 225 = 225 226 = 226 227 = 227 228 = 228 229 = 229 230 = 230 231 = 231 232 = 232 233 = 233 234 = 234 235 = 235 236 = 236 237 = 237 238 = 238 239 = 239 240 = 240 241 = 241 242 = 242 243 = 243 244 = 244 245 = 245 246 = 246 247 = 247 248 = 248 249 = 249 250 = 250 251 = 251 252 = 252 253 = 253 254 = 254 255 = 255 256 = 256 257 = 257 258 = 258 259 = 259 260 = 260 261 = 261 262 = 262 263 = 263 264 = 264 265 = 265 266 = 266 267 = 267 268 = 268 269 = 269 270 = 270 271 = 271 272 = 272 273 = 273 274 = 274 275 = 275 276 = 276 277 = 277 278 = 278 279 = 279 280 = 280 281 = 281 282 = 282 283 = 283 284 = 284 285 = 285 286 = 286 287 = 287 288 = 288 289 = 289 290 = 290 291 = 291 292 = 292 293 = 293 294 = 294 295 = 295 296 = 296 297 = 297 298 = 298 299 = 299 300 = 300 301 = 301 302 = 302 303 = 303 304 = 304 305 = 305 306 = 306 307 = 307 308 = 308 309 = 309 310 = 310 311 = 311 312 = 312 313 = 313 314 = 314 315 = 315 316 = 316 317 = 317 318 = 318 319 = 319 320 = 320 321 = 321 322 = 322 323 = 323 324 = 324 325 = 325 326 = 326 327 = 327 328 = 328 329 = 329 330 = 330 331 = 331 332 = 332 333 = 333 334 = 334 335 = 335 336 = 336 337 = 337 338 = 338 339 = 339 340 = 340 341 = 341 342 = 342 343 = 343 344 = 344 345 = 345 346 = 346 347 = 347 348 = 348 349 = 349 350 = 350 351 = 351 352 = 352 353 = 353 354 = 354 355 = 355 356 = 356 357 = 357 358 = 358 359 = 359 360 = 360 361 = 361 362 = 362 363 = 363 364 = 364 365 = 365 366 = 366 367 = 367 368 = 368 369 = 369 370 = 370 371 = 371 372 = 372 373 = 373 374 = 374 375 = 375 376 = 376 377 = 377 378 = 378 379 = 379 380 = 380 381 = 381 382 = 382 383 = 383 384 = 384 385 = 385 386 = 386 387 = 387 388 = 388 389 = 389 390 = 390 391 = 391 392 = 392 393 = 393 394 = 394 395 = 395 396 = 396 397 = 397 398 = 398 399 = 399 400 = 400 401 = 401 402 = 402 403 = 403 404 = 404 405 = 405 406 = 406 407 = 407 408 = 408 409 = 409 410 = 410 411 = 411 412 = 412 413 = 413 414 = 414 415 = 415 416 = 416 417 = 417 418 = 418 419 = 419 420 = 420 421 = 421 422 = 422 423 = 423 424 = 424 425 = 425 426 = 426 427 = 427 428 = 428 429 = 429 430 = 430 431 = 431 432 = 432 433 = 433 434 = 434 435 = 435 436 = 436 437 = 437 438 = 438 439 = 439 440 = 440 441 = 441 442 = 442 443 = 443 444 = 444 445 = 445 446 = 446 447 = 447 448 = 448 449 = 449 450 = 450 451 = 451 452 = 452 453 = 453 454 = 454 455 = 455 456 = 456 457 = 457 458 = 458 459 = 459 460 = 460 461 = 461 462 = 462 463 = 463 464 = 464 465 = 465 466 = 466 467 = 467 468 = 468 469 = 469 470 = 470 471 = 471 472 = 472 473 = 473 474 = 474 475 = 475 476 = 476 477 = 477 478 = 478 479 = 479 480 = 480 481 = 481 482 = 482 483 = 483 484 = 484 485 = 485 486 = 486 487 = 487 488 = 488 489 = 489 490 = 490 491 = 491 492 = 492 493 = 493 494 = 494 495 = 495 496 = 496 497 = 497 498 = 498 499 = 499 500 = 500 501 = 501 502 = 502 503 = 503 504 = 504 505 = 505 506 = 506 507 = 507 508 = 508 509 = 509 510 = 510 511 = 511 512 = 512 513 = 513 514 = 514 515 = 515 516 = 516 517 = 517 518 = 518 519 = 519 520 = 520 521 = 521 522 = 522 523 = 523 524 = 524 525 = 525 526 = 526 527 = 527 528 = 528 529 = 529 530 = 530 531 = 531 532 = 532 533 = 533 534 = 534 535 = 535 536 = 536 537 = 537 538 = 538 539 = 539 540 = 540 541 = 541 542 = 542 543 = 543 544 = 544 545 = 545 546 = 546 547 = 547 548 = 548 549 = 549 550 = 550 551 = 551 552 = 552 553 = 553 554 = 554 555 = 555 556 = 556 557 = 557 558 = 558 559 = 559 560 = 560 561 = 561 562 = 562 563 = 563 564 = 564 565 = 565 566 = 566 567 = 567 568 = 568 569 = 569 570 = 570 571 = 571 572 = 572 573 = 573 574 = 574 575 = 575 576 = 576 577 = 577 578 = 578 579 = 579 580 = 580 581 = 581 582 = 582 583 = 583 584 = 584 585 = 585 586 = 586 587 = 587 588 = 588 589 = 589 590 = 590 591 = 591 592 = 592 593 = 593 594 = 594 595 = 595 596 = 596 597 = 597 598 = 598 599 = 599 600 = 600 601 = 601 602 = 602 603 = 603 604 = 604 605 = 605 606 = 606 607 = 607 608 = 608 609 = 609 610 = 610 611 = 611 612 = 612 613 = 613 614 = 614 615 = 615 616 = 616 617 = 617 618 = 618 619 = 619 620 = 620 621 = 621 622 = 622 623 = 623 624 = 624 625 = 625 626 = 626 627 = 627 628 = 628 629 = 629 630 = 630 631 = 631 632 = 632 633 = 633 634 = 634 635 = 635 636 = 636 637 = 637 638 = 638 639 = 639 640 = 640 641 = 641 642 = 642 643 = 643 644 = 644 645 = 645 646 = 646 647 = 647 648 = 648 649 = 649 650 = 650 651 = 651 652 = 652 653 = 653 654 = 654 655 = 655 656 = 656 657 = 657 658 = 658 659 = 659 660 = 660 661 = 661 662 = 662 663 = 663 664 = 664 665 = 665 666 = 666 667 = 667 668 = 668 669 = 669 670 = 670 671 = 671 672 = 672 673 = 673 674 = 674 675 = 675 676 = 676 677 = 677 678 = 678 679 = 679 680 = 680 681 = 681 682 = 682 683 = 683 684 = 684 685 = 685 686 = 686 687 = 687 688 = 688 689 = 689 690 = 690 691 = 691 692 = 692 693 = 693 694 = 694 695 = 695 696 = 696 697 = 697 698 = 698 699 = 699 700 = 700 701 = 701 702 = 702 703 = 703 704 = 704 705 = 705 706 = 706 707 = 707 708 = 708 709 = 709 710 = 710 711 = 711 712 = 712 713 = 713 714 = 714 715 = 715 716 = 716 717 = 717 718 = 718 719 = 719 720 = 720 721 = 721 722 = 722 723 = 723 724 = 724 725 = 725 726 = 726 727 = 727 728 = 728 729 = 729 730 = 730 731 = 731 732 = 732 733 = 733 734 = 734 735 = 735 736 = 736 737 = 737 738 = 738 739 = 739 740 = 740 741 = 741 742 = 742 743 = 743 744 = 744 745 = 745 746 = 746 747 = 747 748 = 748 749 = 749 750 = 750 751 = 751 752 = 752 753 = 753 754 = 754 755 = 755 756 = 756 757 = 757 758 = 758 759 = 759 760 = 760 761 = 761 762 = 762 763 = 763 764 = 764 765 = 765 766 = 766 767 = 767 768 = 768 769 = 769 770 = 770 771 = 771 772 = 772 773 = 773 774 = 774 775 = 775 776 = 776 777 = 777 778 = 778 779 = 779 780 = 780 781 = 781 782 = 782 783 = 783 784 = 784 785 = 785 786 = 786 787 = 787 788 = 788 789 = 789 790 = 790 791 = 791 792 = 792 793 = 793 794 = 794 795 = 795 796 = 796 797 = 797 798 = 798 799 = 799 800 = 800 801 = 801 802 = 802 803 = 803 804 = 804 805 = 805 806 = 806 807 = 807 808 = 808 809 = 809 810 = 810 811 = 811 812 = 812 813 = 813 814 = 814 815 = 815 816 = 816 817 = 817 818 = 818 819 = 819 820 = 820 821 = 821 822 = 822 823 = 823 824 = 824 825 = 825 826 = 826 827 = 827 828 = 828 829 = 829 830 = 830 831 = 831 832 = 832 833 = 833 834 = 834 835 = 835 836 = 836 837 = 837 838 = 838 839 = 839 840 = 840 841 = 841 842 = 842 843 = 843 844 = 844 845 = 845 846 = 846 847 = 847 848 = 848 849 = 849 850 = 850 851 = 851 852 = 852 853 = 853 854 = 854 855 = 855 856 = 856 857 = 857 858 = 858 859 = 859 860 = 860 861 = 861 862 = 862 863 = 863 864 = 864 865 = 865 866 = 866 867 = 867 868 = 868 869 = 869 870 = 870 871 = 871 872 = 872 873 = 873 874 = 874 875 = 875 876 = 876 877 = 877 878 = 878 879 = 879 880 = 880 881 = 881 882 = 882 883 = 883 884 = 884 885 = 885 886 = 886 887 = 887 888 = 888 889 = 889 890 = 890 891 = 891 892 = 892 893 = 893 894 = 894 895 = 895 896 = 896 897 = 897 898 = 898 899 = 899 900 = 900 901 = 901 902 = 902 903 = 903 904 = 904 905 = 905 906 = 906 907 = 907 908 = 908 909 = 909 910 = 910 911 = 911 912 = 912 913 = 913 914 = 914 915 = 915 916 = 916 917 = 917 918 = 918 919 = 919 920 = 920 921 = 921 922 = 922 923 = 923 924 = 924 925 = 925 926 = 926 927 = 927 928 = 928 929 = 929 930 = 930 931 = 931 932 = 932 933 = 933 934 = 934 935 = 935 936 = 936 937 = 937 938 = 938 939 = 939 940 = 940 941 = 941 942 = 942 943 = 943 944 = 944 945 = 945 946 = 946 947 = 947 948 = 948 949 = 949 950 = 950 951 = 951 952 = 952 953 = 953 954 = 954 955 = 955 956 = 956 957 = 957 958 = 958 959 = 959 960 = 960 961 = 961 962 = 962 963 = 963 964 = 964 965 = 965 966 = 966 967 = 967 968 = 968 969 = 969 970 = 970 971 = 971 972 = 972 973 = 973 974 = 974 975 = 975 976 = 976 977 = 977 978 = 978 979 = 979 980 = 980 981 = 981 982 = 982 983 = 983 984 = 984 985 = 985 986 = 986 987 = 987 988 = 988 989 = 989 990 = 990 991 = 991 992 = 992 993 = 993 994 = 994 995 = 995 996 = 996 997 = 997 998 = 998 999 = 999 1000 = 1000 1001 = 1001 1002 = 1002 1003 = 1003 1004 = 1004 1005 = 1005 1006 = 1006 1007 = 1007 1008 = 1008 1009 = 1009 1010 = 1010 1011 = 1011 1012 = 1012 1013 = 1013 1014 = 1014 1015 = 1015 1016 = 1016 1017 = 1017 1018 = 1018 1019 = 1019 1020 = 1020 1021 = 1021 1022 = 1022 1023 = 1023 1024 = 1024 1025 = 1025 1026 = 1026 1027 = 1027 1028 = 1028 1029 = 1029 1030 = 1030 1031 = 1031 1032 = 1032 1033 = 1033 1034 = 1034 1035 = 1035 1036 = 1036 1037 = 1037 1038 = 1038 1039 = 1039 1040 = 1040 1041 = 1041 1042 = 1042 1043 = 1043 1044 = 1044 1045 = 1045 1046 = 1046 1047 = 1047 1048 = 1048 1049 = 1049 1050 = 1050 1051 = 1051 1052 = 1052 1053 = 1053 1054 = 1054 1055 = 1055 1056 = 1056 1057 = 1057 1058 = 1058 1059 = 1059 1060 = 1060 1061 = 1061 1062 = 1062 1063 = 1063 1064 = 1064 1065 = 1065 1066 = 1066 1067 = 1067 1068 = 1068 1069 = 1069 1070 = 1070 1071 = 1071 1072 = 1072 1073 = 1073 1074 = 1074 1075 = 1075 1076 = 1076 1077 = 1077 1078 = 1078 1079 = 1079 1080 = 1080 1081 = 1081 1082 = 1082 1083 = 1083 1084 = 1084 1085 = 1085 1086 = 1086 1087 = 1087 1088 = 1088 1089 = 1089 1090 = 1090 1091 = 1091 1092 = 1092 1093 = 1093 1094 = 1094 1095 = 1095 1096 = 1096 1097 = 1097 1098 = 1098 1099 = 1099 1100 = 1100 1101 = 1101 1102 = 1102 1103 = 1103 1104 = 1104 1105 = 1105 1106 = 1106 1107 = 1107 1108 = 1108 1109 = 1109 1110 = 1110 1111 = 1111 1112 = 1112 1113 = 1113 1114 = 1114 1115 = 1115 1116 = 1116 1117 = 1117 1118 = 1118 1119 = 1119 1120 = 1120 1121 = 1121 1122 = 1122 1123 = 1123 1124 = 1124 1125 = 1125 1126 = 1126 1127 = 1127 1128 = 1128 1129 = 1129 1130 = 1130 1131 = 1131 1132 = 1132 1133 = 1133 1134 = 1134 1135 = 1135 1136 = 1136 1137 = 1137 1138 = 1138 1139 = 1139 1140 = 1140 1141 = 1141 1142 = 1142 1143 = 1143 1144 = 1144 1145 = 1145 1146 = 1146 1147 = 1147 1148 = 1148 1149 = 1149 1150 = 1150 1151 = 1151 1152 = 1152 1153 = 1153 1154 = 1154 1155 = 1155 1156 = 1156 1157 = 1157 1158 = 1158 1159 = 1159 1160 = 1160 1161 = 1161 1162 = 1162

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-83
111.A.140

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0006.....VAD	1246		GROUP/INTERVAL CODE CODES: 1 = 3 OR LESS 2 = 4-6 3 = 7-10 4 = PART SCORE 9 = UNKNOWN
0007.....VAD	1247		ANGER HEART RATE, 20 minute TWENTY MINUTE APMAR = HEART RATE CODES: 0 = ABSENT 1 = SLOW 2 = 100 OR OVER 9 = UNKNOWN
0008.....VAD	1248		ANGER RESPIRATORY EFFORT, 20 minute TWENTY MINUTE APMAR = RESPIRATORY EFFORT CODES: 0 = ABSENT 1 = HEAVY CRY 2 = CHIRING LUSTILY 9 = UNKNOWN
0009.....VAD	1249		ANGER MUSCLE TONE, 20 minute TWENTY MINUTE APMAR = MUSCLE TONE CODES: 0 = FLACCID 1 = SOME FLEXION 2 = WELL FLEXED 9 = UNKNOWN
0010.....VAD	1250		ANGER FACIAL IRRITABILITY, 20 minute TWENTY MINUTE APMAR = FACIAL IRRITABILITY CODES: 0 = NO RESPONSE 1 = SOME MOTION 2 = CRY 9 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-08c-03
111.A.150

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0011.....VAR	1251		ADDER COLOR, 20 minute TWENTY MINUTE ADDER - COLOR CODES: 0 = BLUE PALE 1 = BLUE HANDS AND FEET 2 = ENTIRELY PINK 9 = UNKNOWN
0012.....VAR	1242	1253	ADDER TOTAL, 20 minute TWENTY MINUTE ADDER - SCORE CODES: 00-10 = AS GIVEN 20-29 = PART SCORE 99 = UNKNOWN
0013.....VAR	1254		ADDER TOTAL, 20 minute, classified GROUP/INTERVAL CODE CODES: 1 = 3 OR LESS 2 = 4-6 3 = 7-10 4 = PART SCORE 9 = UNKNOWN
0014.....VAR	1255		MOTOR REACTIVITY TONE (PROVISION 3) ANTON REACTIVITY AND TONE (REV 3) CODES: 0 = NORMAL & SYMMETRICAL 1 = OTHER 9 = NOT ON THIS REVISION 9 = UNKNOWN
0015.....VAR	1256		SKIN COLOR SKIN CODES: 0 = NORMAL 1 = PALLOR 2 = GENERAL CYANOSIS 3 = PETECHIAE

*Note: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0000-03
III.A.151

DATA ITEM IN	FROM TO	DATA ITEM NAME
0016.....VAR	1257	CRY, present / absent / abnormal / unknown CRY CODES: 0 = PRESENT 1 = ABNORMAL 2 = ABSENT 3 = DELIVERED ELSEWHERE 4 = UNKNOWN
0017.....VAR	1258	MOTOR ACTIVITY, neonate MOTOR ACTIVITY - NEONATE (REV 21) CODES: 0 = NORMAL & SYMMETRICAL 1 = OTHER 2 = NOT ON THIS REVISION 3 = UNKNOWN
0018.....VAR	1259	PSYCHOLOGICAL EXAM ADEQUACY OF EXAM PSY EXAM - ADEQUACY CODES: 1 = ADEQUATE 2 = NOT ADEQUATE 3 = UNKNOWN OR COMMENT ONLY
0019.....VAR	1260 1261	SRA nonverbal, total raw score TOTAL RAW SCORE - MOTHER/MOTHER SURROGATE (SRA) CODES: 00-99 = AS GIVEN 99 = EXAM NOT ADEQUATE (NOTE: NO 99 CODE)
0020.....VAR	1262 1263	SRA nonverbal, rank, quotient RANK QUOTIENT - MOTHER/MOTHER SURROGATE (SRA)

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000-03
111.A.152

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0021.....VAR	1245		CODES: 000-140 = AS GIVEN 000 = EXAM NOT ADEQUATE (NOTE: NO 000 CODE) 101 adequacy of exam 0 = PSYCH EXAM - ADEQUACY OF INTELLIGENCE SCALE ADMINISTERED CODES: 1 = ADEQUATE 2 = NOT ADEQUATE 0 = UNKNOWN
0022.....VAR	1246		Motor test, gross, line walk, score 0 = PSYCH EXAM - LINE WALK - SCORE CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 0 = UNKNOWN
0023.....VAR	1247		Motor test, gross, hopping, right foot 0 = PSYCH EXAM - HOPPING - RIGHT FOOT CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 0 = UNKNOWN
0024.....VAR	1248		Motor test, gross, hopping, left foot 0 = PSYCH EXAM - HOPPING - LEFT FOOT CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 0 = UNKNOWN
0025.....VAR	1249		Motor test, gross, ball catch, trial 1 0 = PSYCH EXAM - BALL CATCH - TRIAL 1 CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 0 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0026.....VAR	1270		Motor test, gross, ball catch, trial 2 4 VR PSYCH EXAM - BALL CATCH - TRIAL 2 CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 9 = UNKNOWN
0027.....VAR	1271		Motor test, gross, ball catch, trial 3 4 VR PSYCH EXAM - BALL CATCH - TRIAL 3 CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 9 = UNKNOWN
0028.....VAR	1272		Motor test, fine, wall in overhead, right hand 4 VR PSYCH EXAM - WALL IN OVERHEAD - RIGHT HAND CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 9 = UNKNOWN
0029.....VAR	1273		Motor test, fine, wall in overhead, left hand 4 VR PSYCH EXAM - WALL IN OVERHEAD - LEFT HAND CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 9 = UNKNOWN
0030.....VAR	1270		Motor test, fine, copy forms, circle 4 VR PSYCH EXAM - COPY FORMS - CIRCLE CODES: 1 = PASSED 2 = FAILED 0 = ITEM NOT ADMINISTERED 9 = UNKNOWN

NOTE: In addition to codes specified, some blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-43
111.A.194

DATA ITEM IN	FORM IN	DATA ITEM NAME
0031.....VAR	1275	MOTOR TEST, TIME, COPY FORMS, CROSS 4 VR PSYCH EXAM - COPY FORMS - CROSS CODES: 1 = PASSED 2 = FAILED A = ITEM NOT ADMINISTERED 0 = UNKNOWN
0032.....VAR	1276	MOTOR TEST, TIME, COPY FORMS, SQUARE 4 VR PSYCH EXAM - COPY FORMS - SQUARE CODES: 1 = PASSED 2 = FAILED A = ITEM NOT ADMINISTERED 0 = UNKNOWN
0033.....VAR	1277	MOTOR TEST, TIME, STRINGING BEANS 4 VR PSYCH EXAM - STRINGING BEANS CODES: 1 = PASSED 2 = FAILED A = ITEM NOT ADMINISTERED 0 = UNKNOWN
0034.....VAR	1278	MOTOR TEST, TIME, DOPTOUS MERE, MERE 4 4 VR PSYCH EXAM - DOPTOUS MERE 4 CODES: 1 = PASSED 2 = FAILED A = ITEM NOT ADMINISTERED 0 = UNKNOWN
0035.....VAR	1279 1280	SPY, FIRST, BEFORE OR AFTER DELIVERY, TIME (MIN) FIRST GIVE TIME (MINS.) CODES: 00 = LESS THAN ONE MINUTE 01-99 = AS GIVEN 99 = DELIVERED ELSEWHERE 00 = UNKNOWN
0036.....VAR	1281 1302	BLANK BLANK

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-68
111.A.155

DATA ITEM IN	FROM TO	DATA ITEM NAME
0037.....VAR	1303	Delivery method METHOD OF DELIVERY TYPE CODES: 0 = NOT APPLICABLE 1 = VERTIC 2 = BREECH 3 = C/S 0 = UNKNOWN
0038.....VAR	1303	Record of presents labor and delivery LABOR AND DELIVERY RECORDS PRESENT CODES: 0 = NO 1 = YES 0 = UNKNOWN
0039.....VAR	1303	Amniotic placenta, degree AMNIOTIC PLACENTA CODES: 0 = NO 1 = PARTIAL 2 = COMPLETE 0 = UNKNOWN DEGREE 0 = UNKNOWN
0040.....VAR	1306	Amniotic placenta, (year no, unknown) AMNIOTIC PLACENTA CODE CODES: 0 = NO 1 = YES 0 = UNKNOWN
0041.....VAR	1307	Labor, arrested progress uterine obstruction (08-30) ARRESTED PROGRESS OF LABOR (08-30) CODES: 0 = NONE 1 = LATENT PHASE 2 = ACTIVE PHASE 3 = COMBINATION OF CODES 1,2 4 = SECOND STAGE 5 = COMBINATION OF CODES 1,4

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.156

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0042.....VAR	1308		CORD PATHOLOGY: true knot CORD PATHOLOGY - TRUE KNOT CODES: 0 = NONE 1 = TIGHT 2 = LOOSE 9 = UNKNOWN 0 = COMBINATION OF CODES 2-4 7 = COMBINATION OF CODES 1-4 8 = NOT APPLICABLE, OR 55 PRESENT 9 = UNKNOWN
0043.....VAR	1309		CORD PATHOLOGY: velamentous insertion (OR-55) CORD PATHOLOGY - VELAMENTOUS INSERTION (OR-55) CODES: 0 = NO 1 = YES 8 = NOT APPLICABLE, OR-55 PRESENT 9 = UNKNOWN
0044.....VAR	1310		CORD PATHOLOGY: vasa previa, varices (OR-55) CORD PATHOLOGY - VARICES (OR-55) CODES: 0 = NO 1 = YES 8 = NOT APPLICABLE, OR-55 PRESENT 9 = UNKNOWN
0045.....VAR	1311		CORD PATHOLOGY: ruptured cord vessel CORD PATHOLOGY - RUPTURED CORD VESSEL CODES: 0 = NO 1 = YES 9 = UNKNOWN
0046.....VAR	1312		CORD PATHOLOGY: other abnormality (OR-55) CORD PATHOLOGY - OTHER (OR-55) CODES: 0 = NO 1 = YES

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-83
111.A.157

DATA ITEM IN	FROM	TO	DATA ITEM NAME
0047.....VAR	1313		A = NOT APPLICABLE, OR-TO PRESENT 0 = UNKNOWN Cord pathology: cord around body CORR PATHNOLOGY = CORD AROUND BODY CODES: 0 = NONE 1 = TIGHT 2 = LOOSE 9 = UNKNOWN
0048.....VAR	1314		Cord pathology: cord around neck, loose, number CORR PATHNOLOGY = LOOSE CORD AROUND NECK CODES: 0 = NONE 1-7 = NUMBER OF TIMES 8 = NO. OF TIMES UNKNOWN 9 = UNKNOWN
0049.....VAR	1315		Cord pathology: cord around neck, tight, number CORR PATHNOLOGY = TIGHT CORD AROUND NECK CODES: 0 = NONE 1-6 = NUMBER OF TIMES 7 = 7 OR MORE 8 = UNKNOWN NO. OF TIMES 9 = UNKNOWN
0050.....VAR	1316		Distocle, shoulder OVSTUCTIA-SHOULDER CODES: 0 = NO 1 = YES 9 = UNKNOWN
0051.....VAR	1317		Lebor onset, spontaneous or induced LABOR-ONSET OF ONSET TYPE CODES: 0 = NONE 1 = SPONTANEOUS 2 = INDUCED 9 = UNKNOWN

NOTE: In addition to codes specified, code plans is also valid for each location, plant is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000003
111.8.190

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0052.....VAR	1314		ORVOTOC USE ORVOTOC USE CODES: 0 = NOT USED 1 = INDUCTION ONLY 2 = AUGMENTATION ONLY 3 = INDUCTION AND AUGMENTATION 0 = USED BUT MEASUREMENT UNKNOWN 9 = UNKNOWN
0053.....VAR	1319		PLACENTA PREVIA, GROUP PLACENTA PREVIA CODES: 0 = NONE 1 = TOTAL 2 = PARTIAL 3 = MARGINAL 0 = LOW IMPLANTATION 0 = UNCLASSIFIED 9 = UNKNOWN
0050.....VAR	1320		PLACENTA PREVIA, GROUP/INTERVAL CODE GROUP/INTERVAL CODE CODES: 0 = NO 1 = YES 0 = UNKNOWN
0055.....VAR	1321 1323		Presentation of fetus at delivery Presentation at delivery CODES: 000 = NO LABOR 011 = OA 012 = OT 013 = OP 020 = CHIN, FACE 021 = MA 022 = MT

NOTE: In addition to codes specified, code 9999 is also valid for each location, when a not in data file except when otherwise specified.

OFFICIAL USE ONLY FOR VARIANTS AND DATA ITEMS

14000000
111.0.150

DATA
ITEM
ID

NAME IN

DATA ITEM NAME

021 0 00
030 0 0000
041 0 0000 ANTEWING
050 0 0000 ANTEWING
051 0 0000 ANTEWING
061 0 00
062 0 00
063 0 00
064 0 00000000
110 0 00
111 0 00
112 0 00
113 0 00
121 0 00
122 0 00
123 0 00
132 0 0 0000 1
141 0 0 000000 4
142 0 0 000000 7
143 0 0 000000 0
161 0 00
162 0 00
163 0 00
164 0 00
173 0 00
211 0 00
212 0 00
213 0 00
221 0 00, 00
222 0 00
223 0 00
231 0 0 0000 4
232 0 0 0000 7
233 0 0 0000 0
261 0 00
262 0 00

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0800-03
111.4.160

DATA ITEM IN	FROM TO	DATA ITEM NAME
0056.....VAR	1324	203 0 RSP 201 0 RAA, WADA, WACA 203 0 RAB, RANP, RSCP 555 0 COMPOUND (VERTEX OR MEECH) 606 0 MEECH (POSITION NOT SPECIFIED) 777 0 VERTEX (POSITION NOT SPECIFIED) AAA 0 OTHER PRESENTATIONS 999 0 UNKNOWN Presentation of fetus at delivery, grouped: vertex, breech, other GROUP/INTERVAL CODE CODES: 1 0 VERTEX 2 0 MEECH 3 0 OTHER 9 0 UNKNOWN
0057.....VAR	1325	Cord; prolapsed, degree PROLAPSED CORD CODES: 0 0 NONE 1 0 OCCULT 2 0 INTO VAGINA 3 0 THROUGH INTUITUS 4 0 UNKNOWN DEGREE 9 0 UNKNOWN
0058.....VAR	1326	Cord; prolapsed, episodes vs. no. unknown GROUP/INTERVAL CODE CODES: 0 0 NO 1 0 YES 9 0 UNKNOWN
0059.....VAR	1327	Rupture of membranes, reason RUPTURE OF MEMBRANES AND REASON CODES: 0 0 SPONTANEOUS 1 0 TERMINAL IN DEL. PH. AT C/S 2 0 FOR INDUCTION

NOTES: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

10-000003
111.4.501

DATA
ITEM
ID

FROM TO

DATA ITEM NAME

6060.....VAR 1326

TOXEMIA: HYPERTENSION, CHRONIC (OR-34)
TOXEMIA OR CHRONIC HYPERTENSION (OR-34)
CODES: 0 = NONE
1 = CHRONIC HYPERTENSION W/O TOXEMIA
2 = CHRONIC HYPERTENSION WITH TOXEMIA
3 = CHRONIC HYPERTENSION WITH TOXEMIA
4 = PRE-ECLAMPSIA
5 = ECLAMPSIA
6 = UNCLASSIFIED
8 = NOT APPLICABLE (OR-55 PRESENT)
9 = UNKNOWN

3 = FOR AUGMENTATION
4 = UNINTENTIONAL
7 = ARTIFICIAL, REASON UNKNOWN
8 = OTHER REASON
9 = UNKNOWN

6061.....VAR 1329

VERTER DELIVERY: FORCEPS APPLICATION
VERTER DELIVERY WITH FORCEPS-APPLICATION
CODES: 0 = NOT APPLICABLE, NOT ATTEMPTED
1 = CLASS I - OUTLET
2 = CLASS II - LOW
3 = CLASS III - MID
4 = CLASS IV - HIGH
7 = UNSUCCESSFUL ATTEMPT
8 = NOT APPLICABLE-OTHER TYPE OF DELIVERY
9 = UNKNOWN

6062.....VAR 1330

VERTER DELIVERY: VACUUM EXTRACTION (OR-55)
VERTER DELIVERY WITH VACUUM EXTRACTION (OR-55)
CODES: 0 = NO
1 = YES
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = NOT APPLICABLE, OR-55 PRESENT
9 = UNKNOWN

NOTES: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.102

DATA ITEM	FROM	TO	DATA ITEM NAME
0063.....VAR	1331		Interim, acute ACUTE TOXEMIA (08-55) CODES: 0 = NONE 1 = POSSIBLE PRE-ECLAMPSIA 2 = PRE-ECLAMPSIA, MILD 3 = PRE-ECLAMPSIA, SEVERE 4 = ECLAMPSIA 7 = NOT APPLICABLE, 08-30 PRESENT 9 = UNKNOWN
0064.....VAR	1332		Labor, arrested progress; malpresentation ARR. PRG. OF LABOR-PRG. CAUSE MALPRESENTATION (08-55) CODES: 0 = NO 1 = YES 6 = NOT APPLICABLE, 08-34 PRESENT 9 = UNKNOWN
0065.....VAR	1333		Labor, arrested progress; uterine activity abnormal; ARR. PRG. OF LABOR-PRG. CAUSE ABNORM UTERINE ACTIVITY (08-55) CODES: 0 = NO 1 = YES 6 = NOT APPLICABLE, 08-34 PRESENT 9 = UNKNOWN
0066.....VAR	1334		Labor, arrested progress; fetal/placental disproportion; cephalopelvic disproportion ARR. PRG. OF LABOR-PRG. CAUSE FETAL/PELVIC DISPROPORTION (08-55) CODES: 0 = NO 1 = YES 6 = NOT APPLICABLE, 08-34 PRESENT 9 = UNKNOWN
0067.....VAR	1335		Labor, arrested progress; other causes ARR. PRG. OF LABOR-PRG. CAUSE-OTHER CAUSES (08-55) CODES: 0 = NO OTHER CAUSES 1 = OTHER CAUSES

NOTES: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.163

DATA ITEM IN	FORM TO	DATA ITEM NAME
6060.....VAR	1336	LABOR, EXPECTED PROGRESS, PHASE AND STAGE ARRESTED PROGRESS OF LABOR (OR-55) CODES: 0 = NONE 1 = LATENT ONLY 2 = ACTIVE ONLY 3 = LATENT AND ACTIVE 4 = 2ND. STAGE 5 = LATENT AND 2ND. STAGE 6 = ACTIVE AND 2ND. STAGE 7 = LATENT, ACTIVE AND 2ND. STAGE 8 = NOT APPLICABLE, OR-36 PRESENT 9 = UNKNOWN
6069.....VAR	1337	BLOOD TRANSFUSION BLOOD TRANSFUSION-DELIVERY ROOM (OR-55) CODES: 0 = NO 1 = YES 2 = NOT APPLICABLE, OR-36 PRESENT 3 = UNKNOWN
6070.....VAR	1338 1341	Bleeding after cord clamped (CC) BLEEDING AFTER CORD CLAMPED (OR-55) (CC) CODES: 0000 = NONE 0001-0009 = AS GIVEN 0000 = NOT APPLICABLE, OR-36 PRESENT 0000 = BLEEDING, QUANTITY NOT SPECIFIED 0000 = UNKNOWN
6071.....VAR	1342 1345	Bleeding before cord clamped (CC) BLEEDING BEFORE CORD CLAMPED (OR-55) (CC) CODES: 0000 = NONE 0001-0009 = AS GIVEN 0000 = NOT APPLICABLE, OR-36 PRESENT

NOTES: In addition to codes specified, code blank is also valid for each location, blank = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.4.166

DATA
ITEM
ID

FROM TO

DATA ITEM NAME

0000 = BLEEDING, QUANTITY UNSPECIFIED
0000 = UNKNOWN

6072.....VAR 1370

HYPERTENSION, CHRONIC DISEASE
CHRONIC HYPERTENSIVE DISEASE (DM-15)
CODES: 0 = NONE

1 = YES, NO PATIENT HISTORY ONLY
2 = YES, NO DOCUMENTED EVIDENCE
7 = NOT APPLICABLE, DM-30 PRESENT
8 = UNCERTAIN
9 = UNKNOWN

6073.....VAR 1307

BREECH DELIVERY VERSION, Internal podalic, difficulty code
BREECH DELIVERY-PODALIC VERSION
CODES: 0 = NOT ATTEMPTED

1 = AVERAGE
2 = DIFFICULT
3 = VERY DIFFICULT
4 = FAILED
5 = NOT APPLICABLE - OTHER TYPE OF DELIVERY
7 = NOT APPLICABLE, DM-30 PRESENT
8 = DIFFICULTY UNKNOWN VERSION ATTEMPTED
9 = UNKNOWN

6074.....VAR 1308

BREECH DELIVERY VERSION, Internal podalic (yes, no, unknown)
GROUP/INTERVAL CODE
CODES: 0 = NO

1 = YES
9 = UNKNOWN

6075.....VAR 1309

BREECH DELIVERY PRESENTATION
BREECH DELIVERY-TYPE (ATTITUDE OR PRESENTATION)
CODES: 0 = DELIVERY OTHER THAN BREECH

1 = PRANK
2 = SINGLE FORTLING OR KNEE
3 = DOUBLE FORTLING OR KNEE

NOTE: In addition to codes specified, code blank is also valid for each location, plus a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0000-03
211.4.105

DATA ITEM ID	FROM TO	DATA ITEM NAME
6076.....VAM	1350	4 = FULL OR COMPLETE 5 = COMPOUND 6 = VERSION AND EXTRACTION 9 = UNKNOWN Breech delivery procedures attempted for delivery of body PROCEDURES ATTEMPTED FOR DELIVERY OF BODY- BREECH CODES: 0 = NOT APPLICABLE, DEL. OTHER THAN BREECH 1 = DECOMPOSITION 2 = PARTIAL EXTRACTION 3 = TOTAL EXTRACTION 4 = BREECH DECOMPOSITION ONLY 5 = DECOMP. AND PARTIAL EXTRACTION 6 = DECOMP. AND TOTAL EXTRACTION 9 = UNKNOWN
6077.....VAM	1351	Breech delivery procedures attempted for delivery of head PROCEDURES ATTEMPTED FOR DELIVERY OF HEAD- BREECH CODES: 0 = OTHER TYPE OF DELIVERY 1 = SPONTANEOUS 2 = MANUAL CONTROL 3 = FORCEPS 4 = MANUAL AND FORCEPS 5 = SPONTANEOUS AND FORCEPS 9 = UNKNOWN
6078.....VAM	1352	Breech delivery difficulty with decomposition DIFFICULTY OF BREECH PROCEDURES - DECOMPOSITION (06-SS) CODES: 0 = PROCEDURE NOT ATTEMPTED 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 4 = FAILED 7 = NOT APPLICABLE, OR-34 PRESENT 9 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN

NOTES: In addition to codes specified, code blank is also valid for each location, blank a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000-A:
111.A.100

DATA ITEM ID	FROM	TO	DATA ITEM NAME
6078.....VAR	1353		Breath delivery difficulty of partial extraction DIFFICULTY OF BREATH PROCEDURES - PARTIAL EXTRACTION (08-55) CODES: 0 = PROCEDURE NOT ATTEMPTED 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 4 = FAILED 7 = NOT APPLICABLE, OR-34 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
6080.....VAR	1354		Breath delivery difficulty of total extraction DIFFICULTY OF BREATH PROCEDURES - TOTAL (08-55) CODES: 0 = PROCEDURE NOT ATTEMPTED 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 4 = FAILED 7 = NOT APPLICABLE, OR-34 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
6081.....VAR	1355		Breath delivery difficulty of manual delivery of head DIFFICULTY OF BREATH PROCEDURES-MANUAL DELIVERY OF HEAD (08-55) CODES: 0 = PROCEDURE NOT ATTEMPTED 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 4 = FAILED 7 = NOT APPLICABLE, OR-34 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
6082.....VAR	1356		Breath delivery forceps delivery of head, difficulty DIFFICULTY BREATH PROCEDURES-FORCEPS DELIVERY OF HEAD (08-55) CODES: 0 = PROCEDURE NOT ATTEMPTED

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-63
111.A.167

DATA
ITEM
ID

FROM TO

DATA ITEM NAME

1 0 AVERAGE
2 0 DIFFICULT
3 0 VERY DIFFICULT
4 0 FAILED
7 0 NOT APPLICABLE, DM-34 PRESENT
8 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 0 UNKNOWN

0083.....VAV 1347

Version delivery forceps, difficulty of rotation
DIFFICULTY OF FORCEPS PROCEDURES - TRACTION (OB-54)
CONF81 0 0 PROCEDURE NOT ATTEMPTED

1 0 AVERAGE
2 0 DIFFICULT
3 0 VERY DIFFICULT
4 0 FAILED
7 0 NOT APPLICABLE, DM-34 PRESENT
8 0 NOT APPLICABLE, DELIVERED AS MEECH ON C/S
9 0 UNKNOWN

0084.....VAV 1354

Version delivery forceps, difficulty of application
DIFFICULTY OF FORCEPS PROCEDURES - APPLICATION (DM-55)
CONF81 0 0 PROCEDURE NOT ATTEMPTED

1 0 AVERAGE
2 0 DIFFICULT
3 0 VERY DIFFICULT
4 0 FAILED
7 0 NOT APPLICABLE, DM-34 PRESENT
8 0 NOT APPLICABLE, DELIVERED AS MEECH ON C/S
9 0 UNKNOWN

0085.....VAV 1350

Version delivery forceps, difficulty of rotation
DIFFICULTY OF FORCEPS PROCEDURES - ROTATION (OB-55)
CONF81 0 0 PROCEDURE NOT ATTEMPTED

1 0 AVERAGE
2 0 DIFFICULT
3 0 VERY DIFFICULT

NOTE: In addition to codes specified, code blank is also valid for each location, where a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
113.A.100

DATA ITEM ID	SWIM TO	DATA ITEM NAME
0086.....VAR	1340	4 = FAILED 7 = NOT APPLICABLE, OM-34 PRESENT 8 = NOT APPLICABLE, DELIVERED AS SHEECH ON C/S 9 = UNKNOWN Vertex delivery, forceps, difficulty of conversion DIFFICULTY OF FORCEPS PROCEDURES - CONVERSION (OM-55) CODES: 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 4 = FAILED 7 = NOT APPLICABLE, OM-34 PRESENT 8 = NOT APPLICABLE, DELIVERED AS SHEECH ON C/S 9 = UNKNOWN
0087.....VAR	1341	Vertex delivery, forceps, difficulty DIFFICULTY OF FORCEPS PROCEDURES - VERTEX DELIVERY (OM-34) CODES: 0 = NOT APPLICABLE, NO ATTEMPT AT FORCEP DELIVERY 1 = AVERAGE 3 = DIFFICULT 4 = EXTREMELY DIFFICULT 5 = FAILED 7 = NOT APPLICABLE, OM-55 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0088.....VAR	1342	Lacerations, perineal, degree LACERATIONS-PERINEAL DEGREE (OM-51) CODES: 0 = NONE 1 = FIRST DEGREE 2 = SECOND DEGREE 3 = THIRD DEGREE 4 = FOURTH DEGREE 8 = NOT APPLICABLE, OM-34 PRESENT 9 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-DEC-83
111.A.109

DATA ITEM IN	FROM TO	DATA ITEM NAME
0009.....VAR	1363	Lacerations, site LACERATIONS-SITE (NH-55) CODES: 0 0 NO LACERATIONS 1 0 VAGINAL-SULCUS 2 0 PERI-URETHRAL 3 0 CERVICAL 4 0 OTHER 7 0 MORE THAN ONE SITE 8 0 NOT APPLICABLE, NH-30 PRESENT 9 0 UNKNOWN
0010.....VAR	1364	Mechanical stimulant, use of (UH-15) MECHANICAL STIMULANT-USE OF (NH-55) CODES: 0 0 NONE USED 1 0 INDUCTION 2 0 AUGMENTATION 3 0 CUMULATION OF CODES 1,2 7 0 NOT APPLICABLE, NH-30 PRESENT 8 0 USED-UNKNOWN IF INDUCTION OR AUGMENTATION 9 0 UNKNOWN
0011.....VAR	1365	Polynucleotide POLYNUCLEOTIDE (NH-55) CODES: 0 0 NO 1 0 YES 7 0 NOT APPLICABLE, NH-30 PRESENT 8 0 UNKNOWN
0012.....VAR	1366	Uterine rupture UTERINE RUPTURE (NH-55) CODES: 0 0 NO 1 0 YES 8 0 NOT APPLICABLE, NH-30 PRESENT 9 0 UNKNOWN
0013.....VAR	1367	Uterine stimulant, reaction to UTERINE STIMULANT-REACTION TO (NH-55)

Notes: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.170

DATA
TYPE
IN

FROM TO

DATA ITEM NAME

CODES: 0 = NO REACTION
1 = REACTION
7 = NOT APPLICABLE, UR-34 PRESENT
9 = UNKNOWN

0002.....VAR 1368

ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT I
CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT I
CODES: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = PERINEURAL, PERINEURAL
4 = LOCAL INFILTRATION
5 = PUDENDAL BLOCK
6 = PARACERVICAL BLOCK
7 = PARAVERTEBRAL, PARASACRAL
9 = UNKNOWN

0005.....VAR 1369

ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT 2
CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT II
CODES: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = PERINEURAL, PERINEURAL
4 = LOCAL INFILTRATION
5 = PUDENDAL BLOCK
6 = PARACERVICAL BLOCK
7 = PARAVERTEBRAL, PARASACRAL
9 = UNKNOWN

0006.....VAR 1370

ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT 3
CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT III
CODES: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = PERINEURAL, PERINEURAL
4 = LOCAL INFILTRATION

NOTES In addition to codes specified, code blank is also valid for each
location, when a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0000-03
111.A.171

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0097.....VAM	1371		5 0 PUDENDAL BLOCK 6 0 PARACERVICAL BLOCK 7 0 PARAVERTERBIAL, PARASACRAL 9 0 UNKNOWN
			ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT 4 CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT IV CODES: 0 0 NONE 1 0 SPINAL 2 0 CAUDAL, SACRAL 3 0 EPIDURAL, PERIDURAL 4 0 LOCAL INFILTRATION 5 0 PUDENDAL BLOCK 6 0 PARACERVICAL BLOCK 7 0 PARAVERTERBIAL, PARASACRAL 9 0 UNKNOWN
0098.....VAM	1372		ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT 5 CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT V CODES: 0 0 NONE 1 0 SPINAL 2 0 CAUDAL, SACRAL 3 0 EPIDURAL, PERIDURAL 4 0 LOCAL INFILTRATION 5 0 PUDENDAL BLOCK 6 0 PARACERVICAL BLOCK 7 0 PARAVERTERBIAL, PARASACRAL 9 0 UNKNOWN
0099.....VAM	1373		ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT 6 CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT VI CODES: 0 0 NONE 1 0 SPINAL 2 0 CAUDAL, SACRAL 3 0 EPIDURAL, PERIDURAL 4 0 LOCAL INFILTRATION

NOTE: In addition to codes specified, code blank is also valid for each location, blank 0 not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

DATA
ITEM
IN

FROM TO

DATA ITEM NAME

6100.....VAR 1374

5 = PUDENDAL BLOCK
6 = PARACERVICAL BLOCK
7 = PARAVERTERBRAL, PARASACRAL
9 = UNKNOWN

Anesthetic agents, conduction, route of agent ?
CONDUCTION AGENTS AT DELIVERY-MINUTE OF AGENT VII
CNDFS: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = EPIDURAL, PERIDURAL
4 = LOCAL INFILTRATION
5 = PUDENDAL BLOCK
6 = PARACERVICAL BLOCK
7 = PARAVERTERBRAL, PARASACRAL
9 = UNKNOWN

6101.....VAR 1375

Anesthetic agents, conduction, route of agent ?
CONDUCTION AGENTS AT DELIVERY-MINUTE OF AGENT VIII
CNDFS: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = EPIDURAL, PERIDURAL
4 = LOCAL INFILTRATION
5 = PUDENDAL BLOCK
6 = PARACERVICAL BLOCK
7 = PARAVERTERBRAL, PARASACRAL
9 = UNKNOWN

6102.....VAR 1376

Anesthetic agents, conduction, route of agent ?
CONDUCTION AGENTS AT DELIVERY-MINUTE OF AGENT IX
CNDFS: 0 = NONE
1 = SPINAL
2 = CAUDAL, SACRAL
3 = EPIDURAL, PERIDURAL
4 = LOCAL INFILTRATION

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-1100-003
111.4.173

DATA ITEM ID	FROM TO	DATA ITEM NAME
6103.....VAN 1377		5 = PUDENDAL HLOCK 6 = PARACERVICAL HLOCK 7 = PARAVERTERBAL, PARASACRAL 9 = UNKNOWN ANESTHETIC AGENTS, CONDUCTION, ROUTE OF AGENT TO CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT X CODES: 0 = NONE 1 = SPINAL 2 = CAUDAL, SACRAL 3 = EPIDURAL, PUDENDAL 4 = LOCAL INFILTRATION 5 = PUDENDAL HLOCK 6 = PARACERVICAL HLOCK 7 = PARAVERTERBAL, PARASACRAL 9 = UNKNOWN
6104.....VAN 1378		ANESTHETIC AGENTS, GASEOUS CASEOUS AGENTS AT DELIVERY CODES: 0 = NO GASEOUS AGENTS 1 = INTERMITTENT ONLY 2 = CONTINUOUS ONLY 3 = INTERMITTENT AND CONTINUOUS 9 = UNKNOWN
6105.....VAN 1379		ANESTHETIC AGENTS, INTERVENOUS INTRAVENOUS AGENTS AT DELIVERY CODES: 0 = NO IV AGENTS 1 = YES 9 = UNKNOWN
6106.....VAN 1380		Cesarean section, delivery of body C/S DELIVERY OF BODY CODES: 0 = NOT APPLICABLE-REMOVAL OF UTERUS WITH FETUS INSIDE 1 = FOLLOWING THE VENT 2 = WHEECM EXTRACTION

NOTES IN addition to codes specified, code blank is also valid for each
location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.174

DATA ITEM ID	FROM TO	DATA ITEM NAME
6107.....V40	13*1	3 = VERSION AND EXTRACTION 7 = NOT APPLICABLE, (UR-10 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN Cesarean section, delivery of head C/S DELIVERY OF HEAD CODES: 0 = NOT APPLICABLE-REMOVAL OF UTERUS WITH FETUS INSIDE 1 = MANUAL 3 = FORCEPS 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
6108.....V40	13*2	Cesarean section, uterine incision type C/S TYPE OF UTERINE INCISION CODES: 1 = LOW, TRANSVERSE 2 = LOW, VERTICAL 3 = CLASSICAL 4 = EXTRA-PELTONAL 5 = OTHER, INCLUDING T INCISION 6 = LOW, NOT SPECIFIED OTHERWISE 7 = CESAREAN HYSTRECTOMY 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
6109.....V40	13*3 13*4	Cesarean section, indication, delivery (UR-30) C/S PRIMARY INDICATION (UR-30) CODES: 03 = TORGEIA 04 = RUPTURED PLACENTA 05 = DIABETES 11 = PREVIOUS C/S 13 = CPD 14 = FAILED FORCEPS 15 = PHOTOGRAVIDA WITH MREECH 17 = UTERINE DYSFUNCTION 18 = FETAL DISTRESS

NOTE: In addition to codes specified, code blank is also valid for each location, blank = not in data file except when otherwise specified.

DATA ITEM ID	FROM TO	DATA ITEM NAME
6110.....VAD	1305 1346	19 = PROLAPSED CURD 20 = PLACENTA PREVIA 21 = ELDERLY PRIMIGRAVIDA 25 = PREVIOUS PELVIC OR CERVICAL REPAIRS 77 = OTHER INDICATIONS 79 = NOT APPLICABLE- OR-55 PRESENT 88 = NOT APPLICABLE-OTHER TYPE OF DELIVERY 99 = UNKNOWN
		Cesarean section, indication, primary (OR-55) C/S PRIMARY INDICATION (OR-55) CODES1 02 = RUPTURED MEMBRANES 03 = TOXEMIA 04 = ABRUPTIO PLACENTAE 05 = DIABETES MELLITUS (DIAGNOSED) 06 = ERYTHROBLASTOSIS 07 = PYELONEPHRITIS 08 = INTRAUTERINE INFECTION 09 = ARRESTED PROGRESS OF LABOR 10 = BLEEDING, OTHER CAUSE OR UNKNOWN CAUSE 11 = PREVIOUS SECTION 12 = PREVIOUS MYOMECTOMY 13 = CEPHALOPELVIC DISPROPORTION 14 = FOLLOWING FAILED PELVIC PROCEDURE 15 = TRANSVERSE LIE 16 = MALPRESENTATION (OTHER THAN TRANSVERSE LIE) 17 = UTERINE DYSFUNCTION 18 = FETAL DISTRESS 19 = PROLAPSED CORD 20 = PLACENTA PREVIA 21 = ELDERLY PRIMIPARA 22 = POOR OR HISTORY 23 = TUMOR, OBSTRUCTING 24 = TUMOR(S), NON-OBSTRUCTING 25 = PREVIOUS VAGINAL OR CERVICAL SURGERY 26 = HEART DISEASE

NOTE: In addition to codes specified, code blank is also valid for each location; blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.176

DATA
ITEM
ID

FROM TO

DATA ITEM NAME

27 = ACUTE MATERNAL DISEASE
28 = CA OF CERVIX
29 = PROLONGED SECOND STAGE LABOR
30 = TRANSVERSE ARREST (ROY WITH OR WITHOUT ARREST)
31 = PERSISTENT POSTERIOR
32 = ANESTHESIA
33 = SECOND TWIN
34 = PREMATURITY
35 = POSTMATURITY
36 = FETAL DEATH
37 = FETAL MALFORMATIONS
38 = HYDRANCEPHALUS
39 = FOLLOWING INTERNAL VERSION
40 = OTHER
41 = NOT APPLICABLE, OR-34 PRESENT
42 = ELECTIVE
43 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
44 = UNKNOWN

0111....VAR 1387

Cesarean section, following attempt at vaginal delivery
C/S FOLLOWING ATTEMPT AT VAGINAL DELIVERY
CODES: 0 = NO ATTEMPT AT VAGINAL DELIVERY
1 = ATTEMPT TO DELIVER AS VERTX
2 = ATTEMPT TO DELIVER AS BREECH
3 = ATTEMPT TO DELIVER AS VERTX AND BREECH
4 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
5 = UNKNOWN

0112....VAR 1388

Cesarean section, difficulty of head delivery
C/S DIFFICULTY OF HEAD DELIVERY
CODES: 0 = NOT APPLICABLE- REMOVAL OF UTERUS WITH FETUS INSIDE
1 = AVERAGE
2 = DIFFICULT
3 = VERY DIFFICULT
4 = NOT APPLICABLE, OR-34 PRESENT
5 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
6 = UNKNOWN

NOTES: In addition to codes specified, code blank is also valid for each location, when a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
JLL.A.177

DATA ITEM ID	FORM	DATA ITEM NAME
0113....VAR	1300	Cesarean section, difficulty of body delivery C/S DIFFICULTY OF BODY DELIVERY CODES: 0 = NOT APPLICABLE, REMOVAL OF UTERUS WITH FETUS INSIDE 1 = AVERAGE 2 = DIFFICULT 3 = VERY DIFFICULT 7 = NOT APPLICABLE, UN-34 PRESENT 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0114....VAR	1301	Cesarean section, indication, previous cesarean section (UN-34) INDICATION FOR C/S (UN-34) -PREVIOUS C/S CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0115....VAR	1301	Cesarean section, indication, total distress (UN-34) INDICATION FOR C/S (UN-34) -FETAL DISTRESS CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0116....VAR	1302	Cesarean section, indication, cephalopelvic disproportion (UN-34) INDICATION FOR C/S (UN-34) -CEPHALOPELVIC DISPROPORTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN

NOTES: In addition to codes specified, code 9 is also valid for each location, blank = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.4.176

DATA ITEM ID	FORM	TO	DATA ITEM NAME
0117.....VAR	1303		Geoscan section, indications beneath prismograde (08-34) INDICATION FOR C/S (08-34) -PRISMOGRADE WITH BRECH CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0118.....VAR	1304		Geoscan section, indications, elderly prismograde (08-34) INDICATION FOR C/S (08-34) -ELDERLY PRISMOGRADE CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0119.....VAR	1305		Geoscan section, indications, prismograde 110 (08-34) INDICATION FOR C/S (08-34) -PRISMOGRADE 110 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0120.....VAR	1306		Geoscan section, indications, prismograde 110 (08-34) INDICATION FOR C/S (08-34) -PRISMOGRADE 110 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0121.....VAR	1307		Geoscan section, indications, prismograde, uterine (08-34) INDICATION FOR C/S (08-34) -UTERINE PRISMOGRADE CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN

NOTE: In addition to codes specified, some blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000-03
111.A.170

DATA
ITEM
17

DATA ITEM NAME

7 = NOT APPLICABLE, UN-55
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = UNKNOWN

0122.....00 1300

Cesarean section, indication: surgery; previous pelvic or cervical repair (OB-35)
INDICATION FOR C/S (OB-35) - PREVIOUS PELVIC OR SURG. REPAIR
CODES: 0 = NO
1 = YES
7 = NOT APPLICABLE, UN-55
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = UNKNOWN

0123.....00 1310

Cesarean section, indication: diabetes mellitus (OB-36)
INDICATION FOR C/S (OB-36) - DIABETES
CODES: 0 = NO
1 = YES
7 = NOT APPLICABLE, UN-55
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = UNKNOWN

0124.....00 1320

Cesarean section, indication: tocolytic (OB-37)
INDICATION FOR C/S (OB-37) - TOLYTIC
CODES: 0 = NO
1 = YES
7 = NOT APPLICABLE, UN-55
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = UNKNOWN

0125.....00 1330

Cesarean section, indication: abruptio placentae (OB-38)
INDICATION FOR C/S (OB-38) - ABRUPTIO PLACENTA
CODES: 0 = NO
1 = YES
7 = NOT APPLICABLE, UN-55
8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY
9 = UNKNOWN

NOTES: In addition to codes specified, code blank is also valid for each location, when a not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
III.A.100

DATA ITEM ID	FROM TO	DATA ITEM NAME
0126.....VAR 1402		Caseload section, indications placenta previa (OB-34) INDICATION FOR C/S (OB-34) - PLACENTA PREVIA CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0127.....VAR 1403		Caseload section, indications forceps delivery failed (OB-34) INDICATION FOR C/S (OB-34) - FAILED FORCEPS CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0128.....VAR 1404		Caseload section, indications uterine dysfunction (OB-34) INDICATION FOR C/S (OB-34) - UTERINE DYSFUNCTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0129.....VAR 1405		Caseload section, indication, other (OB-34) INDICATION FOR C/S (OB-34) - OTHER CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-55 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0130.....VAR 1406		Caseload section, indications previous cesarean section (OB-55) INDICATION FOR C/S (OB-55) - PREVIOUS SECTION CODES: 0 = NO 1 = YES

NOTES: In addition to codes specified, code blank is also valid for each indication, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-00000-03
111.4.101

DATA ITEM ID	FROM TO	DATA ITEM NAME
0131.....V4W 1407		7 = NOT APPLICABLE, UN-30 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN Cesarean section, indication; hysterectomy, previous (OB-55) INDICATION FOR C/S (OB-55) -PREVIOUS HYSTERECTOMY CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-30 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0132.....V4W 1408		Cesarean section, indication; cesarean/pelvic disproportion (OB-55) INDICATION FOR C/S (OB-55) -CESAREAN/PELVIC DISPROPORTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-30 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0133.....V4W 1409		Cesarean section, indication; following failed pelvic procedure (OB-55) INDICATION FOR C/S (OB-55) -FOLLOWING FAILED PELVIC PROCED. CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-30 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0134.....V4W 1410		Cesarean section, indication; breech/vaginal (OB-55) INDICATION FOR C/S (OB-55) -BREECH/VAGINAL CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, UN-30 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN

NOTES: In addition to codes specified, code blank is also valid for each indication. Blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111A.182

DATA ITEM ID	FORM ID	DATA ITEM NAME
0135.....VAR	1411	Corroborate section, indications, misrepresentation, other (OR-55) INDICATION FOR C/S (OR-55) - OTHER MISREPRESENTATION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-14 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0136.....VAR	1412	Corroborate section, indications, hearing dysfunction (OR-55) INDICATION FOR C/S (OR-55) - HEARING DYSFUNCTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-14 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0137.....VAR	1413	Corroborate section, indications, total distress (OR-55) INDICATION FOR C/S (OR-55) - TOTAL DISTRESS CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0138.....VAR	1414	Corroborate section, indications, prolonged form (OR-55) INDICATION FOR C/S (OR-55) - PROLONGED FORM CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 8 = NOT APPLICABLE, OTHER TYPE OF DELIVERY 9 = UNKNOWN
0139.....VAR	1415	Corroborate section, indications, placenta previa (OR-55) INDICATION FOR C/S (OR-55) - PLACENTA PREVIA CODES: 0 = NO 1 = YES

NOTE: In addition to codes specified, code blank is also valid for each location, blank a not in data file except when otherwise specified.

SMITH AND PARTNERS, INC. 3712 37th Avenue, S.W. Seattle, Wash. 98148

DATA ITEM	DATE	ITEM NAME
0140.....	1416	1 0 NOT APPLICABLE, OTHER 2 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY 3 0 UNKNOWN CARRIER SECTION, INDICATION, OTHER OPERATIONS (00-55) INDICATION FOR C/S (00-55) -AMPHIBIOUS PLACEMENT CODES: 0 0 NO 1 0 YES 2 0 NOT APPLICABLE, OTHER 3 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY 4 0 UNKNOWN
0141.....	1417	CARRIER SECTION, INDICATION, OTHER OPERATIONS (00-55) INDICATION FOR C/S (00-55) -ELECTRIC ENGINEERING CODES: 0 0 NO 1 0 YES 2 0 NOT APPLICABLE, OTHER 3 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY 4 0 UNKNOWN
0142.....	1418	CARRIER SECTION, INDICATION, OTHER OPERATIONS (00-55) INDICATION FOR C/S (00-55) -ELECTRIC ENGINEERING CODES: 0 0 NO 1 0 YES 2 0 NOT APPLICABLE, OTHER 3 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY 4 0 UNKNOWN
0143.....	1419	CARRIER SECTION, INDICATION, OTHER OPERATIONS (00-55) INDICATION FOR C/S (00-55) -ELECTRIC ENGINEERING CODES: 0 0 NO 1 0 YES 2 0 NOT APPLICABLE, OTHER 3 0 NOT APPLICABLE, OTHER TYPE OF DELIVERY 4 0 UNKNOWN

SMALL VARIOUS 37-61844 NUS 5200J 40 1014141933

SECRET

● ● ● ● ●

0000 0000 0000

100

[illegible]

1291 778.005.0

[illegible]

521 245 4000

REF: 111 0000
 13179 SV 0050 0 0000-1000
 3000 0000
 131003
 DATE: 197 11 15
 TIME: 0000
 LOCATION: 0000 0000 0000 0000

100

[illegible]

0501 A281 37A... 8710

[illegible]

Delusions attributed were those of his own "unusual
and odd ideas" of being "possessed" by evil spirits.

12-Dec-83
11.4.100

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

DATA
ITEM
ID

DATE TO

DATA ITEM NAME

3 0 0-12 hrs.
4 0 13-20 hrs.
5 0 21-30 hrs.
6 0 31-42 hrs.
7 0 43-54 hrs.
8 0 55-66 hrs.
9 0 UNKNOWN

0153.....VAR 1002 1005

Labors, total duration, first, second and third stages (hrs/min)
DURATION TOTAL FIRST & 2ND & 3RD STAGES) (HRS AND MIN)
CODES: 0000 = NONE
0001-0050 = AS GIVEN
9999 = UNKNOWN

0154.....VAR 1006

Labors, total duration, first, second and third stages (coded)
CODES: 0 = NO LABOR
1 0 LESS THAN 8 HRS.
2 0 8-12 HRS.
3 0 13-24 HRS.
4 0 25-48 HRS.
5 0 49-72 HRS.
6 0 73 HRS. OR MORE
9 0 UNKNOWN

0155.....VAR 1007 1050

Duration of response, interval from ROM to onset of labor
INTERVAL-DURATION OF RESPONSE TO INJECT (HRS)
CODES: THIS IS A SIGNED FIELD WITH SIGN MIGHT JUSTIFIED.
0001 TO -3000 = AS GIVEN
0001 TO 7999 = AS GIVEN
8000 = NO INTERVAL
9999 = UNKNOWN

0156.....VAR 1051

Uterine stimulant, no response
REACTION TO UTERINE STIMULANT (001-55) AND UTERINE RESPONSE
CODES: 0 = NO
1 = YES

NOTE: In addition to codes specified, code blank is also valid for each
incision, none = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-00000003
111.A.187

DATA ITEM IN	SWIM TC	DATA ITEM NAME
0157.....VAR	052	7 = NOT APPLICABLE, OR-34 9 = UNKNOWN Uterine effluent, sustained contraction REACTION TO UTERINE STIMULANT (OH-55) -SUSTAINED CONTRACTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 9 = UNKNOWN
0158.....VAR	1043	Uterine effluent, persistent increased uterine tone REACTION TO UTERINE STIMULANT (OH-55) -PERS. INCR. UTERINE TONE CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 9 = UNKNOWN
0159.....VAR	1050	Uterine effluent, significant variation of fetal heart rate or rhythm REACTION TO UTERINE STIMULANT (OH-55) -SIG. VAR. OF FHR CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 9 = UNKNOWN
0160.....VAR	1055	Uterine effluent, simultaneous labor and/or delivery REACTION TO UTERINE STIMULANT (OH-55) -SIM. LABOUR AND/OR DELIV. CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 9 = UNKNOWN
0161.....VAR	1056	Uterine effluent, other unusual reaction REACTION TO UTERINE STIMULANT (OH-55) -OTHER UNUSUAL REACTION CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-34 9 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each location, blank = not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-0000-03
111.4.100

DATA ITEM ID	FROM TO	DATA ITEM NAME
0102.....V40	1457 1460	Rupture of membranes, interval; INACCURATE DO NOT USE, see WORKFILE 10 INTERVAL-RUPTURE OF MEMBRANE TO DELIVERY (HWS AND MHS) DO NOT USE THIS VARIABLE
0103.....V40	1461 1462	Rupture of membranes, interval; INACCURATE DO NOT USE, see WORKFILE 10 GROUP/INTERVAL CODE DO NOT USE THIS VARIABLE
0106.....V40	1463	Hospitalizations antepartum HOSPITALIZATION, ANTEPARTUM CODES: 0 = NONE 1-7 = AS GIVEN 8 = 8 OR MORE 9 = UNKNOWN
0105.....V40	1464	Uterine dysfunction UTERINE DYSFUNCTION CODES: 0 = NO 1 = YES 8 = QUESTIONABLE 9 = UNKNOWN
0106.....V40	1465	Anesthesia during delivery ANESTHESIA DURING DELIVERY CODES: 0 = NO 1 = YES 8 = UNKNOWN
0107.....V40	1466	Maternal sinus rupture MATERNAL SINUS RUPTURE CODES: 0 = NO 1 = YES 8 = UNKNOWN

NOTE: In addition to codes specified, code blank is also valid for each
location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-000-03
III.A.100

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0174.....VAR	1478		CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-110 9 = UNKNOWN Uterine stimulants; induction indication; erythroblastosis INDIC. FOR UTERINE STIM. FOR INDUC.-ERYTHROBLASTOSIS-08-55 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-110 9 = UNKNOWN
0175.....VAR	1479		Uterine stimulants; induction indication; dysonephritis INDIC. FOR UTERINE STIM. FOR INDUC.-DYSONEPHRITIS-08-55 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-110 9 = UNKNOWN
0176.....VAR	1480		Uterine stimulants; induction indication; intruterine INDIC. FOR UTERINE STIM. FOR INDUC.-INTRUTERINE INFECT.-08-55 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-110 9 = UNKNOWN
0177.....VAR	1481		Uterine stimulants; induction indication, other INDIC. OF UTERINE STIM. FOR INDUC.-OTHER-08-55 CODES: 0 = NO 1 = YES 7 = NOT APPLICABLE, OR-110 9 = UNKNOWN
0178.....VAR	1482	1486	Weight at no (one) WEIGHT - 4 NO. (GRAMS) CODES: AS GIVEN 9999 = NOT REPORTED


NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.

DEFINITION OF CODES FOR VARIABLE FILE DATA ITEMS

12-Dec-83
111.A.191

DATA ITEM ID	FROM	TO	DATA ITEM NAME
0179....VAR	1487	1491	weight in oz (one) HEIGHT - J NO. - (GRAMS) CODES: AS GIVEN 5000 = NOT REPORTED
0180....VAR	1492	1493	Blank Blank

NOTE: In addition to codes specified, code blank is also valid for each location, blank is not in data file except when otherwise specified.



RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A
1.0 1.1 1.25 1.4 1.6 1.8 2.0 2.2 2.5
LINE PAIRS PER MILLIMETER

CONTINUED ON NEXT FICHE