



VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Father of Baby: **Location:** 493 (5347...VAR)
Religion **Approved:** 7/16/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Presence of any card 1501(1-3) 2501(0)			8 (Not applicable other revision)
1501(4)	45	1 (Protestant) 2 (Catholic) 3 (Other) 9 (Unknown)	* * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Hospitalizations **Location:** 494 (5348...VAR)
Since LMP: Number **Approved:** 7/16/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any one 0315 card	21	0-9 (As given)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Fetal Heart Rate **Location:** 495 (5349...VAR)
<110 and/or >160 **Approved:** 7/16/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
All 3336	34-36 50-52 66-68	Scan all cards for presence of any code	
		010-109, 161-300. No further check necessary.	1
		000, 999, blank (alone or in combination) No further check necessary.	9
		If not classified as above and one or more 3336 cards present	0
		If card not present	blank

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Blank

Location: 496-503

Approved: _____

Revised: _____

These locations were purposely left blank in the creation of the variable file.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8 Mo. Exam Present

Location: 504 (5351...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1101-3101	DNA	DNA	0 = No specified card present 1 = Any one specified card present

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8-Month Mental Score

Location: 505-507 (5352...VAR)

(Bayley Scales of Mental Development)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1101-3101	19-21	000-106 999	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8-Month Mental Score
(Bayley Scales of Mental Development)
Group/Interval Code

Location: 508 (5353...VAR)

Approved: _____

Revised: _____

Remarks: _____

Recode from
 Location 505-507
 (5352...VAR)
 8 Mo. Mental Score
 (Bayley)

Codes	Recodes*
000-055	1
056-074	2
075-106	3
999	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8-Month Motor Score
(Bayley Scales of Motor Development)

Location: 509-510 (5354...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1101-3101	22-23	00-43 99	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8-Month Motor Score

Location: 511 (5355...VAR)

(Bayley Scales of Motor Development)

Approved: _____

Group/Interval Code

Revised: _____

Remarks: _____

Recode from
 Location 509-510
 (5354...VAR)
 8 Mo. Motor Score
 (Bayley)

Codes	Recodes*
00-19	1
20-26	2
27-43	3
99	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 8-Month Psychological

Location: 512 (5356...VAR)

Exam: Final Diagnosis

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1101-1301 card	18	2 (Normal) 3 (Suspect) 4 (Abnormal) 8 (Inadequate information) 9 (Unknown)	* * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Age of Child at **Location:** 513 (5357...VAR)
8-Mo. Psych. Exam **Approved:** 4/10/69
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1-3101	15	1 = <7 Mo. 15 days 2 = 7 Mo. 15 days - 8 Mo. 14 days 3 = 8 Mo. 15 days - 8 Mo. 30 days 4 = 8 Mo. 31 days - 10 Mo. 0 days 5 = More than 10 Mo. 9 = Unknown	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 4-Year I.Q. Score

Location: 514-516 (5358...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1120-4120	30-32	025-175 999	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 4-Year IQ Location: 517 (5359...VAR)
Group/Interval Code Approved: _____
 _____ Revised: _____

Remarks: _____

Recode from
 Location 514-516
 (5358...VAR)
 4 Yr. I.Q.

Codes	Recodes*
025-069	1
070-079	2
080-089	3
090-109	4
110-119	5
120-139	6
140-175	7
999	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Color of Fetal Surface

Location: 518 (5360...VAR)

Approved: 5/19/69

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
12012	56	1-9	*
1201(0,1)	56	1 2 3 8 0 Blank 9	* * 4 * 9 9 *
			Def. of Recodes 1 = Blue-Gray 2 = Green 3 = Combination of Codes 1 and 2 4 = Brownish Yellow 5 = Combination of Codes 1 and 4 6 = Combinations of Codes 2 and 4 7 = Combination of Codes 1, 2, 4 8 = Other 9 = Unknown Normal = Blue-Gray

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Decidual Necrosis Location: 519 (5361...VAR)
 _____ Approved: 3/27/69
 _____ Revised: _____

Remarks: Card 12010 and 12011 no longer exist, they were converted
to 12012 and 12013 cards

Card Sources	Columns	Codes	Recodes*
1201(2,3)	51	0-2 8 (other) 9 (Unknown)	* * *
1201(0,1)	51	0-2,9 blank card present	* *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Decidual Necrosis

Location: 520 (5362..VAR)

Group/Interval Code

Approved:

Revised:

Remarks:

Recode from
Location 519
(5361...VAR)
Decidual Necrosis

Codes	Recodes*
0	0
1,2	1
8,9	9

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Insertion of Membranes **Location:** 521 (5363...VAR)
 _____ **Approved:** _____
 _____ **Revised:** _____

Remarks: Cards 1201(0,1) no longer exist, they were converted to
1201(2,3) cards.

Card Sources	Columns	Codes	Recodes*
1201(2,3)	53	1-7 9	* *
1201(0,1)	53	1-7 9 Unknown	* *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Placental Weight

Location: 522-525 (5364...VAR)

Approved: 4/21/69

Revised:

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1201(2)	63-66	0001-2000 9999 (Unknown)	*
1201(3)	63-66		

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Placental Weight

Location: 526-527 (5365...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
 Location 522-525
 (5364...VAR)
 Placental Weight (gms.)

Codes	Recodes*
0001-0100	01
0101-0150	02
0151-0200	03
0201-0250	04
0251-0300	05
0301-0350	06
0351-0400	07
0401-0450	08
0451-0500	09
0501-0550	10
0551-0600	11
0601-0650	12
0651-0700	13
0701-2000	14
9999	99

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Type of Insertion: **Location:** 528 (5366...VAR)
Membranous **Approved:** 4/10/69
Revised:

Remarks: Cards 1201(0,1) no longer exist, they were converted to
1201(2,3) cards.

Card Sources	Columns	Codes	Recodes*
1201(2,3)	44	0-2 9 (Unknown)	*
1201 (0,1)	45	1 2 8 9	0 1 0 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Type of Insertion: **Location:** 529 (5367...VAR)
Membranous **Approved:** _____
Group/Interval Code **Revised:** _____

Remarks: _____

Recode from
 Location 528
 (5366...VAR)
 Type of Insertion -
 Membranous

Codes	Recodes*
0 1,2 9	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries: **Location:** 530 (5368...VAR)
Number **Approved:** _____
Revised: _____

Remarks: Note: Confirmed single umbilical arteries by slide review done
by Dr. Froeblich. If slide not in PRB institution slide borrowed and
checked. Cards 1201(0,1) no longer exist, they were converted to
1201(2,3) cards.

Card Sources	Columns	Codes	Recodes*
See Attached List		See cases listed in separate attachment.	1 (One Umbilical Artery)
1202(2) and case not on attached list	29	1 2 9	2 (Two Umbilical Arteries) * *
1201(2) and case not on attached list	45	2 3 8 (Other) 9	* 2 9 (Unknown) *
1201(0,1) and case not on attached list	46	2 3 9	* 2 *
NOTE: There can be more than one card per case due to multiple births. Each multiple must be coded separately. For plurality: 12012	27	0 = Single Birth 1 = 1st of multiple 2 = 2nd of multiple 3 = 3rd of multiple 4 = 4th of multiple continued	

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries: **Location:** 530 (5368...VAR)
Number CONT. **Approved:** _____
Revised: _____

Remarks: Note: Confirmed single umbilical arteries by slide review done
by Dr. Froeblich. If slide not in PRB institution slide borrowed and
checked.

Card Sources	Columns	Codes	Recodes*
2201(2)	63	Codes as card 12012 col. 27	
1202(2)	23	Codes as card 12012 col. 27	
1201(0,1)	30	Codes as card 12012 col. 27	

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries:

Location: 530 (5368...VAR)

Number

Approved: _____

Revised: _____

Single Umbilical Artery Cases

05-10035-39	11966-29	14074-29	16886-19
10149-19	12124-29	14095-29	16975-19
10204-19	12309-19	14197-19	17362-19
10206-39	12330-19	14202-19	17490-19
10290-09	12406-19	14280-29	17504-19
10308-19	12453-19	14421-19	17516-19
10356-49	12523-19	14438-29	17574-19
10379-29	12612-19	14594-19	17674-19
10459-29	12663-19	14619-19	17682-19
10550-29	12678-39	14712-19	17718-19
10560-19	12722-19	14714-39	17973-19
10760-19	12741-19	14806-19	18180-19
10843-19	12792-19	14812-19	18269-19
10902-19	12824-29	14920-19	18354-19
10913-39	12954-39	14954-19	18439-19
10995-19	13068-19	14962-39	18741-19
11038-19	13212-19	15115-19	10675-19
11180-29	13244-19	15320-19	20752-19
11236-19	13266-19	15478-19	21279-19
11244-29	13277-19	15484-19	79273-29
11291-19	13421-29	15508-19	79242-19
11330-19	13452-29	15603-19	79250-19
11425-39	13471-19	15667-19	79260-19
11513-29	13538-19	15717-19	79343-19
11574-49	13681-19	15753-19	79350-19
11630-19	13762-29	15763-19	79427-19
11694-39	13802-19	15859-19	79470-29
11732-29	13858-19	16099-29	79479-19
11810-29	13963-19	16106-19	
11830-29	13969-19	16473-29	
11905-19		16643-19	

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries:

Location: 530 (5368...VAR)

Number

Approved: _____

Revised: _____

Single Umbilical Artery Cases

10-10026-19	11944-19	45-10187-19	11314-29
10341-19	12062-19	10445-19	11338-19
10353-19		10576-19	11409-19
10365-19	31-10053-19	10667-29	11568-19
10437-19	10123-19	10679-19	11675-19
10440-19	10235-19	11039-39	11704-19
10531-19	10305-19	11413-19	11806-19
10546-19	10329-19	11437-19	11814-19
10556-19	10681-19	11736-19	11818-19
10557-19	10904-19	11911-19	11837-19
10563-19	11005-19	11963-19	11860-19
10621-29	11014-19	12002-19	11917-19
10683-19	11030-19	12027-19	12054-19
10683-29	11326-19	12299-19	12094-19
10690-29	11690-19	12337-19	12102-19
10717-19	11831-19	12433-19	12148-19
10757-19	11855-19	12527-19	12198-19
10793-19	11956-19	12893-19	12331-19
10946-19	11961-19		12389-19
11390-19		50-10190-19	12421-19
11511-19	37-10042-29	10203-21	12591-19
11775-19	10213-19	10204-19	12612-19
12057-19	10330-19	10205-19	12747-19
12395-19	10362-19	10216-19	
	10496-19	10241-29	55-10046-19
15-10617-19	11414-19	10417-19	11154-19
10817-19	11595-19	10453-59	11160-19
10834-19	11907-19	10468-19	11825-19
10964-19	11933-29	10509-19	11881-19
11019-19	70085-19	10710-19	12197-19
11123-19	70213-19	10718-19	12289-19
11162-19	71510-29	10888-19	12471-11
11176-19		10900-19	12710-19
		10940-19	
		11242-19	

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries:

Location: 530 (5368...VAR)

Number

Approved: _____

Revised: _____

Single Umbilical Artery Cases

12744-19	13016-19	15254-39	12581-19
12996-19	11883-19	15352-19	70708-19
13254-19	12118-19	15428-19	71584-19
13376-19		15473-19	77147-19
13396-19	66-10063-39	15622-19	77249-19
13449-19	10175-39	15634-19	77298-19
13947-19	10330-19	15714-19	77522-19
14379-19	10738-29	15917-19	
14383-19	11011-19	15921-19	82-10059-19
14421-19	11279-29	16401-19	10066-19
14481-19	11339-19	16506-19	10467-19
	11547-49	16751-19	10586-19
60-10007-19	11579-19	16899-19	10701-29
10083-19	11610-19	16949-19	10752-19
10118-19	11636-19	16951-19	10851-19
10187-19	11694-29	17239-19	10907-19
10211-19	11694-39	17393-19	10970-19
10377-19	11873-19	17523-19	11059-19
10437-19	11983-29		11233-19
10549-19	11997-19	71-10111-29	11270-19
10674-29	12075-49	10133-19	
10800-19	12303-19	10368-19	82-11522-19
10813-19	12448-19	10565-19	11578-19
10863-19	12532-19	10810-19	11580-19
10913-19	12713-19	10892-19	11776-19
11079-19	12766-19	10991-19	12083-19
11098-19	13071-29	11127-19	
11142-19	13202-19	11284-19	
11408-29	13642-29	12018-19	
11539-19	14022-19	12165-19	
11579-19	14093-19	12167-29	
11580-19	14696-29	12424-19	
11775-19	14945-19		

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Umbilical Arteries:

Location: 530 (5368...VAR)

Number

Approved: _____

Revised: _____

Single Umbilical Artery Twins

05-10604-19	Twin 1
11634-19	Twin 2
16968-19	Twin 2

15-10950-19	Twin 1
11465-19	Twin 2
11674-19	Twin 1

45-10805-19	Twin 2
11348-19	Twin 2
11545-19	Twin 1

50-10203-19 Twin 1
11278-19 Twin 1

55-12471-19 Twin 1

NOTE: For Twin Identification, 12012 card col. 27 or 22012 card col. 63.
Code 1 = Twin 1; code 2 = Twin 2
If no 12012 or 22012 card then 12022 card col. 23. Codes as above.
If no 12022 card then 1201(0,1) card col. 30. Codes as above.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Size of Infarcts **Location:** 531 (5369...VAR)
Approved: _____
Revised: _____

Remarks: Cards 2201(0,1) no longer exist, they were converted to
2201(2,3) cards.

Card Sources	Columns	Codes	Recodes*
2201(2,3)	45	0-2 9 (Unknown)	*
2201(0,1)	42	0-2 9 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Macrophages in Amnion
or Chorion

Location: 532-533 (5370...VAR)

Approved: 4/10/69

Revised: _____

Remarks: Card 1202(1) no longer exist, they were converted to
1202(2) cards.

Card Sources	Columns	Codes	Recodes*
1202(2)	40-41	00-15 99	* *
1202(1)	42-43	Blank (card present) 00-15 77 88 99	99 * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Macrophages Amnion
or Chorion
Group/Interval Code

Location: 534 (5371...VAR)
Approved: _____
Revised: _____

Remarks: _____

	Codes	Recodes*
Recode from Location 532-533 (5370...VAR) Macrophages in Amnion or Chorion	00 01-15 77,88,99	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Macrophages in Decidua **Location:** 535-536 (5372...VAR)

Approved: 5/19/69

Revised: _____

Remarks: Card 1202(1) no longer exists. Converted to 12022.

Card Sources	Columns	Codes	Recodes*
1202(2)	42-43	00-15 99	* *
1202(1)	44-45	Blank (card present) 00-15 77 88 99	99 * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Macrophages in Decidua

Location: 537 (5373...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 535-536
(5372...VAR)
Macrophages in Decidua

Codes	Recodes*
00	0
01-15	1
77,88,99	9

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic Location: 538 (5374...VAR)
Infiltration of Amnion of Membrane Roll Approved: 4/21/69
 Revised: _____

Remarks: Card 1201(1) no longer exists. Converted to 1202(2)

Card Sources	Columns	Codes	Recodes*
1202(2)	34	0 1 2 3 9	* * * * *
1202(1)	36	Blank 0 1,2 7,8 9	9 * 1 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic **Location:** 539 (5375...VAR)
Infiltration of Amnion of Membrane Roll **Approved:** _____
Group/Interval Code **Revised:** _____

Remarks: _____

Recode from
 Location 538
 (5374...VAR)
 Neutrophilic Infiltration
 of Amnion of Membrane Roll

Codes	Recodes*
0 1,2,3 9	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic **Location:** 540 (5376...VAR)
Infiltration of Amnion of Placental **Approved:** 4/29/69
Surface **Revised:** _____

Remarks: Card 12021 no longer exists. Converted to 12022 card.

Card Sources	Columns	Codes	Recodes*
12022	36	0 1 2 3 9	* * * * *
12021	38	Blank 0 1,2 7,8 9	9 * 1 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic Infiltration **Location:** 541 (5377...VAR)
of Amnion of Placental Surface **Approved:** _____
Group/Interval Code **Revised:** _____

Remarks: _____

Recode from
 Location 540
 (5376...VAR)
 Neutrophilic Infiltration
 of Amnion of Placental
 Surface

Codes	Recodes*
0 1,2,3 9	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic **Location:** 542 (5378...VAR)
Infiltration of Chorion of Membrane Roll **Approved:** 4/29/69
Revised: _____

Remarks: Card 12021 no longer exists. Converted to 12022 card.

Card Sources	Columns	Codes	Recodes*
12022	35	0 1 2 3 9	* * * * *
12021	37	Blank 0 1,2 7,8 9	9 * 1 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic

Location: 543 (5379...VAR)

Infiltration of Chorion of Membrane Roll

Approved: _____

Group/Interval Code

Revised: _____

Remarks: _____

Recode from
 Location 542
 (5378...VAR)
 Neutrophilic Infiltration
 of Chorion of Membrane Roll

Codes	Recodes*
0 1,2,3 9	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic Location: 544 (5380...VAR)
 Infiltration: Umbilical Vein Approved: 5/19/69
 Revised: _____

Remarks: Card 12021 no longer exists. Converted to 12022 card.

Card Sources	Columns	Codes	Recodes*
12022	25	0 1 2 3 9	* * * * *
12021	27	0 1 2 7 8 9 (unknown) X overpunch	* 4 pres. degree unknown 4 pres. degree unknown 9 9 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Neutrophilic **Location:** 545 (5381...VAR)
Infiltration: Umbilical Vein **Approved:** _____
Group/Interval Code _____ **Revised:** _____

Remarks: _____

	Codes	Recodes*
Recode from Location 544 (5380...VAR) Neutrophilic Infiltration: Umbilical Vein	0 1,2,3,4 9	0 1 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Clamping of Cord: **Location:** 546-548 (5382...VAA)
Interval (Sec) **Approved:** 6/10/69
Revised: _____

Remarks: All math symbols (+,-) exist as overpunch on tape.

Card Sources	Columns	Codes	Recodes*
		See "Procedure for Calculating Interval from Time of Delivery Until Clamping of Cord"	

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Clamping of Cord

Location: 546-548 (5382...VAR)

Interval (Seconds)

Approved: 6/10/69

Revised: _____

Procedure for Calculating Interval from Time of Delivery Until Clamping of Cord

A. Use card 033

B. a. Interval Time of Delivery to Clamping Cord = Infant Delivered Time - Cord Clamp Time.

b. Interval Time of Delivery to Clamping Cord = Head Delivered Time - Cord Clamp Time.

c. Procedure for B. a. - card 0333, col. 21, code 6 or 8

1. Subtract from card 0333, cols. 58-63, codes as given from card 0333, cols. 64-69, code as given.

NOTE: Cols. 58-63 can be $\geq$ than cols. 64-69. Subtract 64-69 from 58-63. Result = neg. value.

The six digit code in each of these fields represents time reported in hours (cols. 58-59 and cols. 64-65); minutes (cols. 60-61, and cols. 66-67); and seconds (cols. 62-63 and cols. 68-69) based on 24 hour clock. (2401-2959 = Time of event occurs beyond midnight of date in card 0333, cols. 15-20 (month - cols. 15-16, day - cols. 17-18, year - cols. 19-20)).

2. Intervals are to be converted to seconds.

3. Intervals $\geq$ $\pm$ 300 second to be classified as Unknown.

4. When cols. 58-63 or cols. 64-69 are blank or codes 000000, 888888, 999999 are present Interval is to be classified as Unknown.

D. Procedure for B. b. - card 0333, col. 21, code 7

Same as procedure for B. a. except card 0333, cols. 52-57. Code as given is subtracted from card 0333, cols. 64-69.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Cord - Length of
(total) (cms.)

Location: 549-550 (5383...VAR)

Approved: 5/19/69

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1401	57-58	00 = <1 cm 01-98 99 = Unknown Blank	* * * 99

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Cord - Length (cms)

Location: 551-552 (5384...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 549-550
(5383...VAR)
Cord - Length of
(total) (cms.)

Codes	Recodes*
00,01	01
02	02
03	03
04	04
05	05
06	06
07-08	07
09-10	08
11-15	09
16-20	10
21-25	11
26-30	12
31-98	13
99	99

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Pediatric Records

Location: 553 (5385...VAR)

Present

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Presence of any 1401-3401	DNA	DNA	0 = No cards specified present
Presence of 0844			1 = Any card specified present

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Sex Location: 554 (5386...VAR)
 _____ Approved: _____
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1-3401 0844	21	1 (Male) 2 (Female) 3 (Undetermined) 9 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar: **Location:** 555 (5387...VAR)
Heart Rate **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	30	0 (Absent) 1 (Slow) 2 (100 or over) 9 (not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar: **Location:** 556 (5388...VAR)
Respiratory Effort **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	31	0 (Absent) 1 (Weak cry) 2 (Crying lustily) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar: **Location:** 557 (5389...VAR)
Muscle Tone **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	32	0 (Flaccid) 1 (Some flexion) 2 (Well flexed) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar: **Location:** 558 (5390...VAR)
Reflex Irritability **Approved:** 4/21/69
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	33	0 (No response) 1 (Some motion) 2 (Cry) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar: **Location:** 559 (5391...VAR)

Color **Approved:** _____

_____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	34	0 (Blue pale) 1 (Blue hands and feet) 2 (Entirely pink) 9 (Not reported)	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar Score **Location:** 560-561 (5392...VAR)

_____ **Approved:** _____

_____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	35-36	00-10 20-29 (Part score) 99 (No report)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: One-Minute Apgar Score

Location: 562 (5393...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 560-561
(5392...VAR)
One Minute Apgar - Score

Codes	Recodes*
00-03	1
04-06	2
07-10	3
20-29	4
99	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar: **Location:** 563 (5394...VAR)
Heart Rate **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	44	0 (Absent) 1 (Slow) 2 (100 or over) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar: Location: 564 (5395...VAR)
Respiratory Effort Approved: _____
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	45	0 (Absent) 1 (Weak Cry) 2 (Crying lustily) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar: **Location:** 565 (5396...VAR)
Muscle Tone **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	45	0 (Flaccid) 1 (Some flexion) 2 (Well flexed) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar: **Location:** 566 (5397...VAR)
Reflex Irritability **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	47	0 (No Response) 1 (Some Motion) 2 (Cry) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar: **Location:** 567 (5398...VAR)

Color **Approved:** _____

_____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	48	0 (Blue Pale) 1 (Blue hands and feet) 2 (Entirely pink) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar Score

Location: 568-569 (5399...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2401	49-50	00-10 20-29 99	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Five-Minute Apgar Score **Location:** 570 (5400...VAR)
Group/Interval Code _____ **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

	Codes	Recodes*
Recode from	00-03	1
Location 568-569	04-06	2
(5399...VAR)	07-10	3
Five Minute Apgar - Score	20-29	4
	99	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: Suction **Location:** 571 (5401...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3401	30	0 (None) 1 (Gastric Suction only) 2 (Tracheal Suction) 9 (Not reported)	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: Drugs **Location:** 572 (5402...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

3401	31	Blank 0 (None) 1 (Drugs) 9 (Not reported)	8 = Not on rev. "0" or "1" * * *
------	----	--	--

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: Open **Location:** 573 (5403...VAR)
Oxygen **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3401	32	0 (Not used) 1 (Used) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: **Location:** 574 (5404...VAR)
Positive Pressure **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3401	37	0 (Not Used) 1 (Used) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: **Location:** 575 (5405...VAR)
Intubation **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3401	42	0 (Not used) 1 (Used) 9 (Not reported)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Procedures: Other

Location: 576 (5406...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3401	47	0 (Not used) 1 (Used) 9 (Not reported)	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Nursery Exams Present

Location: 577 (5407...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1402-5402 cards 0405 card 1406-4406	DNA	DNA	0 = No specified card present 1 = Any one specified card present

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Dysmaturity Stage of **Location:** 578 (5408...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

4402	64	0 (None) 1 (Stage 1) 2 (Stage 2) 3 (Stage 3) 4 (Equivocal signs) 9 (Not reported)	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Antibiotics: **Location:** 579 (5409...VAR)
Nursery Period **Approved:** 4/25/69
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	71	0 (None reported) 1 (Yes) 9 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Feeding Method: Bottle **Location:** 580 (5410...VAR)

Approved: _____

Revised: _____

Remarks: _____

[illegible]

Card Sources	Columns	Codes	Recodes*
1403	49	0 - None reported 1-7 - Days as given 8 - 8 or more 9 - Unknown, not on Rev. 0	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Feeding Method: Breast **Location:** 581 (5411...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	50	0 - None reported 1-7 - Days as given 8 - 8 or more 9 - Unknown, not on Rev. 0	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Feeding Method: Gavage **Location:** 582 (5412...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	51	0 - None reported 1-7 - Days as given 8 - 8 or more 9 - Unknown, not on Rev. 0	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Feeding Method: Tube **Location:** 583 (5413...VAR)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	52	0 - None reported 1-7 - Days as given 8 - 8 or more 9 - Unknown, not on Rev. 0	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Feeding Method: Other **Location:** 584 (5414...VAR)

_____ **Approved:** _____

_____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	53	0 - None reported 1-7 - Days as given 8 - 8 or more 9 - Unknown, not on Rev. 0	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Vitamin K: Location: 585 (5415...VAR)
Nursery Period Approved: 4/10/69
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1403	70	0 (None reported) 1 (Yes) 9 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Direct Coombs Test

Location: 586 (5416...VAR)

(Child)

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
0405	24	1 = Postive 2 = Negative 9 = Unknown	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Bilirubin: First Serum: **Location:** 587-588 (5417...VAR)

Child - Total Value (MGMS)

Approved: 4/25/69

Revised:

Remarks:

Card Sources	Columns	Codes	Recodes*
0405	32-33	00 (<1) 01-26,29,35 99 (Unknown)	*

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Hematocrit: Location: 589-590 (5418...VAR)
Child Lowest (Percent) Approved: 4/25/69
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
0405	67-68	10-90 99 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Hemoglobin - **Location:** 591-592 (5419...VAR)
Child - Lowest (MGMS) **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
0405	57-58	02-30, 50,55,57,59,60,62 99 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Maximum Serum Bilirubin **Location:** 593-594 (5420...VAR)
(MGHS %) **Approved:** _____
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
0405	46-47	00 (<1) 01-38, 53 99 (Unknown)	*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Maximum Serum Bilirubin **Location:** 595 (5421...VAR)
(MGMS %) **Approved:** _____
Group/Interval Code **Revised:** _____

Remarks: _____

Recode from
 Location 593-594
 (5420...VAR)
 Maximum Serum
 Bilirubin (mgms percent)

Codes	Recodes*
00-04	1
05-08	2
09-12	3
13-16	4
17-20	5
21-24	6
25-38,53	7
99	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Switch **Location:** 596 (5422...VAR)

Approved: _____

Revised: _____

Remarks: Administrative switch constructed during creation of variable file.

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

All 1408-5408 cards		0 = Not in data file 1 = Card present no PED-8 codes 2 = Card present with PED-8 codes	Records

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses **Location:** 597-786
and procedures (5423-5612...VAR)
Approved: 4/10/69
Revised: _____

Remarks: One tape location allocated for each suspect or definite
condition. If both suspect and definite present, recode diagnosis or
procedures as definite. Odd codes are suspect and even codes, definite.

Card Sources	Columns	Codes	Recodes*
All 1408-5408	31-32 34-35	If this field is all 0's recode all diagnoses or procedures as not present. No further search is necessary.	0 = Not present
	54-80	Check each 3 digit field for presence of any diagnoses or procedure on attached lists. Definite Code Present Suspect Code Present Any 1408-5408 card present and no suspect or definite code present for all other diagnoses or procedure	1 = Definite 2 = Suspect 0 = Not present

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and Location: 597-786
Procedures (5423-5612...VAR)
 Approved: _____
 Revised: _____

PED 8 Diagnoses and Procedures

<u>Code*</u>	<u>Name</u>	<u>Code*</u>	<u>Name</u>
<u>Neurological Abnormality</u>		<u>Other neurologic abnormality</u>	
001, 002	Brain Abnormality	119, 120	Fractured skull
003, 004	Seizures	121, 122	Cephalhematoma
005, 006	Myoclonus	123, 123	Intracranial hemorrhage
007, 008	Hypertonia	133, 134	Spinal cord, abnormality, specify
009, 010	Jitteriness or tremulousness	153, 154	Other, specify
011, 012	Hyperactivity		
	<u>Paralysis - Paresis</u>	<u>Central Nervous System Malformations: Related Skeletal Conditions</u>	
013, 014	Hemi-	184	Anencephaly
015, 016	Para-	185, 186	Microcephaly
017, 018	Tetra-	187, 188	Hydranencephaly
019, 010	Other - specify	189, 190	Hydrocephaly
049, 050	Hypotonia	191, 192	Craniosynostosis
051, 052	Hypoactivity	193, 194	Abnormal separation of sutures
053, 054	Lethargy	195, 196	Abnormal shape of skull
055, 056	Asymmetry of reflexes, activity, or tone	197, 198	Encephalocele
057, 058	Symmetrical, but abnormal reflexes	199, 200	Meningomyelocele/ meningocele
059, 060	Abnormal Moro	201, 202	Pilonidal sinus (not dimple)
061, 062	Abnormal cry	203, 204	Other midline sinuses, specify
063, 064	Abnormal suck	223, 224	Other, specify
056, 066	Other, specify		
	<u>Abnormal Brain Status</u>		
090	Transient		
092	Persistent		
094	One or no exam		
	<u>Peripheral or cranial nerve abnormality</u>		
095, 096	Brachial		
097, 098	Facial		
099, 100	Ocular		
101, 102	Other, specify		

*Odd number codes indicate suspect diagnosis, even number codes indicate definite diagnosis.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and **Location:** 597-786
Procedures (5423-5612...VAR)
Approved: _____
Revised: _____

PED 8 Diagnoses and Procedures

<u>Code*</u>	<u>Name</u>
<u>Musculoskeletal Abnormality</u>	
253, 254	Vertebral abnormality
255, 256	Talipes equinovarus
257, 258	Metatarsus adductus
259, 260	Calcaneo valgus
261, 262	Congenital dislocations or dysplasia of the hip
263, 264	Absence or hypoplasia of extremity or part, specify
294	Polydactyly
296	Syndactyly
297, 298	Torticollis
299, 300	Arthrogryposis multiplex
301, 302	Achondroplasia
303, 304	Fractured clavicle
305, 306	Fractures, other
333, 334	Other, specify

<u>Code*</u>	<u>Name</u>
<u>Eye Conditions</u>	
351, 352	Chorio-retinitis
353, 354	Retrolental fibroplasia
355, 356	Cataract
357, 358	Corneal opacity
359, 360	Microphthalmia
361, 362	Blindness
363, 364	Nystagmus
365, 366	Other, specify

<u>Code*</u>	<u>Name</u>
<u>Ear Conditions</u>	
391, 392	Low set ears
393, 394	Deformed ear pinna
395, 396	Branchial cleft anomaly
397, 398	Deafness
399, 400	Other, specify

<u>Code*</u>	<u>Name</u>
<u>Upper Respiratory Tract and Mouth Conditions</u>	
419, 420	Choanal atresia
422	Cleft palate
424	Cleft uvula (bifid)
426	Cleft lip
428	Cleft gum
429, 430	Micrognathia
431, 432	Malformation of epiglottis and larynx
433, 434	Other, specify

<u>Code*</u>	<u>Name</u>
<u>Thoracic Abnormality</u>	
447, 448	Anomaly of diaphragm
449, 450	Anomaly of lung, specify
459, 460	Anomaly of chest wall, specify
467, 468	Pectus excavatum
469, 470	Other, specify

*Odd number codes indicate suspect diagnosis, even number codes indicate definite diagnosis.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and
Procedures

Location: 597-786
(5423-5612...VAR)

Approved: _____

Revised: _____

PED 8 Diagnoses and Procedures

<u>Code*</u>	<u>Name</u>
<u>Respiratory Abnormality</u>	
479, 480	Respiratory distress syndrome (hyaline membrane disease)
481,	
482	Primary atelectasis
483, 484	Pneumonia
485, 486	Aspiration <u>before</u> or <u>during</u> delivery
487, 488	Aspiration <u>after</u> delivery
489, 490	Pulmonary hemorrhage
491, 492	Cardiac conditions
493, 494	C.N.S. abnormality
495, 496	Metabolic imbalance
497, 498	Other specify
511, 512	Unknown condition
	<u>Associated Degree of Respiratory Distress</u>
514	None
516	Slight
518	Moderate
520	Marked
	<u>Significant Respiratory Events</u>
522	Primary apnea
524	Single apneic episode
526	Multiple apneic episode
528	Resuscitation - <u>during</u> first 5 minutes of life
530	Resuscitation - <u>after</u> first 5 minutes of life

<u>Code*</u>	<u>Name</u>
<u>Cardiovascular Conditions</u>	
531, 532	Acyanotic CHD
533, 534	Cyanotic CHD
535, 536	Fibroelastosis
537, 538	Disorders of rhythm
539, 540	Disorders of rate
541, 542	Cardiac enlargement
543, 544	Decompensation
546	Specific C-V diagnosis
573, 574	Other, specify

<u>Code*</u>	<u>Name</u>
<u>Alimentary Tract Malformations and Other Conditions</u>	
601, 602	Tracheo-esophageal fistula
603, 604	Duodenal atresia
605, 606	Malrotation
608	Omphalocele
609, 610	Visceral perforation
612	Imperforate anus
	Hernia, specify
613, 614	Inguinal
615, 616	Femoral
617, 618	Other, specify
621, 622	Other (non-infectious)

<u>Code*</u>	<u>Name</u>
<u>Abnormality of Liver, Bile Ducts, and/or Spleen</u>	
641, 642	Specify, non-infectious

*Odd number codes indicate suspect diagnosis, even number codes indicate definite diagnosis.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and
Procedures

Location: 597-786
(5423-5612...VAR)

Approved: _____

Revised: _____

PED 8 Diagnoses and Procedures

Code* Name

Genitourinary Conditions

658 Hypospadias
659, 660 Chordee
661, 662 Other abnormalities of
 external genitalia
677, 678 Bladder outflow or
 urethral obstruction
679, 680 Upper tract
 obstruction
681, 682 Cystic kidney
683, 684 Other, non-infectious

Neoplastic Disease and/or

Other Tumors

701, 702 Specify, type and
 organ

Hematologic Conditions

719, 720 Erythroblastosis
721, 722 RH
723, 734 ABO
725, 726 Other, specify
741, 742 Other hemolytic
 disease
751, 752 Coagulation defect,
 specify
761, 762 Intra-uterine blood
 loss
763, 764 Other major
 hemorrhage, specify
 site
783, 784 Other, specify

Code* Name

Skin Conditions and Malformations

815, 816 Strawberry/portwine
 hemangioma
817, 818 Cavernous hemangioma
 820 Hairy nevus
821, 822 Lymphangioma
823, 824 Sclerema
 826 Severe ecchymosis
 828 Significant petechiae
829, 830 Supernumerary nipples
 832 Cafe au lait spots
833, 834 Other, specify

Infection

863, 864 Septicemia
865, 866 Central nervous system
867, 868 Respiratory
869, 870 Urinary tract
871, 872 Bone and joint
873, 874 Heart
875, 876 Gastrointestinal
877, 878 Eye
879, 880 Ear
881, 882 Cutaneous
883, 884 Mucous membranes
885, 886 Other, specify

*Odd number codes indicate suspect diagnosis, even number codes indicate definite diagnosis.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and **Location:** 597-786
Procedures **Approved:** (5423-5612...VAR)
Revised:

PED 8 Diagnoses and Procedures

<u>Code*</u>	<u>Name</u>	<u>Code*</u>	<u>Name</u>
<u>Syndromes</u>		<u>Procedures</u>	
887, 888	Mongolism	965	Simple blood transfusions
889, 890	Gonadal dysgenesis	966	Exchange transfusions
891, 892	Adrenogenital	967	Parenteral fluids
893, 894	Marfan's	968	Spinal puncture
885, 896	Pierre Robin	969	Subdural puncture
897, 898	Other syndromes, specify	970	Ventricular puncture
<u>Other Endocrine or Metabolic Disease</u>		971	General anesthesia
915, 916	Cretinism	972	Surgery, specify
917, 918	Fibrocystic disease of pancreas	982	Chromosome studies
919, 920	Presumed symptomatic hypocalcemia	983	X-ray and/or fluoroscopy
921, 922	Presumed symptomatic hypoglycemia	984	Antibiotics
923, 924	Inborn errors of metabolism, specify	985	E.E.G.
937, 938	Other, specify	986	Other, specify
<u>Other Conditions</u>		<u>Presumptive Etiologic Impressions</u>	
951, 952	Specify	987	Presumed anoxia
		988	Presumed trauma

*Odd number codes indicate suspect diagnosis, even number codes indicate definite diagnosis.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Summary

Location: 787-805
(5613-5631...VAR)

Classifications

Approved:

Revised:

Remarks:

Card Sources	Columns	Codes	Recodes*
1408	31,36-53	0 = No conditions 1-8 = Number as given 9 = 9 or more	* * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: PED-8 Diagnoses and **Location:** 806 (5632...VAR)
procedures - Other conditions **Approved:** _____
 _____ **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1408	32	0 = None 1 = Other conditions 2 = Presumed anoxia only 3 = Presumed trauma only 4 = Combination of codes 2 and 3 5 = Combination of codes 1 and 2 6 = Combination of codes 1 and 3 7 = Combination of codes 1, 2 and 3	* * * * * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 4 Mo. Pediatric Exam

Location: 807 (5633...VAR)

Present

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
Any 1410-3410	DNA	DNA	0 = No specified card present 1 = Any one specified card present

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: 1 Yr. Pediatric Exam

Location: 808 (5634...VAR)

Present

Approved: _____

Revised: _____

Remarks: _____


Card Sources Columns

Codes

Recodes*

Any 1411-3411	DNA	DNA	0 = No specified card present 1 = Any one specified card present

***An asterisk in recode column means transfer codes verbatim.**



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS
STANDARD REFERENCE MATERIAL 1010a
(ANSI and ISO TEST CHART No. 2)

CONTINUED ON NEXT FICHE