

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00010	v001 1 8	NINDB		
00020	v002 9	PLURALITY CODES: BLANK=NO CHILD 0=SINGLE 1=1ST OF MULTIPLE 2=2ND OF MULTIPLE 3=3RD OF MULTIPLE 4=4TH OF MULTIPLE		
00030	v003 10	BIRTH SWITCH CODES: 1=SINGLE 2=TWIN 3=TRIPLET 4=QUAD		
00060	v006 13	COHORT I-A 1=PRESENCE		
00070	v007 14	COHORT I-B 1=PRESENCE		
00080	v008 15	COHORT I-C 1=PRESENCE		
00100	v010 17	CORE (1=CORE)		
00110	v011 18	WALK-IN (1=WALK-IN)		
00120	v012 19	COHORT I-D 1=PRESENCE		
00130	v013 20	COHORT IID (REV) 1=PRESENCE		
00131	v014 21	BASIC DOCUMENT COHORT SWITCH (1= 1C LESS ABORTIONS)		
00132	v015 22	LABOR & DELIVERY SWITCH CODES: 1=OB-34 2=OB-55		
00133	v016 23	COHORT IIA 1=PRESENCE		
00134	v017 24	COHORT IIB 1=PRESENCE		
00135	v018 25	COHORT IIC 1=PRESENCE		
00136	v019 26	TEST FILE CASE 1=PRESENCE		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH  
 LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00140	<b>v020</b> 31 32	AGE OF GRAVIDA (YRS.) CODES: 10-58= AS GIVEN 99= UNKNOWN		021
	<b>v021</b> 33	GROUP/INTERVAL CODE CODES: 1= 10-14 2= 15-19 3= 20-24 4= 25-29 5= 30-34 6= 35-39 7= 40-44 8= 45-58 9=UNKNOWN		
00150	<b>v022</b> 34 35	GESTATION AT REGISTRATION CODES: 01-50= AS GIVEN 99= UNKNOWN		168
00160	<b>v023</b> 36	MARITAL STATUS CODES: 1= SINGLE 2= MARRIED 3= COMMON LAW 4= WIDOWED 5= DIVORCED 6= SEPARATED 9= UNKNOWN		229
00170	<b>v024</b> 37	TRIMESTER AT REGISTRATION CODES: 01-50 AS GIVEN 99=UNKNOWN GROUP/INTERVAL CODE CODES: 1= 01-14 2= 15-27 3= 28-50 9= UNKNOWN		486

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00180	v025 38 39	LAST PRIOR OUTCOME-SURVIVAL CODES: 00= NO PRIOR OUTCOME 01= FETAL DEATH 02= DIED WITHIN 24 HOURS 03= DIED AFTER 24 HOURS BUT BEFORE 7 DAYS 04= DIED 7 DAYS TO 27 DAYS 05= DIED 28 DAYS TO 1 YEAR 06= DIED AFTER 1 YEAR 07= STILL LIVING 96= LIVEBORN BUT DIED IN SAME MONTH AND YEAR AS BIRTH 97= LIVEBORN BUT DIED IN SAME YEAR AS BIRTH 98= LIVEBORN BUT DIED, AGE UNKNOWN 99= UNKNOWN SURVIVAL		218
00190	v026 40 43	LAST PRIOR OUTCOME-BIRTHWEIGHT CODES: 0000= NO PRIOR OUTCOME 0001-7400= AS GIVEN IN GRAMS 9999= UNKNOWN		219
00200	v027 44 45	PRIOR PREGNANCIES-NUMBER CODES: 00-28= AS GIVEN 99= UNKNOWN		291
00210	v028 46 47	PARITY PR. NON-ABORTS-GR OR EQ 20WKS GESTATION CODES: 00= PRIOR PREGNANCY BUT NO PRIOR VIABLE 01-28= NUMBER OF PRIOR VIABLES 88= NO PRIOR PREGNANCY 99= UNKNOWN		269
00220	v029 48 49	PRIOR PERINATAL LOSS CODES: 00= NO PRIOR PERINATAL LOSS 01-07= AS GIVEN 08= 8 OR MORE 88= NO PRIOR PREGNANCY 99= UNKNOWN		289
00230	v030 50 51	PRIOR VIABLE BIRTHS NUMBER CODES: 00= PRIOR BIRTHS BUT NO VIABLES 01-07= AS GIVEN 08= 8 OR MORE 88= NO PRIOR PREGNANCY		500

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00240	v031 52 53	CIGARETTES PER DAY NOW CODES: 00= NONE(INCLUDES NON-SMOKERS) 01-60= AS GIVEN 61= 61 OR MORE 70= REGULAR SMOKER BUT LESS THAN 1 PER DAY 80= IRREGULAR SMOKER BUT LESS THAN 4 PER MONTH 99= UNKNOWN		096
	v032 54	GROUP/INTERVAL CODE CODES: 0= NON-SMOKER 1= SMOKER 9= UNKNOWN		
00250	v033 55 56	PRENATAL VISITS-NUMBER CODES: 01-97= AS GIVEN 98= 98 OR MORE 99= UNKNOWN		354
00260	v034 57 58	YEARS SMOKED AT REGISTRATION CODES: 00= NEVER SMOKED 01-50= AS GIVEN 80= SMOKED LESS THAN 6 MONTHS 88= DURATION UNKNOWN 99= UNKNOWN		352
00270	v035 59 64	DATE OF LMP(MO/DAY/YR) CODES: AS GIVEN 99= MO/DAY/ OR YR UNKNOWN		114
00280	v036 65 70	DATE OF PMP(MO/DAY/YR) CODES: AS GIVEN 99= MO/DAY/OR YR UNKNOWN		115
00290	v037 71 72	LENGTH OF TIME TO BECOME PREGNANT CODES: 00= NOT APPLICABLE, NOT TRYING 01-97= AS GIVEN 98= 98 MONTHS OR MORE 99= UNKNOWN		355
00300	v038 73	STERILITY INVESTIGATION CODES: 0= NO 1= YES 9= UNKNOWN		327

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00310	v039 74	RADIATION TWELVE MONTHS PRIOR TO REGISTRATION CODES: 0= NONE 1= ABDOMINO-PELVIC AREA ONLY 2= OTHER AREAS ONLY 3= ABDOMINO-PELVIC AND OTHER AREAS 9= UNKNOWN		483
00320	v040 75 80	OB-8 FIRST DATE(MO/DAY/YR) CODES: AS GIVEN 99= MO/DAY/OR YR UNKNOWN		367
00330	v041 81 82	HEIGHT OF MOTHER (INCHES) CODES: 40-80= AS GIVEN IN INCHES 99= UNKNOWN		194
00340	v042 83 85	PRE-PREGNANCY WEIGHT(LBS) CODES: 050-350,360 999= UNKNOWN		285
00350	v043 86 88	WEIGHT GAIN-GRAVIDA(LBS) CODES: THIS IS A SIGNED FIELD WITH SIGN RIGHT JUSTIFIED. 999= UNKNOWN		344
00360	v044 89 91	HEMATOCRIT-GRAVIDA-LOWEST CODES: 000= NOT DONE 120-600= 12.0 TO 60.0% 997= 0.1 TO 19.9%(OB-45) 998= 50.1 TO 99.7%(OB-45) 999= UNKNOWN		196
	v045 92	GROUP/INTERVAL CODE CODES: 0= NONE REPORTED 1= 19.9 AND LESS 2= 20.0-24.9 3= 25.0-29.9 4= 30.0-34.9 5= 35.0 AND MORE 9= UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00370	v046 93 95	HEMOGLOBIN-GRAVIDA-LOWEST (GMS) CODES: 000= NOT DONE 040-200= 4.0 TO 20.0 997= 0.1 TO 4.9 (OB-45) 998= 17.1 TO 99.7 (OB-45) 999=UNKNOWN		198
	v047 96	GROUP/INTERVAL CODE CODES: 0= NOT DONE 1= 5.9 AND LESS 2= 6.0-7.9 3= 8.0-9.9 4= 10.0-11.9 5= 12.0 AND MORE 9= UNKNOWN		
00380	v048 97	MECONIUM CODES: 0= NO 1= YES		491
00390	v049 98	BLOOD PRESSURE (SYS 160 OR GR OR DIAS 110 OR GR) POST PARTUM CODES: 0= NONE 1= 1ST 2 WEEKS POST PARTUM ONLY 2= 3 TO 8 WKS. POST PARTUM ONLY 3= COMBINATIONS OF CODES 1 AND 2 9= UNKNOWN		402
00400	v050 99	BLOOD PRESSURE (SYS 160 OR GR-DIAS 110 OR GR) 24WKS TO LABOR CODES: 0= NO 1= YES 9= UNKNOWN		407
00410	v051 100	BLOOD PRESSURE (SYS 160 OR GR-DIAS 110 OR GR) UP TO 24 WKS CODES: 0= NO 1= YES 2= REG. AFTER 23RD. WEEK 9= UNKNOWN		408
00420	v052 101	BLOOD PRESSURE (SYS 160 OR GR-DIAS 110 OR GR) INTRA PARTUM CODES: 0= NO 1= YES 9= UNKNOWN		409

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00430	v053 102	ALBUMINURIA - PROTEINURIA 5GMS. AND MORE-INTRA PARTUM CODES: 0= NO 1= YES 9= UNKNOWN		370
00440	v054 103	ALBUMINURIA - PROTEINURIA 5GMS. AND MORE-POST PARTUM CODES: 0= NONE 1= 1ST. TWO WEEKS POST PARTUM ONLY 2= 3 TO 8 WKS. POST PARTUM ONLY 3= COMBINATION OF CODES 1 AND 2 9= UNKNOWN		371
00450	v055 104	ALBUMINURIA - PROTEINURIA-DURING PREGNANCY CODES: 0= NO 1= 1+ 2= 2+ 3= 3+ 4= 4+ 5= POSITIVE UNQUALIFIED 7= TRACE 8= QUESTIONABLE 9= UNKNOWN		022
00460	v056 105	ALBUMINURIA - PROTEINURIA-UP TO 24 WEEK CODES: 0= NO 1= 1+ 2= 2+ 3= 3+ 4= 4+ 5= POSITIVE UNQUALIFIED 7= TRACE 8= QUESTIONABLE 9= UNKNOWN		023
00470	v057 106	ALBUMINURIA - PROTEINURIA-24 WEEKS TO LABOR CODES: 0= NO 1= 1+ 2= 2+ 3= 3+ 4= 4+ 5= POSITIVE UNQUALIFIED 7= TRACE 8= QUESTIONABLE 9= UNKNOWN		024

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00480	v058 107	OB-60 CONDITION SWITCH CODES: BLANK= NOT IN DATA FILE 1= CARD PRESENT - NO OB 60 CODES PRESENT 2= CARD PRESENT - OB 60 CODES PRESENT		256
00490		OB-60 DISEASE CONDITIONS CODES FOR LOCS. 108-244, 251-255: 0= NOT PRESENT 1= BEFORE PREG. ONLY 2= DURING PREG. ONLY 3= COMBINATION OF CODES 1 & 2 4= POST PARTUM ONLY 5= COMBINATION OF CODES 1 & 4 6= COMBINATION OF CODES 2 & 4 7= COMBINATION OF CODES 1, 2 & 4 9= UNKNOWN CODES FOR LOCS. 245-250: 0= NOT PRESENT 1= 1ST TRIM. ONLY 2= 2ND TRIM. ONLY 3= COMBINATION OF CODES 1 & 2 4= 3RD TRIM. ONLY 5= COMBINATION OF CODES 1 & 4 6= COMBINATION OF CODES 2 & 4 7= COMBINATION OF CODES 1, 2 & 4 9= UNKNOWN		256
00490		CARDIOVASCULAR	SEE 00491-A	256
00490	001 108 v059	ORGANIC HEART DISEASE	011	256
00490	002 109 v060	NO SYMPT. ON EXERTION	012	256
00490	003 110 v061	SYMPT. ON ORDINARY ACTIVITY	013	256
00490	004 111 v062	SYMPT. ON LIMITED ACTIVITY	014	256
00490	005 112 v063	SYMPT. ON BED REST	015	256
00490	006 113 v64	RHEUMATIC FEVER	016	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00490	007 114	v065 THROMBOSIS AND/OR PHLEBITIS	017	256
00490	008 115	v0166 REGIONAL INCR. IN BODY HEAT	018	256
00490	009 116	v067 FEVER 100.4 OR ABOVE	019	256
00490	010 117	v068 REGIONAL SWELLING	020	256
00490	011 118	v69 PALPABLE THROMBUS	021	256
00490	012 119	v070 VEIN TENDERNESS	022	256
00490	013 120	v071 EMBOLIZATION	023	256
00490	014 121	v072 OTHER CARDIOVASCULAR	024	256
00490		PULMONARY SEE 00491-B		256
00490	015 122	v073 TBC, ACTIVE	025	256
00490	016 123	v074 POS. SPUTUM CULTURE	026	256
00490	017 124	v075 POS. CULTURE - OTHER	027	256
00490	018 125	v076 POS. GUINEA PIG INOCULATION	028	256
00490	019 126	v77 X-RAY EVIDENCE OF PRESENCE OF DISEASE	029	256
00490	020 127	v078 X-RAY EVIDENCE OF PROGRESSION OF DISEASE	030	256
00490	021 128	v079 TBC, INACTIVE	031	256
00490	022 129	v080 PNEUMONIA	032	256
00490	023 130	v081 POS. CULTURE	033	256
00490	024 131	v082 VIRAL AND/OR SEROLOG. EVIDENCE	034	256
00490	025 132	v083 CHEST X-RAY EVIDENCE	035	256
00490	026 133	v084 BRONCHIAL ASTHMA	036	256
00490	027 134	v085 ACUTE ASTHMA	037	256
00490	028 135	v086 STATUS ASTHMATICUS	038	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE	LOCATIONS	VARIABLE NAME	COND.	NIH NO.
		FROM TO		CODES	
00490	029	136	v087 THORACIC SURGERY	039	256
00490	030	137	v088 OTHER PULMONARY	040	256
00490			BLOOD		
			SEE 00491-C		256
00490	031	138	v089 ANEMIA	041	256
00490	032	139	v090 ABNOR. LOW SERUM IRON	042	256
00490	033	140	v091 ABNOR. HIGH IBC	043	256
00490	034	141	v092 ABNOR. HIGH PROTOPORPHYRIN	044	256
00490	035	142	v093 ABNOR. PERIPHERAL RBC SMEAR	045	256
00490	036	143	v094 ABNOR. BONE MARROW SMEAR	046	256
00490	037	144	v095 CLINICAL RESPONSE TO IRON THERAPY	047	256
00490	038	145	v96 ABNOR. HEMOGLOBIN S ELECTROPHORESIS	048	256
00490	039	146	v097 SICKLING IN PERIPHERAL BLOOD	049	256
00490	040	147	v098 OTHER FINDINGS IN ANEMIA	050	256
00490	041	148	v099 COAGULATION DEFECT	052	256
00490	042	149	v100 ABNOR. LOW PROTHROMBIN	053	256
00490	043	150	v101 ABNOR. LOW PROCONVERTIN	054	256
00490	044	151	v102 ABNOR. LOW FIBRINOGEN	055	256
00490	045	152	v103 ABNOR. PROLONGED CLOT. TIME	056	256
00490	046	153	v104 CLIN. RESPONSE TO ADMINIST. OF FIBRINOGEN	057	256
00490	047	154	v105 OTHER FINDINGS AND COAGULATION DEFECTS	058	256
00490	048	155	OTHER BLOOD DISEASES OR CONDITIONS	059	256
00490			v106 METABOLIC AND ENDOCRINE		
			SEE 00491-D		256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE	LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00490	049	156	v107 DIABETES MELLITUS	060	256
00490	050	157	v108 ANY BLOOD SUGAR 200 MG. PER CENT OR MORE	061	256
00490	051	158	v109 INSULIN THERAPY OR ORAL HYPOGYLCEMIC ANALOGUE	062	256
00490	052	159	v110 INSULIN REACTION	063	256
00490	053	160	v111 DIABETIC COMA	064	256
00490	054	161	v112 KETO-ACIDOSIS	065	256
00490	055	162	v113 DURATION 5 YEARS OR MORE	066	256
00490	056	163	v114 ABNORMAL GLUCOSE TOLERANCE TEST	067	256
00490	057	164	v115 HYPOTHYROIDISM	068	256
00490	058	165	v116 ABNOR. LOW BMR	069	256
00490	059	166	v117 ABNOR. LOW PBI	070	256
00490	060	167	v118 ABNOR. LOW BEI	071	256
00490	061	168	v119 ABNOR. LOW I 131 UPTAKE	072	256
00490	062	169	v120 CLINICAL RESPONSE TO THYROID	073	256
00490	063	170	v121 HYPERTHYROIDISM	074	256
00490	064	171	v122 ABNOR. HIGH BMR	075	256
00490	065	172	v123 ABNOR. HIGH PBI	076	256
00490	066	173	v124 ABNOR. HIGH BEI	077	256
00490	067	174	v125 ABNOR. HIGH I 131 UPTAKE	078	256
00490	068	175	v126 CLINICAL RESPONSE TO THERAPY	079	256
00490	069	176	v127 THYROID SURGERY	080	256
00490	070	177	v128 OTHER METABOLIC AND ENDOCRINE	081	256
00490			VENERAL	SEE 00491-E	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00490	071 178	v129 SYPHILIS	082	256
00490	072 179	v130 POS. SEROLOGY	083	256
00490	073 180	v131 POS. CEREBROSPINAL FLUID	084	256
00490	074 181	v132 POS. TREPONEMA IMMOBILIZATION TEST	085	256
00490	075 182	v133 POS. DARK FIELD	086	256
00490	076 183	v134 GONORRHEA	087	256
00490	077 184	v135 POS. CULTURE	088	256
00490	078 185	v136 POS. SMEAR	089	256
00490	079 186	v137 OTHER VENEREAL	090	256
00490		URINARY TRACT SEE 00491-F		256
00490	080 187	v138 ACUTE AND CHRONIC GLOMERULONEPHRITIS	091	256
00490	081 188	v139 KUB INFECTION	092	256
00490	082 189	v140 FEVER 100.4 OR ABOVE	093	256
00490	083 190	v141 CVA TENDERNESS	094	256
00490	084 191	v142 POS. URINE CULTURE	095	256
00490	085 192	v143 PYURIA (15 WBC/HPF)	096	256
00490	086 193	v144 HEMATURIA (15 RBC/HPF)	097	256
00490	087 194	v145 KUB TUMOR	098	256
00490	088 195	v146 KUB SURGERY	099	256
00490	089 196	v147 OTHER URINARY TRACT DISEASES OR CONDITIONS	100	256
00490		GYNECOLOGICAL SEE 00491-G		256
00490	090 197	v148 INFERTILITY	102	256
00490	091 198	v149 INCOMPETENT CERVIX	103	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00490	092 199	v150 SURGERY FOR INCOMPETENT CERVIX	104	256
00490	093 200	v151 VAGINITIS	105	256
00490	094 201	v152 LEIOMYOMA	106	256
00490	095 202	v153 OTHER GYNECOLOGIC TUMOR	107	256
00490	096 203	v154 GYNECOLOGIC SURGERY	108	256
00490	097 204	v155 OTHER GYNECOLOGICAL	109	256
00490		NEUROLOGIC AND PSYCHIATRIC SEE 00491-H		256
00490	098 205	v156 CONVULSIVE DISORDER	110	256
00490	099 206	v157 CONVULSIONS DURING PREGNANCY	111	256
00490	100 207	v158 MENTAL RETARDATION	112	256
00490	101 208	v159 ORGANIC BRAIN DISEASE	113	256
00490	102 209	v160 PSYCHOSIS AND NEUROSIS	114	256
00490	103 210	v161 OTHER NEUROLOGIC OR NEUROMUSCULAR DISEASE	115	256
00490	104 211	v162 ALCOHOLISM	116	256
00490	105 212	v163 DRUG HABITUATION AND ADDICTION	117	256
00490	106 213	v164 OTHER NEUROLOGIC AND PSYCHIATRIC	118	256
00490		GASTROINTESTINAL SEE 00491-I		256
00490	107 214	v165 CHOLECYSTITIS	119	256
00490	108 215	v167 CHOLELITHIASIS	120	256
00490	109 216	v168 HEPATITIS	121	256
00490	110 217	v169 APPENDICITIS	122	256
00490	111 218	v170 COLITIS, ILEITIS	123	256
00490	112 219	v171 HIATUS HERNIA	124	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00490	113 220	v171 PEPTIC ULCER	125	256
00490	114 221	v172 GI SURGERY	126	256
00490	115 222	v173 GI TUMOR	127	256
00490	116 223	v174 OTHER GASTROINTESTINAL	128	256
00490		INTEGUMENT AND APPENDAGES SEE 00491-J		256
00490	117 224	v175 BURNS- IF HOSPITALIZED	130	256
00490	118 225	v176 BREAST DISORDER	131	256
00490	119 226	v177 OTHER INTEGUMENT AND APPENDAGES	132	256
00490		COMPLICATIONS OF THIS PREGNANCY SEE 00491-K		256
00490	120 227	v178 HYPEREMESIS GRAVIDARUM	133	256
00490	121 228	v179 INTRAVENECOUS THERAPY	134	256
00490	122 229	v180 ACETONURIA	135	256
00490	123 230	v181 HYDRAMNIOS	136	256
00490		OTHER UTERINE BLEEDING SEE 00491-L		256
00490	124 231	v182 FIRST TRIMESTER UTERINE BLEEDING	140	256
00490	125 232	v183 SECOND TRIMESTER UTERINE BLEEDING	141	256
00490	126 233	v184 THIRD TRIMESTER UTERINE BLEEDING	142	256
00490		SHOCK		256
00490	127 234	v185 ANESTHETIC SHOCK	143	256
00490	128 235	v186 HEMORRHAGIC SHOCK	144	256
00490	129 236	v187 SEPTIC SHOCK	145	256
00490	130 237	v188 POSITIONAL (VENA CAVA SYNDROME) SHOCK	146	256
00490	131 238	v189 OTHER SHOCK	147	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
C0490	132 239	v190 ANESTHETIC ACCIDENT, OTHER	148	256
00490		COMPLICATIONS OF PUERPERIUM SEE 00491-M		256
00490		HEMORRHAGE		256
C0490	133 240	v191 MATERNAL DEATH	149	256
00490	134 241	v192 WITHIN 24 HOURS	159	256
00490	135 242	v193 AFTER 24 HOURS	160	256
C0490	136 243	v194 PUERPERAL INFECTION	161	256
C0490	137 244	v195 OTHER COMPLICATIONS OF PUERPERIUM	162	256
00490		INFECTIOUS DISEASES DURING PREGNANCY SEE 00491-N		256
C0490	138 245	v196 KNOWN OR PRESUMED VIRAL	164	256
00490	139 246	v197 KNOWN OR PRESUMED BACTERIAL	165	256
C0490	140 247	v198 KNOWN OR PRESUMED PARASITIC	166	256
00490	141 248	v199 KNOWN OR PRESUMED FUNGAL	167	256
00490	142 249	v200 TYPE UNKNOWN	168	256
00490	143 250	v201 ATTENUATED LIVE VACINE, TYPE	169	256
00490	144 251	v202 DISEASES AND CONDITIONS NOT ELSEWHERE SPECIFIED	170	256
00490		SPECIAL STUDIES		256
C0490	145 252	v203 BACTERIURIA STUDIES	171	256
C0490	146 253	v204 HEART VOLUME STUDIES	172	256
00490	147 254	v205 FETAL EKG STUDIES	173	256
00490	148 255	v206 OTHER SPECIAL STUDIES	174	256

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
G0491		OB-60 SUMMARY CLASSIFICATION CODES FOR LOCS. 256-268: 0= NO CONDITIONS 1-7= NUMBER AS GIVEN 8= 8 OR MORE CONDITIONS 9= UNKNOWN		256
G0491	001 256	<span style="border: 1px solid black; padding: 2px;">v207</span> CARDIOVASCULAR	ITEM A	256
G0491	002 257	<span style="border: 1px solid black; padding: 2px;">v208</span> PULMONARY	ITEM B	256
G0491	003 258	<span style="border: 1px solid black; padding: 2px;">v20</span> BLOOD	ITEM C	256
G0491	004 259	<span style="border: 1px solid black; padding: 2px;">v210</span> METABOLIC AND ENDOCRINE	ITEM D	256
G0491	005 260	<span style="border: 1px solid black; padding: 2px;">v211</span> VENEREAL	ITEM E	256
G0491	006 261	<span style="border: 1px solid black; padding: 2px;">v212</span> URINARY TRACT	ITEM F	256
G0491	007 262	<span style="border: 1px solid black; padding: 2px;">v213</span> GYNECOLOGICAL	ITEM G	256
G0491	008 263	<span style="border: 1px solid black; padding: 2px;">v214</span> NEUROLOGIC AND PSYCHIATRIC	ITEM H	256
G0491	009 264	<span style="border: 1px solid black; padding: 2px;">v215</span> GASTROINTESTINAL	ITEM I	256
G0491	010 265	<span style="border: 1px solid black; padding: 2px;">v216</span> INTEGUMENT AND APPENDAGES	ITEM J	256
G0491	011 266	<span style="border: 1px solid black; padding: 2px;">v217</span> COMPLICATIONS OF THIS PREGNANCY	ITEM K	256
G0491	012 267	<span style="border: 1px solid black; padding: 2px;">v218</span> COMPLICATIONS OF PUERPERIUM	ITEM M	256
G0491	013 268	<span style="border: 1px solid black; padding: 2px;">v219</span> INFECTIOUS DISEASES DURING PREGNANCY	ITEM N	256
G0500	269	<span style="border: 1px solid black; padding: 2px;">v220</span> WORK STATUS-GRAVIDA CURRENT CODES: 0= NOT WORKING NOW 1= WORKING NOW 9= UNKNOWN		108

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO. TAPE LOCATIONS  
 FROM TO

VARIABLE NAME

COND.  
 CODES

NIH NO.

00510 v221 270 271 EDUCATION OF GRAVIDA (YEARS)  
 CODES: 00-18= AS GIVEN  
 99= UNKNOWN

v222 272 GROUP/INTERVAL CODE  
 CODES: 0= NONE  
 1= 7 OR LESS  
 2= 8  
 3= 9-11  
 4= 12  
 5= 13-15  
 6= 16-18  
 9= UNKNOWN

00520 v223 273 274 FAMILY INCOME  
 CODES: 00= NONE  
 05= 1-999  
 15= 1000-1999  
 25= 2000-2999  
 35= 3000-3999  
 45= 4000-4999  
 55= 5000-5999  
 65= 6000-6999  
 75= 7000-7999  
 85= 8000-8999  
 95= 9000-9999  
 96= 10,000 OR MORE  
 99= UNKNOWN

v224 275 GROUP/INTERVAL CODE  
 CODES: 1=NO INCOME  
 2=1-1999  
 3=2000-3999  
 4=4000-5999  
 5=6000-7999  
 6=8000-9999  
 7=10,000 OR MORE  
 9=UNKNOWN

132

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00530	v225 276 277	HOUSING DENSITY CODES: 01-09= LESS THAN ONE PERSON 10-30= 1.0 TO 3.0 PERSONS 32-38= 3.2 TO 3.8 PERSONS 40= 4.0 PERSONS 42= 4.2 PERSONS 43= 4.3 PERSONS 45= 4.5 PERSONS 47= 4.7 PERSONS 48= 4.8 PERSONS 50= 5.0 PERSONS 53= 5.3 PERSONS 55= 5.5 PERSONS 57= 5.7 PERSONS 60= 6.0 PERSONS 63= 6.3 PERSONS 65= 6.5 PERSONS 67= 6.7 PERSONS 70= 7.0 PERSONS 75= 7.5 PERSONS 80= 8.0 OR MORE PERSONS 88= GRAVIDA IN HOME FOR UNWED MOTHERS 99= UNKNOWN		203
00540	v226 278	SIZE OF COMMUNITY OF BIRTH PLACE-GRAVIDA CODES: INSIDE CONTINENTAL U.S. 1= URBAN 2= RURAL - NON FARM 3= RURAL FARM 4= UNKNOWN OUTSIDE CONTINENTAL U.S. 5= URBAN 6= RURAL - NON FARM 7= RURAL FARM 8= UNKNOWN COUNTRY 9= UNKNOWN PLACE		314
00550	v227 279 282	DATE LAST WORKED-GRAVIDA CODES: 0000= NEVER WORKED 0101= STILL WORKING 999= MONTH OR YEAR UNKNOWN AOC= MONTH OR YEAR AS GIVEN		378

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00560	283 284	PLACE OF BIRTH-GRAVIDA CODES: INSIDE CONTINENTAL UNITED STATES 00 = MAINE, NEW HAMPSHIRE, VERMONT, MASSACHUSETTS, RHODE ISLAND, CONNECTICUT 01 = NEW YORK, NEW JERSEY, PENNSYLVANIA 02 = MARYLAND, VIRGINIA, WEST VIRGINIA, DISTRICT OF COLUMBIA, DELAWARE, NORTH CAROLINA, SOUTH CAROLINA, GEORGIA, FLORIDA 03 = KENTUCKY, TENNESSEE, ALABAMA, MISSISSIPPI 04 = ARKANSAS, LOUISIANA, OKLAHOMA, TEXAS 05 = ILLINOIS, INDIANA, OHIO, MICHIGAN, WISCONSIN 06 = MINNESOTA, IOWA, MISSOURI, KANSAS, NEBRASKA, NORTH DAKOTA, SOUTH DAKOTA 07 = WYOMING, IDAHO, COLORADO, MONTANA, UTAH, NEW MEXICO, ARIZONA, NEVADA 08 = WASHINGTON, OREGON, CALIFORNIA 09 = UNKNOWN STATE OUTSIDE CONTINENTAL UNITED STATES 10 = PUERTO RICO 11 = OTHER ISLANDS IN ATLANTIC 12 = ALASKA AND CANADA 13 = CENTRAL AMERICA AND SOUTH AMERICA 14 = PACIFIC ISLANDS 15 = EUROPE 16 = ASIA AND AFRICA 19 = UNKNOWN COUNTRY 99 = UNKNOWN PLACE		280
00570	285	RELIGION OF GRAVIDA CODES: 1= PROTESTANT 2= ROMAN CATHOLIC 3= OTHER 9= UNKNOWN		309
00580	286	ALL SIBS-SEIZURES, CONVULSIONS, EPILEPSY CODES: 0= NO 1= WITH FEVER 2= WITHOUT FEVER 3= COMBINATION OF 1 AND 2 4= UNKNOWN IF FEVER 5= QUESTIONABLE SEIZURES 8= NO PRIOR PREGNANCIES 9= UNKNOWN		033

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00590	v231 287	CONSANGUINITY OF GRAVIDA AND F.O.B. CURRENT PREG (REV. 0) CODES: 0= NONE 1= FIRST COUSIN OR CLOSER 2= MORE DISTANT THAN FIRST COUSINS 4= UNKNOWN RELATIONSHIP 8= NOT ON REV. 1 OR 2 9= UNKNOWN		103
00600	v232 288	CONSANGUINITY OF GRAVIDAS PARENTS (REV. 0) CODES: 0= NONE 1= 1ST. COUSIN OR CLOSER 2= MORE DISTANT THAN 1ST. COUSINS 4= UNKNOWN RELATIONSHIP 8= NOT ON REV. 1 OR 2 9= UNKNOWN		489
00610	v233 289	CONSANGUINITY OF GRAVIDAS PARENTS (ALL REV.) CODES: 0=NONE 1=1/4 BROTHER-SISTER 2=1/8 DOUBLE FIRST COUSIN 3=1/16 FIRST COUSINS 4=1/32 HALF FIRST COUSINS 5=1/64 SECOND COUSINS 6=GREATER THAN 1/64 7=UNKNOWN FAMILIAL RELATIONSHIP 8=YES REV. 0 ONLY 9=UNKNOWN		104
	v234 290	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00620	v235 291	CONSANGUINITY OF GRAVIDA AND FOB (ALL REV) CODES: 0=NONE 1=1/4 BROTHER-SISTER 2=1/8 DOUBLE FIRST COUSIN 3=1/16 FIRST COUSINS 4=1/32 HALF FIRST COUSINS 5=1/64 SECOND COUSINS 6=GREATER THAN 1/64 7=UNKNOWN FAMILIAL RELATIONSHIP 8=YES REV. 0 ONLY 9=UNKNOWN		488
	v236 292	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00630	v237 293	TWINNING-GRAVIDA CODES: 0= NO 1= YES 9= UNKNOWN		332
00640	v238 294 295	SOCIO ECONOMIC INDEX CODES: 00-95= INDEX 0.0 - 9.5 99= UNKNOWN		
	v239 296	GROUP/INTERVAL CODE CODES: 1= INDEX 0.0 - 1.9 2= INDEX 2.0 - 3.9 3= INDEX 4.0 - 5.9 4= INDEX 6.0 - 7.9 5= INDEX 8.0 - 9.5 9=UNKNOWN		
00650	v240 297 302	DATE OF REGISTRATION(MONTH/DAY/YEAR) CODES: AS GIVEN 99= MO/DAY/OR YR UNKNOWN		116
00660	v241 303	RACE CODES: 1= WHITE 2= NEGRO 3= ORIENTAL 4= PUERTO RICAN 8= OTHER 9= UNKNOWN		303
00670	v242 504	8 MO. EXAM PRESENT CODES: 0= NO 1= YES		002
00680	v243 505 507	8 MO. MENTAL SCORE CODES: 000-106= AS GIVEN 999= UNKNOWN		003
	v244 508	GROUP/INTERVAL CODE CODES: 1= ABNORMAL (SCORE = 000-055) 2= SUSPECT (SCORE = 056-074) 3= NORMAL (SCORE = 075-106) 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00690	v245 509 510	8 MO. MOTOR SCORE CODES: 00-43= AS GIVEN 99= UNKNOWN		004
	v246 511	GROUP/INTERVAL CODE CODES: 1= ABNORMAL (SCORE = 00-19) 2= SUSPECT (SCORE = 20-26) 3= NORMAL (SCORE = 27-43) 9=UNKNOWN		
00700	v247 512	8 MONTH EXAM-FINAL DIAGNOSIS CODES: 2= NORMAL 3= SUSPECT 4= ABNORMAL 9= UNKNOWN		492
00710	v248 513	AGE OF CHILD AT 8 MO. PSYCH EXAM CODES: 1= LESS THAN 7 MO 15 DAYS 2= 7 MO.15 DAYS-8 MO.14 DAYS 3= 8 MO.15 DAYS-8 MO.30 DAYS 4= 8 MO.31 DAYS-10 MO. 0 DAYS 5= MORE THAN 10 MONTHS 9= UNKNOWN		015
00720	v249 514 516	4 YR. I.Q. CODES: 025 - 175= AS GIVEN 999= UNKNOWN		006
	v250 517	GROUP/INTERVAL CODE CODES: 1=DEFECTIVE (SCORE=25-69) 2=BORDERLINE (SCORE=70-79) 3=LOW AVERAGE (SCORE=80-89) 4=AVERAGE (SCORE=90-109) 5=HIGH AVERAGE (SCORE=110-119) 6=SUPERIOR (SCORE=120-139) 7=VERY SUPERIOR (SCORE=140-175) 9=UNKNOWN		
00730	v251 518	COLOR OF FETAL SURFACE CODES: 1= NORMAL, BLUE GRAY 2= GREEN 3= COMBINATION OF CODES 1 & 2 4= BROWNISH-YELLOW 5= COMBINATION OF CODES 1 & 4 6= COMBINATION OF CODES 2 & 4 7= COMBINATION OF CODES 1,2 & 4 8= OTHER 9= UNKNOWN		102

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00740	v252 519	DECIDUAL NECROSIS CODES: 0= NOT SEEN GROSSLY 1= PRESENT, NOT MASSIVE 2= PRESENT, MASSIVE 8= OTHER 9= UNKNOWN		366
	v253 520	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00750	v254 521	INSERTION OF MEMBRANES CODES: 1= MARGINAL 2= CIRCUMMARGINATE 3= COMB. OF CODES 1 AND 2 4= CIRCUMVALLATE 5= COMB. OF CODES 1 AND 4 6= COMB. OF CODES 2 AND 4 7= COMB. OF CODES 1,2 AND 4 9= UNKNOWN		211
00760	v255 522 525	PLACENTAL WEIGHT (GRMS) CODES: 0001-2000 AS GIVEN 9999= UNKNOWN		283
	v256 526 527	GROUP/INTERVAL CODE CODES: 01= 0001-0100 02= 0101-0150 03= 0151-0200 04= 0201-0251 05= 0251-0300 06= 0301-0350 07= 0351-0400 08= 0401-0450 09= 0451-0500 10= 0501-0550 11= 0551-0600 12= 0601-0650 13= 0651-0700 14= 0701-2000 99= UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00770	v257 528	TYPE OF INSERTION-MEMBRANOUS CODES: 0= MARGINAL 1= NOT MEMBRANOUS 2= MEMBRANOUS 8= OTHER 9= UNKNOWN		334
	v258 529	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00780	v259 530	UMBILICAL ARTERIES-NUMBER CODES: 1= ONE 2= TWO 9= UNKNOWN		335
00790	v260 531	SIZE OF INFARCTS CODES: 0= NONE 1= ALL INFARCTS LESS THAN 3 CMS 2= AT LEAST ONE MEASURES 3 OR MORE CMS 9= UNKNOWN		315
00800	v261 532 533	MACROPHAGES IN AMNION OR CHORION CODES: 00= NOT SEEN 01= PRESENT CONTAINING NO PIGMENT 02= PRESENT CONTAINING MECONIUM 03= COMB. OF CODES 1 AND 2 04= PRESENT CONTAINING HEMOSIDERIN 05= COMB. OF CODES 1 AND 4 06= COMB. OF CODES 2 AND 4 07= COMB. OF CODES 1,2 AND 4 08= PRESENT CONTAINING UNKNOWN PIGMENT 09= COMB. OF CODES 1 AND 8 10= COMB. OF CODES 2 AND 8 11= COMB. OF CODES 1,2 AND 8 12= COMB. OF CODES 4 AND 8 13= COMB. OF CODES 1,4 AND 8 14= COMB. OF CODES 2,4 AND 8 15= COMB. OF CODES 1,2,4 AND 8 77= ITEM NOT COMPLETED 88= OTHER 99= UNKNOWN		226
	v262 534	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00810	v263 535 536	MACROPHAGES IN DECIDUA CODES: 00= NOT SEEN 01= PRESENT CONTAINING NO PIGMENT 02= PRESENT CONTAINING MECONIUM 03= COMB. OF CODES 1 AND 2 04= PRESENT CONTAINING HEMOSIDERIN 05= COMB. OF CODES 1 AND 4 06= COMB. OF CODES 2 AND 4 07= COMB. OF CODES 1,2 AND 4 08= PRESENT CONTAINING UNKNOWN PIGMENT 09= COMB. OF CODES 1 AND 8 10= COMB. OF CODES 2 AND 8 11= COMB. OF CODES 1,2 AND 8 12= COMB. OF CODES 4 AND 8 13= COMB. OF CODES 1,4 AND 8 14= COMB. OF CODES 2,4 AND 8 15= COMB. OF CODES 1,2,4 AND 8 77= ITEM NOT COMPLETED 88= OTHER 99= UNKNOWN		227
	v264 537	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00820	v265 538	NEUTROPHILIC INFILTRATION OF AMNION OF MEMBRANE ROLL CODES: 0= NOT SEEN 1= SLIGHT 2= MARKED 3= MODERATE 9= UNKNOWN		242
	v266 539	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00830	v267 540	NEUTROPHILIC INFILTRATION OF AMNION OF PLACENTAL SURFACE CODES: 0= NOT SEEN 1= SLIGHT 2= MARKED 3= MODERATE 9= UNKNOWN		243
	v268 541	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00840	v269 542	NEUTROPHILIC INFILTRATION OF CHORION OF MEMBRANE ROLL CODES: 0= NOT SEEN 1= SLIGHT 2= MARKED 3= MODERATE 9= UNKNOWN		244
	v270 543	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00850	v271 544	NEUTROPHILIC INFILTRATION- UMBILICAL VEIN CODES: 0= NOT SEEN 1= SLIGHT 2= MARKED 3= MODERATE 4= PRESENT DEGREE UNKNOWN 9= UNKNOWN		245
	v272 545	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
00860	v273 546 548	CLAMPING OF CORD INTERVAL (SECONDS) CODES: THIS IS A SIGNED FIELD WITH SIGN RIGHT JUSTIFIED. 999= UNKNOWN		097

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00870	v274 549 550	LENGTH OF CORD (CMS) CODES: 00= LESS THAN ONE 01-97= AS GIVEN 98= 98 AND MORE 99= UNKNOWN		220
	v275 551 552	GROUP/INTERVAL CODE CODES: 01= LESS THAN 1 02= 2 03= 3 04= 4 05= 5 06= 6 07= 7-8 08= 9-10 09= 11-15 10= 16-20 11= 21-25 12= 26-30 13= 31 AND MORE 99= UNKNOWN		
00880	v276 553	PEDIATRIC RECORDS PRESENT CODES: 0= NO 1= YES		274
00890	v277 554	SEX CODES: 1= MALE 2= FEMALE 3= UNDETERMINED 9= UNKNOWN		313
00900	v278 555	ONE MINUTE APGAR - HEART RATE CODES: 0= ABSENT 1= SLOW 2= 100 OR OVER 9= UNKNOWN		260
00910	v279 556	ONE MINUTE APGAR - RESPIRATORY EFFORT CODES: 0= ABSENT 1= WEAK CRY 2= CRYING LUSTILY 9= UNKNOWN		263

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00920	v280 557	ONE MINUTE APGAR - MUSCLE TONE CODES: 0= FLACCID 1= SOME FLEXION 2= WELL FLEXED 9= UNKNOWN		261
00930	v281 558	ONE MINUTE APGAR - REFLEX IRRITABILITY CODES: 0= NO RESPONSE 1= SOME MOTION 2= CRY 9= UNKNOWN		262
00940	v282 559	ONE MINUTE APGAR - COLOR CODES: 0= BLUE PALE 1= BLUE HANDS AND FEET 2= ENTIRELY PINK 9= UNKNOWN		259
00950	v283 560 561	ONE MINUTE APGAR - SCORE CODES: 00-10= AS GIVEN 20-29= AS GIVEN, BASED ON INCOMPLETE DATA 99= UNKNOWN		264
	v284 562	GROUP/INTERVAL CODE CODES: 1= SCORE 0-3 2= SCORE 4-6 3= SCORE 7-10 4= INCOMPLETE SCORE 9= UNKNOWN		
00960	v285 563	FIVE MINUTE APGAR - HEART RATE CODES: 0= ABSENT 1= SLOW 2= 100 OR OVER 9= UNKNOWN		145
00970	v286 564	FIVE MINUTE APGAR - RESPIRATORY EFFORT CODES: 0= ABSENT 1= WEAK CRY 2= CRYING LUSTILY 9= UNKNOWN		148

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
00980	v287 565	FIVE MINUTE APGAR - MUSCLE TONE CODES: 0= FLACCID 1= SOME FLEXION 2= WELL FLEXED 9= UNKNOWN		146
00990	v288 566	FIVE MINUTE APGAR - REFLEX IRRITABILITY CODES: 0= NO RESPONSE 1= SOME MOTION 2= CRY 9= UNKNOWN		147
01000	v289 567	FIVE MINUTE APGAR - COLOR CODES: 0= BLUE PALE 1= BLUE HANDS AND FEET 2= ENTIRELY PINK 9= UNKNOWN		144
01010	v290 568 569	FIVE MINUTE APGAR - SCORE CODES: 00-10= AS GIVEN 20-29= AS GIVEN, BASED ON INCOMPLETE DATA 99= UNKNOWN		149
	v291 570	GROUP/INTERVAL CODE CODES: 1= SCORE 0-3 2= SCORE 4-6 3= SCORE 7-10 4= INCOMPLETE SCORE 9= UNKNOWN		
01020	v292 571	PROCEDURES-SUCTION CODES: 0= NONE 1= GASTRIC SUCTION ONLY 2= TRACHEAL SUCTION 9= UNKNOWN		493
01030	v293 572	PROCEDURES-DRUGS CODES: 0= NONE 1= DRUGS 8= NOT ON REV. "0" AND "1" 9= UNKNOWN		494

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01040	v294 573	PROCEDURES-OPEN OXYGEN CODES: 0= NOT USED 1= USED 9= UNKNOWN		496
01050	v295 574	PROCEDURES-POSITIVE PRESSURE CODES: 0= NOT USED 1= USED 9= UNKNOWN		497
01060	v296 575	PROCEDURES-INTUBATION CODES: 0= NOT USED 1= USED 9= UNKNOWN		498
01070	v297 576	PROCEDURES-OTHER CODES: 0= NOT USED 1= USED 9= UNKNOWN		499
01080	v298 577	NURSERY EXAMS PRESENT CODES: 0= NO 1= YES		255
01090	v299 578	STAGE OF DYSMATURITY CODES: 0= NONE 1= STAGE 1 2= STAGE 2 3= STAGE 3 4= EQUIVOCAL SIGNS 9= UNKNOWN		322
01100	v300 579	ANTIBIOTICS NURSERY PERIOD CODES: 0= NO 1= YES 9= UNKNOWN		068
01110	v301 580	FEEDING METHOD - BOTTLE CODES: 0= NO 1-7=DAYS AS GIVEN 8= 8 OR MORE 9= UNKNOWN		133

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01120	v302 581	FEEDING METHOD - BREAST CODES: 0= NO 1-7=DAYS AS GIVEN 8= 8 OR MORE 9= UNKNOWN		134
01130	v303 582	FEEDING METHOD - GAVAGE CODES: 0= NO 1-7=DAYS AS GIVEN 8= 8 OR MORE 9= UNKNOWN		135
01140	v304 583	FEEDING METHOD - TUBE CODES: 0= NO 1-7=DAYS AS GIVEN 8= 8 OR MORE 9= UNKNOWN		137
01150	v305 584	FEEDING METHOD - OTHER CODES: 0= NO 1-7=DAYS AS GIVEN 8= 8 OR MORE 9= UNKNOWN		136
01160	v306 585	VITAMIN K-NURSERY PERIOD CODES: 0= NO 1= YES 9= UNKNOWN		342
01170	v307 586	DIRECT COOMBS TEST-CHILD CODES: 1= POSITIVE 2= NEGATIVE 9= UNKNOWN		119
01180	v308 587 588	BILIRUBIN-FIRST SERUM-CHILD-TOTAL VALUE (MGMS) CODES: 00= LESS THAN 1 01-26,29,35= AS GIVEN 99= UNKNOWN		076
01190	v309 589 590	HEMATOCRIT-CHILD-LOWEST (PERCENT) CODES: 10-90= AS GIVEN 99= UNKNOWN		195

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01200	v310 591 592	HEMOGLOBIN-CHILD-LOWEST (GMS) CODES: 02-30,50,55,57,59,60,62= AS GIVEN 99= UNKNOWN		197
01210	v311 593 594	MAXIMUM SERUM BILIRUBIN (GMS) CODES: 00= LESS THAN 1 01-38,53= AS GIVEN 99= UNKNOWN		231
	v312 595	GROUP/INTERVAL CODE CODES: 1= 0-4 2= 5-8 3= 9-12 4= 13-16 5= 17-20 6= 21-24 7= 25-38,53 9= UNKNOWN		
01220	v313 596	PED-8 SWITCH CODES: 0= NOT IN DATA FILE 1= CARD PRESENT NO PED-8 CODES 2= CARD PRESENT WITH PED-8 CODES		272
01230		PED-8 DISEASE CONDITIONS CODES: 0= CONDITION NOT PRESENT 1= DEFINITE 2= SUSPECT		272
01230		NEUROLOGIC ABNORMALITY	SEE 01231-A	272
01230	001 597 v314	BRAIN ABNORMALITY	001,002	272
01230	002 598 v315	SEIZURES	003,004	272
01230	003 599 v316	MYOCLONUS	005,006	272
01230	004 600 v317	HYPERTONIA	007,008	272
01230	005 601 v318	JITTERINESS OR TREMULOUSNESS	009,010	272
01230	006 602 v319	HYPERACTIVITY	011,012	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO		VARIABLE NAME	COND. CODES	NIH NO.
01230			PARALYSIS-PARESIS		272
01230	007	603	v320 HEMI-	013,014	272
01230	008	604	v321 PARA-	015,016	272
01230	009	605	v322 TETRA	017,018	272
01230	010	606	v323 OTHER PARALYSIS-PARESIS	019,020	272
01230	011	607	v324 HYPOTONIA	049,050	272
01230	012	608	v325 HYPOACTIVITY	051,052	272
01230	013	609	v326 LETHARGY	053,054	272
01230	014	610	v327 ASYMETRY OF REFLEXES, ACTIVITY OR TONE	055,056	272
01230	015	611	v328 SYMMETRICAL BUT ABNORMAL REFLEXES	057,058	272
01230	016	612	v329 ABNORMAL MORO	059,060	272
01230	017	613	v330 ABNORMAL CRY	061,062	272
01230	018	614	v331 ABNORMAL SUCK	063,064	272
01230	019	615	v332 OTHER BRAIN ABNORMALITY	065,066	272
01230			ABNORMAL BRAIN STATUS		272
01230	020	616	v333 TRANSIENT	090	272
01230	021	617	v334 PERSISTENT	092	272
01230	022	618	v335 ONE OR NO EXAM	094	272
01230			PERIPHERAL OR CRANIAL NERVE ABNORMALITY		272
01230	023	619	v336 BRACHIAL	095,096	272
01230	024	620	v337 FACIAL	097,098	272
01230	025	621	v338 OCULAR	099,100	272
01230	026	622	v339 OTHER PERIPHERAL OR CRANIAL NERVE ABNORMALITY	101,102	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		OTHER NEUROLOGIC ABNORMALITY		272
01230	027 623	v340 FRACTURED SKULL	119,120	272
01230	028 624	v341 CEPHALHEMATOMA	121,122	272
01230	029 625	v342 INTRACRANIAL HEMORRHAGE	123,124	272
01230	030 626	v343 SPINAL CORD ABNORMALITY	133,134	272
01230	031 627	v344 OTHER SPECIFIED NEUROLOGIC ABNORMALITY	153,154	272
01230		CENTR NERVS SYS MALF AND REL SKEL CONDS SEE 01231-B		272
01230	032 628	v345 ANENCEPHALY	184	272
01230	033 629	v346 MICROCEPHALY	185,186	272
01230	034 630	v.347 HYDRANENCEPHALY	187,188	272
01230	035 631	v348 HYDROCEPHALY	189,190	272
01230	036 632	v349 CRANIOSYNOSTOSIS	191,192	272
01230	037 633	v350 ABNORMAL SEPARATION OF SUTURES	193,194	272
01230	038 634	v351 ABNORMAL SHAPE OF SKULL	195,196	272
01230	039 635	v352 ENCEPHALOCELE	197,198	272
01230	040 636	v353 MENINGOMYELOCELE/MENINGOCELE	199,200	272
01230	041 637	v354 PILONIDAL SINUS (NOT DIMPLE)	201,202	272
01230	042 638	v355 OTHER MIDLINE SINUSES	203,204	272
01230	043 639	v356 OTHER CNS-MALFORMATIONS RELATED SKELETAL CONDS	223,224	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01230			MUSCOSKELETAL ABNORMALITY	SEE 01231-C	272
01230	044	640	v357 VERTEBRAL ABNORMALITY	253,254	272
01230	045	641	v358 TALIPES EQUINOVARUS	255,256	272
01230	046	642	v359 METATARSUS ADDUCTUS	257,258	272
01230	047	643	v360 CALCANEAL VALGUS	259,260	272
01230	048	644	v361 CONGENITAL DISLOCATION OR DYSPLASIA OF HIP	261,262	272
01230	049	645	v362 ABSENCE OR HYPOPLASIA OF EXTREMITY OR PART	263,264	272
01230	050	646	v363 POLYDACTYLY	294	272
01230	051	647	v364 SYNDACTYLY	296	272
01230	052	648	v365 TORTICOLLIS	297,298	272
01230	053	649	v366 ARTHROGRYPOSIS MULTIPLEX	299,300	272
01230	054	650	v367 ACHONDROPLASIA	301,302	272
01230	055	651	v368 FRACTURED CLAVICLE	303,304	272
01230	056	652	v369 FRACTURES, OTHER	305,306	272
01230	057	653	v370 OTHER MUSCULOSKELETAL ABNORMALITY	333,334	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		EYE CONDITIONS		272
		SEE 01231-D		
01230	058	654 <span style="border: 1px solid black; padding: 2px;">V371</span> CHORIO-RETINITIS	351,352	272
01230	059	655 <span style="border: 1px solid black; padding: 2px;">V372</span> RETROLENTAL FIBROPLASIA	353,354	272
01230	060	656 <span style="border: 1px solid black; padding: 2px;">V373</span> CATARACT	355,356	272
01230	061	657 <span style="border: 1px solid black; padding: 2px;">V374</span> CORNEAL OPACITY	357,358	272
01230	062	658 <span style="border: 1px solid black; padding: 2px;">V375</span> MICROPHthalmIA	359,360	272
01230	063	659 <span style="border: 1px solid black; padding: 2px;">V376</span> BLINDNESS	361,362	272
01230	064	660 <span style="border: 1px solid black; padding: 2px;">V377</span> NYSTAGMUS	363,364	272
01230	065	661 <span style="border: 1px solid black; padding: 2px;">V378</span> OTHER EYE CONDITIONS	365,366	272
01230		EAR CONDITIONS		272
		SEE 01231-E		
01230	066	662 <span style="border: 1px solid black; padding: 2px;">V379</span> LOW SET EARS	391,392	272
01230	067	663 <span style="border: 1px solid black; padding: 2px;">V380</span> DEFORMED EAR PINNA	393,394	272
01230	068	664 <span style="border: 1px solid black; padding: 2px;">V381</span> BRANCHIAL CLEFT ANOMALY	395,396	272
01230	069	665 <span style="border: 1px solid black; padding: 2px;">V382</span> DEAFNESS	397,398	272
01230	070	666 <span style="border: 1px solid black; padding: 2px;">V383</span> OTHER EAR CONDITIONS	399,400	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		UPPER RESP TRACT AND MOUTH CONDS		272
		SEE 01231-F		
01230	071 667	v384 CHOANAL ATRESIA	419,420	272
01230	072 668	v385 CLEFT PALATE	422	272
01230	073 669	v386 CLEFT UVULA (BIFID)	424	272
01230	074 670	v387 CLEFT LIP	426	272
01230	075 671	v388 CLEFT GUM	428	272
01230	076 672	v389 MICROGNATHIA	429,430	272
01230	077 673	v390 MALFORMATION OF EPIGLOTTIS AND LARYNX	431,432	272
01230	078 674	v391 OTHER UPPER RESPIRATORY TRACT AND MOUTH CONDITIONS	433,434	272
01230		THORACIC ABNORMALITY		272
		SEE 01231-G		
01230	079 675	v392 ANOMALY OF DIAPHRAGM	447,448	272
01230	080 676	v393 ANOMALY OF LUNG	449,450	272
01230	081 677	v394 ANOMALY OF CHEST WALL	459,460	272
01230	082 678	v395 PECTUS EXCAVATUM	467,468	272
01230	083 679	v396 OTHER THORALIC ABNORMALITY	469,470	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		RESPIRATORY ABNORMALITY		
		SEE 01231-H		272
01230	084 680	v397 RESP DISTRESS SYN. (HYALINE MEMBRANE DISEASE)	479,480	272
01230	085 681	v398 PRIMARY ATELECTASIS	481,482	272
01230	086 682	v399 PNEUMONIA	483,484	272
01230	087 683	v400 ASPIRATION BEFORE OR DURING DELIVERY	485,486	272
01230	088 684	v401 ASPIRATION AFTER DELIVERY	487,488	272
01230	089 685	v402 PULMONARY HEMORRHAGE	489,490	272
01230	090 686	v403 CARDIAC CONDITIONS	491,492	272
01230	091 687	v404 C.N.S. ABNORMALITY	493,494	272
01230	092 688	v405 METABOLIC IMBALANCE	495,496	272
01230	093 689	v406 OTHER RESPIRATORY ABNORMALITY	497,498	272
01230	094 690	v407 UNKNOWN CONDITION-RESPIRATORY ABNORMALITY	511,512	272
01230		ASSOCIATED DEGREE OF RESPIRATORY DISTRESS		272
01230	095 691	v408 NONE	514	272
01230	096 692	v409 SLIGHT	516	272
01230	097 693	v410 MODERATE	518	272
01230	098 694	v411 MARKED	520	272
01230		SIGNIFICANT RESPIRATORY EVENTS		272
01230	099 695	v412 PRIMARY APNEA	522	272
01230	100 696	v413 SINGLE APNEIC EPISODE	524	272
01230	101 697	v414 MULTIPLE APNEIC EPISODE	526	272
01230	102 698	v415 RESUSCITATION--DURING FIRST 5 MINUTES OF LIFE	528	272
01230	103 699	v416 RESUSCITATION--AFTER FIRST 5 MINUTES OF LIFE	530	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01230			CARDIOVASCULAR CONDITIONS		272
			SEE 01231-I		
01230	104	700	v417 ACYANOTIC CHD	531,532	272
01230	105	701	v418 CYANOTIC CHD	533,534	272
01230	106	702	v419 FIBROCELASTOSIS	535,536	272
01230	107	703	v420 DISORDERS OF RHYTHM	537,538	272
01230	108	704	v421 DISORDERS OF RATE	539,540	272
01230	109	705	v422 CARDIAC ENLARGEMENT	541,542	272
01230	110	706	v423 DECOMPENSATION	543,544	272
01230	111	707	v424 SPECIFIC C-V DIAGNOSIS	546	272
01230	112	708	v425 OTHER CARDIOVASCULAR CONDITIONS	573,574	272
01230			ALIM TRACT MALF AND OTHER CONDS		272
			SEE 01231-J		
01230	113	709	v426 TRACHEO-ESOPHAGEAL FISTULA	601,602	272
01230	114	710	v427 DUODENAL ATRESIA	603,604	272
01230	115	711	v428 MALROTATION	605,606	272
01230	116	712	v429 OMPHALOCELE	608	272
01230	117	713	v430 VISCERAL PERFORATION	609,610	272
01230	118	714	v431 IMPERFORATE ANUS	612	272
01230			HERNIA		272
01230	119	715	v432 INGUINAL	613,614	272
01230	120	716	v433 FEMORAL	615,616	272
01230	121	717	v434 OTHER HERNIA	617,618	272
01230	122	718	v435 OTHER (NON-INFEC.) ALIM TRACT MALF AND OTHER CONDITION	621,622	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		ABNORM OF LIVER, BILE DUCTS, AND/OR SPLEEN		272
01230	123 719	v435a NON-INFECTIOUS ABNORM LIVER, ETC.	641,642	272
01230		GENITOURINARY CONDITIONS		272
01230	124 720	v435b HYPOSPADIAS	658	272
01230	125 721	v435c CHORDEE	659,660	272
01230	126 722	v435d OTHER ABNORMALITIES OF EXTERNAL GENITALIA	661,662	272
01230	127 723	v435e BLADDER OUTFLOW OR URETHRAL OBSTRUCTION	677,678	272
01230	128 724	v435f UPPER TRACT OBSTRUCTION	679,680	272
01230	129 725	v435g CYSTIC KIDNEY	681,682	272
01230	130 726	v435h OTHER, NON-INFECTIOUS GENITOURINARY CONDITIONS	683,684	272
01230		NEOPL DISEASE AND/OR OTHER TUMORS		272
01230	131 727	v435i SPECIFIED NEOPLASTIC AND/OR OTHER TUMORS	701,702	272
01230		HEMATOLOGIC CONDITIONS		272
01230	132 728	v435j ERYTHROBLASTOSIS	719,720	272
01230	133 729	v435k RH	721,722	272
01230	134 730	v435l ABO	723,724	272
01230	135 731	v435m OTHER ERYTHROBLASTOSIS	725,726	272
01230	136 732	v435n OTHER HEMOLYTIC DISEASE	741,742	272
01230	137 733	v435o COAGULATION DEFECT	751,752	272
01230	138 734	v435p INTRA-UTERINE BLOOD LOSS	761,762	272
01230	139 735	v435q OTHER MAJOR HEMORRHAGE	763,764	272
01230	140 736	v435r OTHER HEMATOLOGIC CONDITIONS	783,784	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01230			SKIN CONDITIONS AND MALFORMATIONS		
					SEE 01231-0
01230	141	737	v436 STRAWBERRY/PORTWINE HEMANGIOMA	815,816	272
01230	142	738	v437 CAVERNOUS HEMANGIOMA	817,818	272
01230	143	739	v438 HAIRY NEVUS	820	272
01230	144	740	v439 LYMPHANGIOMA	821,822	272
01230	145	741	v440 SCLEREMA	823,824	272
01230	146	742	v441 SEVERE ECCHYMOSIS	826	272
01230	147	743	v442 SIGNIFICANT PETECHIAE	828	272
01230	148	744	v443 SUPERNUMERARY NIPPLES	829,830	272
01230	149	745	v444 CAFE AU LAIT SPOTS	832	272
01230	150	746	v445 OTHER SKIN CONDITIONS AND MALFORMATIONS	833,834	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01230			INFECTION		272
				SEE 01231-P	
01230	151	747	v446 SEPTICEMIA	863,864	272
01230	152	748	v447 CENTRAL NERVOUS SYSTEM	865,866	272
01230	153	749	v448 RESPIRATORY	867,868	272
01230	154	750	v449 URINARY TRACT	869,870	272
01230	155	751	v450 BONE AND JOINT	871,872	272
01230	156	752	v451 HEART	873,874	272
01230	157	753	v452 GASTROINTESTINAL	875,876	272
01230	158	754	v453 EYE	877,878	272
01230	159	755	v454 EAR	879,880	272
01230	160	756	v455 CUTANEOUS	881,882	272
01230	161	757	v456 MUCOUS MEMBRANES	883,884	272
01230	162	758	v457 OTHER INFECTION	885,886	272
01230			SYNDROMES		272
				SEE 01231-Q	
01230	163	759	v458 MONGOLISM	887,888	272
01230	164	760	v459 GONADAL DYSGENESIS	889,890	272
01230	165	761	v460 ADRENOGENITAL	891,892	272
01230	166	762	v461 MARFAN S	893,894	272
01230	167	763	v462 PIERRE ROBIN	895,896	272
01230	168	764	v463 OTHER SYNDROMES	897,898	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01230			OTHER ENDOC OR METABOLIC DISEASE	SEE 01231-R	272
01230	169	765	v464 CRETINISM	915,916	272
01230	170	766	v465 FIBROCYSTIC DISEASE OF PANCREAS	917,918	272
01230	171	767	v466 PRESUMED SYMPTOMATIC HYPOCALCEMIA	919,920	272
01230	172	768	v467 PRESUMED SYMPTOMATIC HYPOGLYCEMIA	921,922	272
01230	173	769	v468 INBORN ERRORS OF METABOLISM	923,924	272
01230	174	770	v469 OTHER SPECIFIED ENDOCRINE OR METABOLIC DISEASE	937,938	272
01230			PROCEDURES	SEE 01231-T	272
01230	175	771	v470 SIMPLE BLOOD TRANSFUSIONS	965	272
01230	176	772	v471 EXCHANGE TRANSFUSIONS	966	272
01230	177	773	v472 PARENTERAL FLUIDS	967	272
01230	178	774	v473 SPINAL PUNCTURE	968	272
01230	179	775	v474 SUBDURAL PUNCTURE	969	272
01230	180	776	v475 VENTRICULAR PUNCTURE	970	272
01230	181	777	v476 GENERAL ANESTHESIA	971	272
01230	182	778	v477 SURGERY	972	272
01230	183	779	v478 CHROMOSOME STUDIES	982	272
01230	184	780	v479 X-RAY AND/OR FLUOROSCOPY	983	272
01230	185	781	v480 ANTIBIOTICS	984	272
01230	186	782	v481 E.E.G.	985	272
01230	187	783	v482 OTHER PROCEDURES	986	272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01230		OTH CONDS AND PRESUMPTIVE ETIOLOGIC IMP		272
01230	188 784	v483 SPECIFIED OTHER CONDITIONS	951,952	272
01230	189 785	v484 PRESUMED ANOXIA	987	272
01230	190 786	v485 PRESUMED TRAUNA	988	272
01231		PED-8 SUMMARY CLASSIFICATION CODES FOR LOCS 787-805 0= NONE 1-8= AS GIVEN 9= 9 OR MORE		272
01231	001 787	v486 NEUROLOGIC ABNORMALITY		272
01231	002 788	v487 CENTR NERVS SYS MALF AND REL SKEL CONDS		272
01231	003 789	v488 MUSCULOSKELETAL ABNORMALITY		272
01231	004 790	v489 EYE CONDITIONS		272
01231	005 791	v490 EAR CONDITIONS		272
01231	006 792	v491 UPPER RESP TRACT AND MOUTH CONDS		272
01231	007 793	v492 THORACIC ABNORMALITY		272
01231	008 794	v493 RESPIRATORY ABNORMALITY		272
01231	009 795	v494 CARDIOVASCULAR CONDITIONS		272
01231	010 796	v495 ALIM TRACT MALF AND OTHER CONDS		272

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01231	011 797	v496 ABNORM OF LIVER, BILE DUCTS, AND/OR SPLEEN	SECTION K	272
01231	012 798	v497 GENITOURINARY CONDITIONS	SECTION L	272
01231	013 799	v498 NEOPL DISEASE AND/OR OTHER TUMORS	SECTION M	272
01231	014 800	v499 HEMATOLOGIC CONDITIONS	SECTION N	272
01231	015 801	v500 SKIN CONDITIONS AND MALFORMATIONS	SECTION O	272
01231	016 802	v501 INFECTION	SECTION P	272
01231	017 803	v502 SYNDROMES	SECTION Q	272
01231	018 804	v503 OTHER ENDOC OR METABOLIC DISEASE	SECTION R	272
01231	019 805	v504 PROCEDURES	SECTION T	272
01231	020 806	v505 OTH CONDS AND PRESUMP. ETIOLOGIC CONDS CODES: 0= NONE 1= OTHER CONDITIONS ONLY 2= PRESUMED ANOXIA ONLY 3= PRESUMED TRAUMA ONLY 4= COMBINATION OF CODES 2 AND 3 5= COMBINATION OF CODES 1 AND 2 6= COMBINATION OF CODES 1 AND 3 7= COMBINATION OF CODES 1, 2 AND 3	SECTION S,U	272
01240	807	v506 4 MO. PEDIATRIC EXAM PRESENT CODES: 0= NO 1= YES		001
01250	808	v507 1 YR. PED. EXAM PRESENT CODES: 0= NO 1= YES		005
01250	809 810	v508 AGE OF CHILD AT 1 YR. NEUROLOGICAL EXAM (WKS) CODES: 01-98= NO. OF WEEKS AS GIVEN 99= UNKNOWN		016

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01270	v509 811 812	HEAD CIRCUMFERENCE 1 YR (CMS) CODES: 23,34-58,60,61,69,79= AS GIVEN 99= UNKNOWN		190
	v510 813	GROUP/INTERVAL CODE CODES: 1=40 OR LESS 2=41-42 3=43-44 4=45-46 5=47-48 6=49-50 7=51 AND MORE 9=99		
01280	v511 814	NEUROLOGICAL ABNORMALITIES (1YR) CODES: 0= NONE 1= SUSPICIOUS 2= ABNORMAL 9= UNKNOWN		240
01290	v512 815	PED-12 SWITCH CODES: 0= NOT IN DATA FILE 1= CARD PRESENT PED-12 CODES PRESENT 2= CARD PRESENT WITH PED-12 CODES		273
01300		PED-12 DISEASE CONDITIONS CODES: 0= CONDITION NOT PRESENT 1= DEFINITE 2= SUSPECT		273
01300		NEUROLOGIC ABNORMALITY	SEE 01301-A	273
01300		CEREBRAL SPASTIC PARESIS		273
01300	001 816	v513 HEMI-RIGHT	001,002	273
01300	002 817	v514 HEMI-LEFT	003,004	273
01300	003 818	v515 TETRA	005,006	273
01300	004 819	v516 PARA	007,008	273
01300	005 820	v517 OTHER CEREBRAL SPASTIC PARESIS	009,010	273
01300	006 821	v518 HYPOTONIA WITH DEEP TENDON REFLEXES	015,016	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300	007 822	v519 HYPOTONIA WITHOUT DEEP TENDON REFLEXES	017,018	273
01300	008 823	v520 DYSKINESIA	019,020	273
01300	009 824	v521 ATAXIA	021,022	273
01300	010 825	v522 OTHER MOTOR DISORDERS	023,024	273
01300	011 826	v523 DELAYED DEVELOPMENT - MOTOR	031,032	273
01300	012 827	v524 DELAYED DEVELOPMENT - MENTAL	033,034	273
01300	013 828	v525 REGRESSION IN MOTOR ACTIVITY	035,036	273
01300	014 829	v526 CORD DISEASE - SPASTIC	037,038	273
01300	015 830	v527 CORD DISEASE - FLACCID	039,040	273
01300		VISUAL IMPAIRMENT		273
01300	016 831	v528 TOTAL, BILATERAL, OCULAR	041,042	273
01300	017 832	v529 TOTAL, BILATERAL, NON-OCULAR	043,044	273
01300	018 833	v530 TOTAL, UNILATERAL, OCULAR	045,046	273
01300	019 834	v531 TOTAL, UNILATERAL, NON-OCULAR	047,048	273
01300	020 835	v532 PARTIAL, BILATERAL, OCULAR	049,050	273
01300	021 836	v533 PARTIAL, BILATERAL, NON-OCULAR	051,052	273
01300	022 837	v534 PARTIAL, UNILATERAL, OCULAR	053,054	273
01300	023 838	v535 PARTIAL, UNILATERAL, NON-OCULAR	055,056	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO		VARIABLE NAME	COND. CODES	NIH NO.
01300			EXTRA OCULAR MOVEMENTS		273
01300	024	839	v536 ESOTROPIA, UNILATERAL	057,058	273
01300	025	840	v537 ESOTROPIA, BILATERAL	059,060	273
01300	026	841	v538 ALTERNATING INTERNAL STRABISMUS	061,062	273
01300	027	842	v539 EXOTROPIA, UNILATERAL	063,064	273
01300	028	843	v540 EXOTROPIA, BILATERAL	065,066	273
01300	029	844	v541 ALTERNATING EXTERNAL STRABISMUS	067,068	273
01300	030	845	v542 OTHER EXTRA OCULAR MOVEMENT	069,070	273
01300			NYSTAGMUS		273
01300	031	846	v543 INVOLVEMENT, UNILATERAL	077,078	273
01300	032	847	v544 INVOLVEMENT, UNILATERAL WITH GAZE ONLY	079,080	273
01300	033	848	v545 INVOLVEMENT, BILATERAL	081,082	273
01300	034	849	v546 INVOLVEMENT, BILATERAL WITH GAZE ONLY	083,084	273
01300	035	850	v547 CHARACTER, PENDULAR	085,086	273
01300	036	851	v548 CHARACTER, JERKY	087,088	273
01300	037	852	v549 DIRECTION, HORIZONTAL	089,090	273
01300	038	853	v550 DIRECTION, VERTICAL	091,092	273
01300	039	854	v551 DIRECTION, ROTATORY	093,094	273
01300	040	855	v552 OTHER NYSTAGMUS	095,096	273
01300	041	856	v553 CRANIAL NERVE ABNORMALITY - FACIAL	101,102	273
01300	042	857	v554 CRANIAL NERVE ABNORMALITY - OTHER	103,104	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS	VARIABLE NAME	COND. CODES	NIH NO.
	FROM TO			
01300 043	858 v555	HEARING IMPAIRMENT	113,114	273
01300 044	859 v556	PERIPHERAL NERVE ABNORMALITY - BRACHIAL PLEXUS	115,116	273
01300 045	860 v557	PERIPHERAL NERVE ABNORMALITY - OTHER	117,118	273
01300		SEIZURE STATES		273
01300 046	861 v558	GEN - ONLY WITH FEV AND LESS THAN 15 MIN DUR.	129,130	273
01300 047	862 v559	GENERALIZED, OTHER	131,132	273
01300 048	863 v560	FOCAL MOTOR	133,134	273
01300 049	864 v561	INFANTILE MYOCLONIC SEIZURES	135,136	273
01300 050	865 v562	OTHER SEIZURE STATES	137,138	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		ATYPICAL BEHAVIOR		273
01300	051 866	v563 MALADAPTIVE RESPONSE	149,150	273
01300	052 867	v564 FAILURE TO DEVELOP SOCIAL RESPONSE	151,152	273
01300	053 868	v565 FAILURE TO FORM RHYTHMIC PATTERNS	153,154	273
01300	054 869	v566 DISRUPTION OF RHYTHMIC PATTERNS	155,156	273
01300	055 870	v567 REGRESSION IN BEHAVIOR	157,158	273
01300	056 871	v568 STEREOTYPED BEHAVIOR	159,160	273
01300	057 872	v569 ABNORMALITIES OF BEHAVIOR CONTROL	161,162	273
01300	058 873	v570 BREATH HOLDING WITH UNCONSCIOUSNESS	173,174	273
01300	059 874	v571 BREATH HOLDING WITHOUT UNCONSCIOUSNESS	175,176	273
01300	060 875	v572 HYPER-REACTIVITY TO SENSORY STIMULI	177,178	273
01300	061 876	v573 APATHY	179,180	273
01300	062 877	v574 PHOBIA	181,182	273
01300	063 878	v575 PICA, PAINT OR PLASTER	183,184	273
01300	064 879	v576 PICA, OTHER	185,186	273
01300	065 880	v577 OTHER ATYPICAL BEHAVIOR	195,196	273
01300	066 881	v578 COMA	205,206	273
01300	067 882	v579 OTHER NEUROLOGIC ABNORMALITY	215,216	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		REL CENT NERV SYS AND SKEL CONDS		273
		SEE 01301-B		
01300	068 883	v580 MACROCEPHALY	225,226	273
01300	069 884	v581 MICROCEPHALY	227,228	273
01300	070 885	v582 HYDRANENCEPHALY	229,230	273
01300	071 886	v583 HYDROCEPHALY	231,232	273
01300	072 887	v584 CRANIOSYNOSTOSIS	243,244	273
01300	073 888	v585 OTHER ABNORMAL SHAPE OF SKULL	249,250	273
01300	074 889	v586 PORENCEPHALY	255,256	273
01300	075 890	v587 ENCEPHALOCELE	257,258	273
01300	076 891	v588 MENINGOMYELOCELE/MENINGOCELE	259,260	273
01300	077 892	v589 PILONIDAL SINUS	261,262	273
01300	078 893	v590 OTHER MIDLINE SINUSES	263,264	273
01300	079 894	v591 SUBDURAL HEMATOMA OR EFFUSION	269,270	273
01300	080 895	v592 OTHER INTRACRANIAL HEMORRHAGE	271,272	273
01300	081 896	v593 OTHER RELATED CNS AND SKELETAL CONDITIONS	279,280	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		MUSCULOSKELETAL ABNORMALITY		273
		SEE 01301-C		
01300	082	897 v594 VERTEBRAL ABNORMALITY	291,292	273
01300	083	898 v595 TALIPES EQUINOVARUS	293,294	273
01300	084	899 v596 METATARUS ADDUCTUS	295,296	273
01300	085	900 v597 TALIPES CALCANEVALGUS	297,298	273
01300	086	901 v598 CONGENITAL DISLOCATION OR DISPLASIA OF LIP	299,300	273
01300	087	902 v599 ABSENCE OR HYPOPLASIA OF EXTREMITY OR PART	301,302	273
01300	088	903 v600 POLYDACTYLY	310	273
01300	089	904 v601 SYNDACTYLY	312	273
01300	090	905 v602 TORTICOLLIS	313,314	273
01300	091	906 v603 ARTHROGRYPOSIS MULTIPLEX	315,316	273
01300	092	907 v604 OTHER, NON-INFECTIOUS MUSCULOSKELETAL ABNORMALITY	317,318	273
01300		EYE CONDITIONS		273
		SEE 01301-D		
01300	093	908 v605 CHORIO-RETINIS	329,330	273
01300	094	909 v606 RETROLENTAL FIBROPLASIA	331,332	273
01300	095	910 v607 CATARACT	333,334	273
01300	096	911 v608 CORNEAL OPACITY	335,336	273
01300	097	912 v609 MICROPHTHALMIA	337,338	273
01300	098	913 v610 OTHER, NON-INFECTIOUS EYE CONDITIONS	339,340	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		EAR CONDITIONS		273
		SEE 01301-E		
01300	099 914	v611 LOW SET EARS	349,350	273
01300	100 915	v612 DEFORMED EAR PINNA	351,352	273
01300	101 916	v613 BRANCHIAL CLEFT ANOMALY	353,354	273
01300	102 917	v614 PERFORATED EAR DRUM	355,356	273
01300	103 918	v615 OTHER, NON-INFECTIOUS EAR CONDITIONS	357,358	273
01300		UPPER RESP TRACT AND MOUTH CONDS		273
		SEE 01301-F		
01300	104 919	v616 CLEFT PALATE	368	273
01300	105 920	v617 CLEFT UVULA	370	273
01300	106 921	v618 CLEFT LIP	372	273
01300	107 922	v619 CLEFT GUM	374	273
01300	108 923	v620 MICROGNATHIA	375,376	273
01300	109 924	v621 MALFORMATION OF THE EPIGLOTTIS AND LARYNX	377,378	273
01300	110 925	v622 ABNORMALITY OF TEETH	385,386	273
01300	111 926	v623 OTHER, NON-INFEC UPPER RESP TRACT AND MOUTH CONDS	393,394	273
01300		THORACIC CONDITIONS		273
		SEE 01301-G		
01300	112 927	v624 ANOMALY OF DIAPHRAGM	405,406	273
01300	113 928	v625 ANOMALY OF RIBS	413,414	273
01300	114 929	v626 PECTUS EXCAVATUM	417,418	273
01300	115 930	v627 PIGEON BREAST	419,420	273
01300	116 931	v628 OTHER THORACIC CONDITIONS	421,422	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		LOWER RESPIRATORY TRACT ABNORMALITY		273
		SEE 01301-H		
01300	117 932	v629 ASTHMA	431,432	273
01300	118 933	v630 EMPHYSEMA	433,434	273
01300	119 934	v631 PNEUMOTHORAX	435,436	273
01300	120 935	v632 ANOMALY OF LUNG	437,438	273
01300	121 936	v633 OTHER, NON-INFECTIONOUS LOWER RESPIRATORY TRACT ABN	445,446	273
01300		CARDIOVASCULAR CONDITIONS		273
		SEE 01301-I		
01300	122 937	v634 ACYANOTIC CHD	457,458	273
01300	123 938	v635 CYANOTIC CHD	459,460	273
01300	124 939	v636 FIBROELASTOSIS	461,462	273
01300	125 940	v637 DISORDERS OF RHYTHM	463,464	273
01300	126 941	v638 DISORDERS OF RATE	465,466	273
01300	127 942	v639 CARDIAC ENLARGEMENT	467,468	273
01300	128 943	v640 DECOMPENSATION	469,470	273
01300	129 944	v641 SEVERE CYANOTIC EPISODES	471,472	273
01300	130 945	v642 SPECIFIC C-V DIAGNOSIS	474	273
01300	131 946	v643 OTHER CARDIOVASCULAR CONDITIONS	483,484	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		ALIMENTARY TRACT CONDITIONS		273
		SEE 01301-J		
01300	132	947 v644 HERNIA	493,494	273
01300	133	948 v645 VOLVULUS	501,502	273
01300	134	949 v646 INTUSSUSCEPTION	503,504	273
01300	135	950 v647 PERSISTENT VOMITING	505,506	273
01300	136	951 v648 MEGACOLON	507,508	273
01300	137	952 v649 PYLORIC STENOSIS	509,510	273
01300	138	953 v650 VISCERAL PERFORATION	511,512	273
01300	139	954 v651 MALROTATION	513,514	273
01300	140	955 v652 INTESTINAL OBSTRUCTION	515,516	273
01300	141	956 v653 CHALASIA	517,518	273
01300	142	957 v654 OTHER NON INFECTIOUS ALIMENTARY TRACT CONDITIONS	519,520	273
01300		ABNORM OF LIVER, BILE DUCTS, AND/OR SPLEEN SEE 01301-K		273
01300	143	958 v655 BILIARY ATRESIA	531,532	273
01300	144	959 v656 JAUNDICE ACQUIRED, PERSISTENT BEYOND DURATION	533,534	273
01300	145	960 v657 JAUNDICE, ACQUIRED AFTER DURATION	535,536	273
01300	146	961 v658 OTHER NON INFECTIOUS ABNORM. OF LIVER, ETC.	537,538	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		GENITOURINARY CONDITIONS		273
		SEE 01301-L		
01300	147 962	v659 UNDESCENDED TESTICLE, UNILATERAL	549,550	273
01300	148 963	v660 UNDESCENDED TESTICLE, BILATERAL	551,552	273
01300	149 964	v661 HYPOSPADIAS	554	273
01300	150 965	v662 CHORDEE	555,556	273
01300	151 966	v663 OTHER ABNORMALITY OF EXTERNAL GENITALIA	557,558	273
01300	152 967	v664 BLADDER OUTFLOW OR URETHRAL OBSTRUCTION	563,564	273
01300	153 968	v665 UPPER TRACT OBST. HYDRONEPHROSIS OR HYDROURETER	569,570	273
01300	154 969	v666 CYSTIC KIDNEY	575,576	273
01300	155 970	v667 OTHER, NON-INFECTIOUS GENITOURINARY CONDITIONS	577,578	273
01300		NEOPLASTIC DISEASE AND/OR OTHER TUMORS		273
		SEE 01301-M		
01300	156 971	v668 SPEC NEOPLASTIC DISEASE AND/OR OTHER TUMORS	589,590	273
01300		HEMATOLOGIC CONDITIONS		273
		SEE 01301-N		
01300	157 972	v669 HEMOGLOBINOPATHY	601,602	273
01300	158 973	v670 HEMOLYTIC DISEASE, CONGENITAL	609,610	273
01300	159 974	v671 HEMOLYTIC DISEASE, ACQUIRED	611,612	273
01300	160 975	v672 COAGULATION DEFECT	613,614	273
01300	161 976	v673 MAJOR HEMORRHAGE	619,620	273
01300		ANEMIA, LESS THAN 5 GM.		273
01300	162 977	v674 IRON DEFICIENCY	627,628	273
01300	163 978	v675 OTHER ANEMIA LESS THAN 5 GM.	629,630	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		ANEMIA, 5 TO 8 GM.		273
01300	164 979	v676 IRON DEFICIENCY	635,636	273
01300	165 980	v677 OTHER ANEMIA 5 TO 8 GM.	637,638	273
01300	166 981	v678 OTHER HEMATOLOGIC CONDITIONS	645,646	273
01300		SKIN CONDITIONS AND MALFORMATIONS	SEE 01301-0	273
01300	167 982	v679 PORTWINE HEMANGIOMA	657,658	273
01300	168 983	v680 STRAWBERRY HEMANGIOMA	659,660	273
01300	169 984	v681 CAVERNDIS HEMANGIOMA	661,662	273
01300	170 985	v682 HAIRY PIGMENTED NEVUS	663,664	273
01300	171 986	v683 PIGMENTED NEVUS	665,666	273
01300	172 987	v684 LYMPHANGIOMA	667,668	273
01300	173 988	v685 CAFE AU LAIT SPOTS	669,670	273
01300	174 989	v686 ECZEMA	671,672	273
01300	175 990	v687 OTHER, NON-INFECTIOUS SKIN CONDITIONS AND MALFORMATION	673,674	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		SYNDROMES		273
		SEE 01301-P		
01300	176 991	v688 MONGOLISM	685,686	273
01300	177 992	v689 GONADAL DYSGENESIS	687,688	273
01300	178 993	v690 ADRENOGENITAL	689,690	273
01300	179 994	v691 MARFAN S	691,692	273
01300	180 995	v692 PIERRE ROBIN	693,694	273
01300	181 996	v693 SPASMUS NUTANS	695,696	273
01300	182 997	v694 HURLER S	697,698	273
01300	183 998	v695 FAILURE TO THRIVE	699,700	273
01300	184 999	v696 OTHER SYNDROMES	701,702	273
01300		OTHER ENDOC AND METAB DISEASE		273
		SEE 01301-Q		
01300	185 1000	v697 HYPOTHYROIDISM	713,714	273
01300	186 1001	v698 FIBROCYSTIC DISEASE OF PANCREAS	719,720	273
01300	187 1002	v699 INBORN ERRORS OF METABOLISM	721,722	273
01300	188 1003	v700 OTHER SPEC ENDOC AND METAB DISEASE	729,730	273
01300		INFECTION AND INFLAMMATION		273
		SEE 01301-R		
01300	189 1004	v701 SEPTICEMIA	739,740	273
01300	190 1005	v702 CENTRAL NERVOUS SYSTEM	741,742	273
01300	191 1006	v703 BACTERIAL MENINGITIS	743,744	273
01300	192 1007	v704 NON-BACTERIAL MENINGITIS	745,746	273
01300	193 1008	v705 ENCEPHALITIS	747,748	273
01300	194 1009	v706 OTHER CNS	749,750	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		RESPIRATORY		273
01300	195 1010	v707 PNEUMONIA	761,762	273
01300	196 1011	v708 SEVERE CROUP	763,764	273
01300	197 1012	v709 BRONCHIOLITIS	765,766	273
01300	198 1013	v710 OTHER RESPIRATORY	767,768	273
01300	199 1014	v711 GENITOURINARY TRACT	779,780	273
01300	200 1015	v712 BONE AND JOINT	781,782	273
01300	201 1016	v713 HEART	783,784	273
01300		GASTROINTESTINAL		273
01300	202 1017	v714 DIARRHEA REQUIRING HOSPITALIZATION	785,786	273
01300	203 1018	v715 OTHER GI	787,788	273
01300	204 1019	v716 LIVER	799,800	273
01300	205 1020	v717 EYE	801,802	273
01300	206 1021	v718 EAR	803,804	273
01300	207 1022	v719 SKIN	805,806	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS		VARIABLE NAME	COND. CODES	NIH NO.
	FROM	TO			
01300			SPECIFIC CHILDHOOD DISEASES		273
01300	208	1023	<span style="border: 1px solid black; padding: 2px;">v720</span> ROSEOLA	807,808	273
01300	209	1024	<span style="border: 1px solid black; padding: 2px;">v721</span> GERMAN MEASLES	809,810	273
01300	210	1025	<span style="border: 1px solid black; padding: 2px;">v722</span> MEASLES	811,812	273
01300	211	1026	<span style="border: 1px solid black; padding: 2px;">v723</span> MUMPS	813,814	273
01300	212	1027	<span style="border: 1px solid black; padding: 2px;">v724</span> CHICKENPOX	815,816	273
01300	213	1028	<span style="border: 1px solid black; padding: 2px;">v725</span> WHOOPING COUGH	817,818	273
01300	214	1029	<span style="border: 1px solid black; padding: 2px;">v726</span> OTHER CHILDHOOD DISEASES	819,820	273
01300	215	1030	<span style="border: 1px solid black; padding: 2px;">v727</span> UNUSUALLY RECURRENT OF CHRONIC INFECTIONS	831,832	273
01300	216	1031	<span style="border: 1px solid black; padding: 2px;">v728</span> OTHER INFECTION AND INFLAMATION	837,838	273
01300			TRAUMA PHYSICAL AGENTS AND INTOXICATION SEE 01301-S		273
01300			HEAD TRAUMA		273
01300	217	1032	<span style="border: 1px solid black; padding: 2px;">v729</span> UNCONSCIOUSNESS	849,850	273
01300	218	1033	<span style="border: 1px solid black; padding: 2px;">v730</span> FRACTURED SKULL	851,852	273
01300	219	1034	<span style="border: 1px solid black; padding: 2px;">v731</span> BLOODY SPINAL FLUID	853,854	273
01300	220	1035	<span style="border: 1px solid black; padding: 2px;">v732</span> VOMITING - 3 TIMES	855,856	273
01300	221	1036	<span style="border: 1px solid black; padding: 2px;">v733</span> SUBGALEAL HEMATOMA	857,858	273
01300	222	1037	<span style="border: 1px solid black; padding: 2px;">v734</span> FRACTURES, OTHER	859,860	273
01300	223	1038	<span style="border: 1px solid black; padding: 2px;">v735</span> BURNS LEADING TO HOSPITALIZATION	871,872	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO		VARIABLE NAME	COND. CODES	NIR NO.
01300			SYMPTOMATIC INTOXICATION		273
01300	224	1039	v736 SALICYLATE	883,884	273
01300	225	1040	v737 HYDROCARBON, KEROSENE	885,886	273
01300	226	1041	v738 HYDROCARBON, OTHER	887,888	273
01300	227	1042	v739 LEAD	893,894	273
01300	228	1043	v740 OTHER SYMPTOMATIC INTOXICATION	895,896	273
01300			DISTURBANCES IN HOMEOSTASIS	SEE 01301-T	273
01300	229	1044	v741 SHOCK REQUIRING HOSPITALIZATION	901,902	273
01300	230	1045	v742 DEHYDRATION REQUIRING PARENTERAL FLUID THERAPY	903,904	273
01300	231	1046	v743 ELECTROLYTE IMBALANCE	905,906	273
01300	232	1047	v744 HYPERTHERMIA, 106 F OR OVER	911,912	273
01300	233	1048	v745 HYPOTHERMIA, BELOW 94 F	913,914	273
01300	234	1049	v746 EPISODE OF HYPOXIA WITH UNCONSCIOUSNESS	915,916	273
01300	235	1050	v747 EPISODE OF HYPOXIA WITHOUT UNCONSCIOUSNESS	917,918	273
01300	236	1051	v748 OTHER DISTURBANCES IN HOMEOSTASIS	919,920	273
01300			OTHER CONDITIONS	SEE 01301-U	273
01300	237	1052	v749 SPECIFIED OTHER CONDITIONS	929,930	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01300		PROCEDURES		273
		SEE 01301-V		
01300	238 1053	v750 BLOOD TRANSFUSIONS	941,942	273
01300	239 1054	v751 PARENTERAL FLUID	943,944	273
01300	240 1055	v752 SPINAL PUNCTURE	945,946	273
01300	241 1056	v753 SUBDURAL PUNCTURE	947,948	273
01300	242 1057	v754 VENTRICULAR PUNCTURE	949,950	273
01300	243 1058	v755 GENERAL ANESTHESIA	951,952	273
01300	244 1059	v756 SURGERY	953,954	273
01300	245 1060	v757 CHROMOSOME STUDIES	965,966	273
01300	246 1061	v758 EEG	967,968	273
01300	247 1062	v759 OTHER PROCEDURES	969,970	273
01300		SOCIAL AND ENVIRON CONDITIONS		273
		SEE 01301-W		
01300	248 1063	v760 LOSS OF ONE OR BOTH PARENTS OR PARENT SURROGATE	981,982	273
01300	249 1064	v761 FOSTER HOME	983,984	273
01300	250 1065	v762 UNFAVORABLE EMOTIONAL ENVIRONMENT	985,986	273
01300	251 1066	v763 PROLONGED OR RECURRENT HOSPITALIZATION	987,988	273
01300	252 1067	v764 OTHER SOCIAL AND ENVIRONMENTAL CONDITIONS	989,990	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01301		PED-12 SUMMARY CLASSIFICATION CODES: 0= NONE 1-8= AS GIVEN 9= 9 OR MORE		273
01301	001 1068	v765 NEUROLOGIC ABNORMALITY	SECTION A	273
01301	002 1069	v766 REL CENT NERV SYS AND SKEL CONDS	SECTION B	273
01301	003 1070	v767 MUSCULOSKELETAL ABNORMALITY	SECTION C	273
01301	004 1071	v768 EYE CONDITIONS	SECTION D	273
01301	005 1072	v769 EAR CONDITIONS	SECTION E	273
01301	006 1073	v770 UPPER RESP TRACT AND MOUTH CONDS	SECTION F	273
01301	007 1074	v771 THORACIC CONDITIONS	SECTION G	273
01301	008 1075	v772 LOW RESP TRACT ABNORMALITY	SECTION H	273
01301	009 1076	v773 CARDIOVASCULAR CONDITIONS	SECTION I	273
01301	010 1077	v774 ALIMENTARY TRACT CONDITIONS	SECTION J	273
01301	011 1078	v775 ABNORM OF LIVER, BILE DUCT, AND/OR SPLEEN	SECTION K	273
01301	012 1079	v776 GENITOURINARY CONDITIONS	SECTION L	273
01301	013 1080	v777 NEOPLASTIC DISEASE AND/OR OTHER TUMORS	SECTION M	273
01301	014 1081	v778 HEMATOLOGIC CONDITIONS	SECTION N	273
01301	015 1082	v779 SKIN CONDITIONS AND MALFORMATIONS	SECTION O	273
01301	016 1083	v780 SYNDROMES	SECTION P	273
01301	017 1084	v781 OTHER ENDOC AND METAB DISEASE	SECTION Q	273
01301	018 1085	v782 INFECTION AND INFLAMMATION	SECTION R	273
01301	019 1086	v783 TRAUMA PHYS. AGENTS AND INTOXICATIONS	SECTION S	273
01301	020 1087	v784 DISTURBANCES IN HOMEOSTASIS	SECTION T	273

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE	LOCATIONS	VARIABLE NAME	COND. CODES	NIH NO.
		FROM TO			
01301	021	1088	<b>v785</b> OTHER CONDITIONS		
01301	022	1089	<b>v786</b> PROCEDURES	SECTION U	273
01301	023	1090	<b>v787</b> SOCIAL AND ENVIRONMENTAL CONDITIONS	SECTION V	273
01310		1091	<b>v788</b> INFANT DEATHS 0-12 MONTHS CODES: 0= NONE 1= 120 DAYS OR LESS 2= 121-240 DAYS 3= 241-365 DAYS 9= UNKNOWN	SECTION W	273
01320	<b>v789</b>	1092 1093	OUTCOME DEATHS AND SURVIVORS CODES: 00=LIVEBORN STILL LIVING 01=ABORTION (19 WEEKS GEST. OR LESS) 02=ABORTION (PRB REVIEW) 03=MOLE 11=STILLBIRTH (20 WEEKS GEST. OR MORE) 12=STILLBIRTH (PRB REVIEW) 29=FETAL DEATH-TYPE UNKNOWN 30=UNDER 24 HOURS OF AGE 31=ONE DAY 32=TWO DAYS 33=THREE DAYS 34=FOUR DAYS 35=FIVE DAYS 36=SIX DAYS 37=SEVEN DAYS 38=8-27 DAYS 39=NEONATAL DEATH, TIME UNK. 40=28 DAYS THROUGH 1 YEAR 51=1 YEAR - 2 YEARS 52=2 YEARS 1 DAY-3 YEARS 53=3 YEARS 1 DAY-4 YEARS 54=4 YEARS 1 DAY-5 YEARS 55=5 YEARS 1 DAY-6 YEARS 56=6 YEARS 1 DAY-7 YEARS 57=7 YEARS 1 DAY-8 YEARS 58=OVER 8 YEARS 59=CHILD DEATH-TIME UNKNOWN 99=UNKNOWN GROUP/INTERVAL CODE CODES: 1= FETAL DEATH 2= NEONATAL DEATH 3= SURVIVED NEONATAL PERIOD 9= UNKNOWN		484
	<b>v790</b>	1094			236

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01330	v791 1095 1098	BIRTHWEIGHT (GMS) CODES: 00=400 AND LESS CODES: 0001-7400= AS GIVEN 9999= UNKNOWN		078
	v792 10991100	GROUP/INTERVAL CODE CODES: 01=401-500 02=501-600 03=601-700 04=701-800 05=801-900 06=901-1000 07=1001-1100 08=1101-1200 09=1201-1300 10=1301-1400 11=1401-1500 12=1501-1600 13=1601-1700 14=1701-1800 15=1801-1900 16=1901-2000 17=2001-2100 18=2101-2200 19=2201-2300 20=2301-2400 21=2401-2500 22=2501-2600 23=2601-2700 24=2701-2800 25=2801-2900 26=2901-3000 27=3001-3100 28=3101-3200 29=3201-3300 30=3301-3400 31=3401-3500 32=3501-3600 33=3601-3700 34=3701-3800 35=3801-3900 36=3901-4000 37=4001-4100 38=4101-4200		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
		39=4201-4300 40=4301-4400 41=4401-4500 42=4501-4600 43=4601-4700 44=4701-4800 45=4801-4900 46=4901-5000 47=5001-5100 48=5101-5200 49=5201-5300 50=5301-5400 51=5401 OR MORE 99=UNKNOWN		
01340	v793 1101 1102	GESTATION AT DELIVERY CODES: 00= LOST TO STUDY 01-50= AS GIVEN 99= UNKNOWN		167
01341	v794 1103 1108	DATE OF DELIVERY OR DATE OF BIRTH(MONTH/DAY/YEAR) CODES: AS GIVEN 99= MO/DAY/OR YR UNKNOWN		077
01350	v795 1303	METHOD OF DELIVERY TYPE CODES: 0= NOT APPLICABLE 1= VERTEX 2= BREECH 3= C/S 9= UNKNOWN		232
01360	v796 1304	LABOR AND DELIVERY RECORDS PRESENT CODES: 0= NO 1= YES 9= UNKNOWN		214
01370	v797 1305	ABRUPTIO PLACENTA CODES: 0= NO 1= PARTIAL 2= COMPLETE 8= UNKNOWN DEGREE 9= UNKNOWN		007
	v798 1306	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01380	v799 1307	ARRESTED PROGRESS OF LABOR (OB-34) CODES: 0= NONE 1= LATENT PHASE 2= ACTIVE PHASE 3= COMB. OF CODES 1 AND 2 4= SECOND STAGE 5= COMB. OF CODES 1 AND 4 6= COMB. OF CODES 2 AND 4 7= COMB. OF CODES 1, 2, AND 4 8= NOT APPLICABLE, OB-55 PRESENT 9= UNKNOWN		069
01390	v800 1308	CORD PATHOLOGY - TRUE KNOT CODES: 0= NONE 1= TIGHT 2= LOOSE 9= UNKNOWN		436
01400	v801 1309	CORD PATHOLOGY - VELAMENTOUS INSERTION (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		437
01410	v802 1310	CORD PATHOLOGY - VARICES (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		438
01420	v803 1311	CORD PATHOLOGY - RUPTURED CORD VESSEL CODES: 0= NO 1= YES 9= UNKNOWN		439
01430	v804 1312	CORD PATHOLOGY - OTHER (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		440

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01440	v805 1313	CORD PATHOLOGY - CORD AROUND BODY CODES: 0= NONE 1= TIGHT 2= LOOSE 9= UNKNOWN		441
01450	v806 1316	DYSTOCIA-SHOULDER CODES: 0= NO 1= YES 9= UNKNOWN		490
01460	v807 1317	LABOR-METHOD OF ONSET TYPE CODES: 0= NONE 1= SPONTANEOUS 2= INDUCED 9= UNKNOWN		215
01470	v808 1314	CORD PATHOLOGY - LOOSE CORD AROUND NECK CODES: 0= NONE 1-7= NUMBER OF TIMES 8= NO. OF TIMES UNKNOWN 9= UNKNOWN		410
01490	v809 1318	OXYTOCIC USE CODES: 0= NOT USED 1= INDUCTION ONLY 2= AUGMENTATION ONLY 3= INDUCTION AND AUGMENTATION 8= USED BUT REASON UNKNOWN 9= UNKNOWN		391
01500	v810 1319	PLACENTA PREVIA CODES: 0= NONE 1= TOTAL 2= PARTIAL 3= MARGINAL 4= LOW IMPLANTATION 8= UNCLASSIFIED 9= UNKNOWN		282
	v811 1320	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01510	<b>v812</b> 1321 1323	PRESENTATION AT DELIVERY CODES: 000= NO LABOR 011= OA 012= OT 013= OP 020= CHIN, FACE 021= MA 022= MT 023= MP 030= BROW 031= BROW ANTERIOR 050= FACE 051= FACE ANTERIOR 061= SA 062= ST 063= SP 080= SHOULDER 110= LO 111= LOA 112= LOT 113= LOP 121= LMA 122= LMT 123= LMP 132= L BROW T 141= L SINCIPUT A 142= L SINCIPUT T 143= L SINCIPUT P 161= LSA 162= LST 163= LSP 181= LAA 183= LAP 211= ROA 212= ROT 213= ROP 221= RMA, RFA 222= RMT 223= RMP 231= R BROW A 232= R BROW T 233= R BROW P 261= RSA		286

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
		262= RST 263= RSP 281= RAA, RADA, RSCA 283= RAP, RADP, RSCP 555= COMPOUND (VERTEX OR BREECH) 666= BREECH (POSITION NOT SPECIFIED) 777= VERTEX (POSITION NOT SPECIFIED) 888= OTHER PRESENTATIONS 999= UNKNOWN		
		GROUP/INTERVAL CODE		
		CODES: 1= VERTEX 2= BREECH 3= OTHER 9= UNKNOWN		
		PROLAPSED CORD		
		CODES: 0= NONE 1= OCCULT 2= INTO VAGINA 3= THROUGH INTROITUS 8= UNKNOWN DEGREE 9= UNKNOWN		
		GROUP/INTERVAL CODE		
		CODES: 0=NO 1=YES 9=UNKNOWN		
		RUPTURE OF MEMBRANES AND REASON		
		CODES: 0= SPONTANEOUS 1= TERMINAL IN DEL. RM. AT C/S 2= FOR INDUCTION 3= FOR AUGMENTATION 4= UNINTENTIONAL 7= ARTIFICIAL, REASON UNKNOWN 8= OTHER REASON 9= UNKNOWN		
		TOXEMIA OR CHRONIC HYPERTENSION (OB-34)		
		CODES: 0= NONE 1= CHRONIC HYPERTENSION W/O TOXEMIA 2= CHRONIC HYPERTENSION WITH TOXEMIA 3= CHRONIC HYPERTENSION WITH EXCLAMPSIA 4= PRE-ECLAMPSIA 5= ECLAMPSIA 6= UNCLASSIFIED 8= NOT APPLICABLE (OB-55 PRESENT) 9= UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01550	v817a 1315	CORD PATHOLOGY - TIGHT CORD AROUND NECK CODES: 0= NONE 1-6= NUMBER OF TIMES 7= 7 OR MORE 8= NO. OF TIMES UNKNOWN 9= UNKNOWN		405
01560	v817b 1329	VERTEX DELIVERY WITH FORCEPS-APPLICATION CODES: 0= NOT APPLICABLE- NOT ATTEMPTED 1= CLASS I - OUTLET 2= CLASS II - LOW 3= CLASS III - MID 4= CLASS IV - HIGH 7= UNSUCCESSFUL ATTEMPT 8= NOT APPLICABLE-OTHER TYPE OF DELIVERY 9= UNKNOWN		387
01570	v817c 1330	VERTEX DELIVERY WITH VACUM EXTRACTION (OB-55) CODES: 0= NO 1= YES 6= NOT APPLICABLE- OTHER TYPE OF DELIVERY 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		388
01580	v817d 1331	ACUTE TOXEMIA (OB-55) CODES: 0= NONE 1= POSSIBLE PRE-ECLAMPSIA 2= PRE-ECLAMPSIA-MILD 3= PRE-ECLAMPSIA-SEVERE 4= ECLAMPSIA 7= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		009
01590	v817e 1332	ARR. PROG. OF LABOR-PROB. CAUSE-MALPRESENTATION (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		411
01600	v817f 1333	ARR. PROG. OF LABOR-PROB. CAUSE-ABNORM UTERINE ACTIVITY (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		398

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01610	v818 1334	ARR. PROG. LABOR-PROB. CAUSE-FETOPELVIC DISPROPORTION (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		399
01620	v819 1335	ARR. PROG. OF LABOR-PROB. CAUSE-OTHER CAUSES (OB-55) CODES: 0= NO OTHER CAUSES 1= OTHER CAUSES 8= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		400
01630	v820 1336	ARRESTED PROGRESS OF LABOR (OB-55) CODES: 0= NONE 1= LATENT ONLY 2= ACTIVE ONLY 3= LATENT AND ACTIVE 4= 2ND. STAGE 5= LATENT AND 2ND. STAGE 6= ACTIVE AND 2ND. STAGE 7= LATENT, ACTIVE AND 2ND. STAGE 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		431
01640	v821 1337	BLOOD TRANSFUSION-DELIVERY ROOM (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE, OB-34 PRESENT 9= UNKNOWN		084
01650	v822 1338 1341	BLEEDING AFTER CORD CLAMPED (OB-55) (CC) CODES: 0000= NONE 0001-4000= AS GIVEN 8888= NOT APPLICABLE- OB-34 PRESENT 9998= BLEEDING- QUANTITY NOT SPECIFIED 9999= UNKNOWN		401
01660	v823 1342 1345	BLEEDING BEFORE CORD CLAMPED (OB-55) (CC) CODES: 0000= NONE 0001-4000= AS GIVEN 8888= NOT APPLICABLE- OB-34 PRESENT 9998= BLEEDING, QUANTITY UNSPECIFIED 9999= UNKNOWN		406

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01670	v824 1346	CHRONIC HYPERTENSIVE DISEASE (OB-55) CODES: 0= NONE 1= YES- BY PATIENT HISTORY ONLY 2= YES- BY DOCUMENTED EVIDENCE 7= NOT APPLICABLE- OB-34 PRESENT 8= UNCERTAIN 9= UNKNOWN		094
01680	v825 1347	BREECH DELIVERY-PODALIC VERSION CODES: 0=NOT ATTEMPTED 1=AVERAGE 2=DIFFICULT 3=VERY DIFFICULT 4=FAILED 6= NOT APPLICABLE- OTHER TYPE OF DELIVERY 7= NOT APPLICABLE-OB-34 PRESENT 8=DIFFICULTY UNKNOWN VERSION ATTEMPTED 9=UNKNOWN		090
	v826 1348	GROUP/INTERVAL CODE 0= NO 1= YES 9= UNKNOWN		
01690	v827 1349	BREECH DELIVERY-TYPE (ATTITUDE OR PRESENTATION) CODES: 0= DELIVERY OTHER THAN BREECH 1= FRANK 2= SINGLE FOOTLING OR KNEE 3= DOUBLE FOOTLING OR KNEE 4= FULL OR COMPLETE 5= COMPOUND 8= VERSION AND EXTRACTION 9= UNKNOWN		386
01700	v828 1350	PROCEDURES ATTEMPTED FOR DELIVERY OF BODY- BREECH CODES: 0= NOT APPLICABLE, DEL. OTHER THAN BREECH 1= DECOMPOSITION 2= PARTIAL EXTRACTION 3= TOTAL EXTRACTION 4= BREECH DECOMPOSITION ONLY 5= DECOMP. AND PARTIAL EXTRACTION 6= DECOMP. AND TOTAL EXTRACTION 9= UNKNOWN		384

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01710	829 1351	PROCEDURES ATTEMPTED FOR DELIVERY OF HEAD- BREECH CODES: 0= OTHER TYPE OF DELIVERY 1= SPONTANEOUS 2= MANUAL CONTROL 3= FORCEPS 4= MANUAL AND FORCEPS 5= SPONTANEOUS AND FORCEPS 9= UNKNOWN		385
01720	830 1352	DIFFICULTY OF BREECH PROCEDURES - DECOMPOSITION(OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		416
01730	831 1353	DIFFICULTY OF BREECH PROCEDURES - PARTIAL EXTRACTION(OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		417
01740	832 1354	DIFFICULTY OF BREECH PROCEDURES - TOTAL(OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		418

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01750	v833 1355	DIFFICULTY OF BREECH PROCEDURES-MANUAL DELIVERY OF HEAD (OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		419
01760	v834 1356	DIFFICULTY BREECH PROCEDURES-FORCEPS DELIVERY OF HEAD (OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		420
01770	v835 1357	DIFFICULTY OF FORCEPS PROCEDURES - TRACTION (OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 NOT PRESENT 8= NOT APPLICABLE- DELIVERED AS BREECH OR C/S 9= UNKNOWN		379
01780	v836 1358	DIFFICULTY OF FORCEPS PROCEDURES - APPLICATION (OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 NOT PRESENT 8= NOT APPLICABLE- DELIVERED AS BREECH OR C/S 9= UNKNOWN		380

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH  
LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01790	v837 1359	DIFFICULTY OF FORCEPS PROCEDURES - ROTATION(OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 NOR PRESENT 8= NOT APPLICABLE- DELIVERED AS BREECH OR C/S 9= UNKNOWN		381
01800	v838 1360	DIFFICULTY OF FORCEPS PROCEDURES - CONVERSION(OB-55) CODES: 0= PROCEDURE NOT ATTEMPTED 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 4= FAILED 7= NOT APPLICABLE- OB-34 NOT PRESENT 8= NOT APPLICABLE- DELIVERED AS BREECH OR C/S 9= UNKNOWN		382
01810	v839 1361	DIFFICULTY OF FORCEPS PROCEDURES - VERTEX DELIVERY(OB-34) CODES: 0= NOT APPLICABLE, NO ATTEMPT AT FORCEP DELIVERY 1= AVERAGE 3= DIFFICULT 4= EXTREMELY DIFFICULT 5= FAILED 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		383
01820	v840 1362	LACERATIONS-PERINEAL DEGREE(OB-55) CODES: 0= NONE 1= FIRST DEGREE 2= SECOND DEGREE 3= THIRD DEGREE 4= FOURTH DEGREE 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		216

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01830	v841 1363	LACERATIONS-OTHER THAN PERINEAL (OB-55) CODES: 0= NO LACERATIONS 1= VAGINAL-SULCUS 2= PERI-URETHAL 3= CERVICAL 4= OTHER 7= MORE THAN ONE SITE 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		403
01840	v842 1364	MECHANICAL STIMULANT-USE OF (OB-55) CODES: 0= NONE USED 1= INDUCTION 2= AUGMENTATION 3= COMB. OF CODES 1 AND 2 7= NOT APPLICABLE- OB-34 PRESENT 8= USED-UNKNOWN IF INDUCTION OR AUGMENTATION 9= UNKNOWN		389
01850	v843 1365	POLYHYDRAMNIOS (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		404
01860	v844 1366	RUPTURED UTERUS (OB-55) CODES: 0= NO 1= YES 8= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		312
01870	v845 1367	UTERINE STIMULANT-REACTION TO (OB-55) CODES: 0= NO REACTION 1= REACTION 7= NOT APPLICABLE- OB-34 PRESENT 9= UNKNOWN		339

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01880	v846 1368	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT I CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		421
01890	v847 1369	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT II CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		422
01900	v848 1370	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT III CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		423
01910	v849 1371	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT IV CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		424

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01920	v850 1372	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT V CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		425
01930	v851 1373	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT VI CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		426
01940	v852 1374	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT VII CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		427
01950	v853 1375	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT VIII CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		428

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
01960	v854 1376	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT IX CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		429
01970	v855 1377	CONDUCTION AGENTS AT DELIVERY-ROUTE OF AGENT X CODES: 0= NONE 1= SPINAL 2= CAUDAL, SACRAL 3= EPIDURAL, PERIDURAL 4= LOCAL INFILTRATION 5= PUDENDAL BLOCK 6= PARACERVICAL BLOCK 7= PARAVERTABAL, PARASACRAL 9= UNKNOWN		430
01980	v856 1378	GASEOUS AGENTS AT DELIVERY CODES: 0= NO GASEOUS AGENTS 1= INTERMITTENT ONLY 2= CONTINUOUS ONLY 3= INTERMITTENT AND CONTINUOUS 9= UNKNOWN		396
01990	v857 1379	INTRAVENOUS AGENTS AT DELIVERY CODES: 0= NO IV AGENTS 1= YES 9= UNKNOWN		395
02000	v858 1380	C/S DELIVERY OF BODY CODES: 0= NON APPLICABLE-REMOVAL OF UTERUS WITH FETUS INSIDE 1= FOLLOWING THE VERTEX 2= BREECH EXTRACTION 3= VERSION AND EXTRACTION 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		109

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02010	v859 1381	C/S DELIVERY OF HEAD CODES: 0= NON APPLICABLE-REMOVAL OF UTERUS WITH FETUS INSIDE 1= MANUAL 3= FORCEPS 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		110
02020	v860 1382	C/S TYPE OF UTERINE INCISION CODES: 1= LOW, TRANSVERSE 2= LOW, VERTICAL 3= CLASSICAL 4= EXTRA-PERITONEAL 5= OTHER, INCLUDING T INCISION 6= LOW, NOT SPECIFIED OTHERWISE 7= CESAREAN HYSTERECTOMY 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		113
02030	v861 1383 1384	C/S PRIMARY INDICATION (OB-34) CODES: 03= TOKEMIA 04= ABRUPTIO PLACENTA 05= DIABETES 11= PREVIOUS C/S 13= CPD 14= FAILED FORCEPS 16= PRIMIGRAVIDA WITH BREECH 17= UTERINE DYSFUNCTION 18= FETAL DISTRESS 19= PROLAPSED CORD 20= PLACENTA PREVIA 21= ELDERLY PRIMIGRAVIDA 25= PREVIOUS PELVIC OR CERVICAL REPAIRS 77= OTHER 79= NOT APPLICABLE-OB-55 PRESENT 88= NOT APPLICABLE-OTHER TYPE OF DELIVERY 99= UNKNOWN		392

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02040	<span style="border: 1px solid black; padding: 2px;">V862</span> 1385 1386	C/S PRIMARY INDICATION (OB-55) CODES: 02= RUPTURED MEMBRANES 03= TOXEMIA 04= ABRUPTIO PLACENTAE 05= DIABETES MELLITUS (DIAGNOSED) 06= ERYTHROBLASTOSIS 07= PYELONEPHRITIS 08= INTRAUTERINE INFECTION 09= ARRESTED PROGRESS OF LABOR 10= BLEEDING, OTHER CAUSE OR UNKNOWN CAUSE 11= PREVIOUS SECTION 12= PREVIOUS MYOMECTOMY 13= CEPHALOPELVIC DISPROPORTION 14= FOLLOWING FAILED PELVIC PROCEDURE 15= TRANSVERSE LIE 16= MALPRESENTATION (OTHER THAN TRANSVERSE LIE) 17= UTERINE DYSFUNCTION 18= FETAL DISTRESS 19= PROLAPSED CORD 20= PLACENTA PREVIA 21= ELDERLY PRIMIPARA 22= POOR OB HISTORY 23= TUMOR, OBSTRUCTING 24= TUMOR(S), NON-OBSTRUCTING 25= PREVIOUS VAGINAL OR CERVICAL SURGERY 26= HEART DISEASE 27= ACUTE MATERNAL DISEASE 28= CA OF CERVIX 29= PROLONGED SECOND STAGE LABOR 30= TRANSVERSE ARREST (ROT WITH OR WITHOUT ARREST) 31= PERSISTENT POSTERIOR 32= ANESTHESIA 34= SECOND TWIN 35= PREMATUREITY 36= POSTMATUREITY 37= FETAL DEATH 38= FETAL MALFORMATIONS 39= HYDROCEPHALUS 70= FOLLOWING INTERNAL VERSION 77= OTHER 79= NOT APPLICABLE- OB-34 PRESENT 88= ELECTIVE 98= NOT APPLICABLE-OTHER TYPE OF DELIVERY 99= UNKNOWN		393

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02050	v863 1387	C/S FOLLOWING ATTEMPT AT VAGINAL DELIVERY CODES: 0= NO ATTEMPT AT VAGINAL DELIVERY 1= ATTEMPT TO DELIVER AS VERTEX 2= ATTEMPT TO DELIVER AS BREECH 3= ATTEMPT TO DELIVER AS VERTEX AND BREECH 8= NOT APPLICABLE-OTHER TYPE OF DELIVERY 9= UNKNOWN		394
02060	v864 1388	C/S DIFFICULTY OF HEAD DELIVERY CODES: 0= NOT APPLICABLE- REMOVAL OF UTERUS WITH FETUS INSIDE 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		414
02070	v865 1389	C/S DIFFICULTY OF BODY DELIVERY CODES: 0= NOT APPLICABLE- REMOVAL OF UTERUS WITH FETUS INSIDE 1= AVERAGE 2= DIFFICULT 3= VERY DIFFICULT 7= NOT APPLICABLE- OB-34 PRESENT 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		415
02080	v866 1390	INDICATION FOR C/S (OB-34) -PREVIOUS C/S CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		467
02090	v867 1391	INDICATION FOR C/S (OB-34) -FETAL DISTRESS CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		468

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02100	867a 1392	INDICATION FOR C/S (OB-34) -CEPHALOPELVIC DISPROPORTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		469
02110	867b 1393	INDICATION FOR C/S (OB-34) -PRIMAGRAVIDA WITH BREECH CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		470
02120	867c 1394	INDICATION FOR C/S (OB-34) -ELDERLY PRIMAGRAVIDA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		471
02130	867d 1395	INDICATION FOR C/S (OB-34) -TRANSVERSE LIE CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		472
02140	867e 1396	INDICATION FOR C/S (OB-34) -PROLAPSED CORD CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		473
02150	867f 1397	INDICATION FOR C/S (OB-34) -UTERINE MYOMATA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		474

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

NIH NO.

475

476

477

478

479

480

COND.  
CODES

## VARIABLE FILE DEFINITION OF CODES

## VARIABLE NAME

VARIABLE NO. TAPE LOCATIONS  
FROM TO02160 **v868** 1398

INDICATION FOR C/S (OB-34) -PREVIOUS PELVIC OR SURG. REPAIR  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

02170 **v869** 1399

INDICATION FOR C/S (OB-34) -DIABETES  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

02180 **v870** 1400

INDICATION FOR C/S (OB-34) -TOXEMIA  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

02190 **v871** 1401

INDICATION FOR C/S (OB-34) -ABRUPTIO PLACENTA  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

02200 **v872** 1402

INDICATION FOR C/S (OB-34) -PLACENTA PREVIA  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

02210 **v873** 1403

INDICATION FOR C/S (OB-34) -FAILED FORCEPS  
 CODES: 0= NO  
 1= YES  
 7= NOT APPLICABLE- OB-55  
 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY  
 9= UNKNOWN

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH  
 POSITION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02220	v874 1404	INDICATION FOR C/S (OB-34) -UTERINE DYSFUNCTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		481
02230	v875 1405	INDICATION FOR C/S (OB-34) -OTHER CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-55 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		482
02240	v876 1406	INDICATION FOR C/S (OB-55) -PREVIOUS SECTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		451
02250	v877 1407	INDICATION FOR C/S (OB-55) -PREVIOUS MYOMECTOMY CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		452
02260	v878 1408	INDICATION FOR C/S (OB-55) -CEPHALOPELVIC DISPROPORTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		453
02270	v879 1409	INDICATION FOR C/S (OB-55) -FOLLOWING FAILED PELVIC PROCED. CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		454

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02280	v880 1410	INDICATION FOR C/S (OB-55) -TRANSVERSE LIE CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		455
02290	v881 1411	INDICATION FOR C/S (OB-55) -OTHER MALPRESENTATION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		456
02300	v882 1412	INDICATION FOR C/S (OB-55) -UTERINE DYSFUNCTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		457
02310	v883 1413	INDICATION FOR C/S (OB-55) -FETAL DISTRESS CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		458
02320	v884 1414	INDICATION FOR C/S (OB-55) -PROLAPSED CORD CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		459
02330	v885 1415	INDICATION FOR C/S (OB-55) -PLACENTA PREVIA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		460

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02340	v886 1416	INDICATION FOR C/S (OB-55) -ABRUPTIO PLACENTA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		461
02350	v887 1417	INDICATION FOR C/S (OB-55) -ELDERLY PRIMIPARA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		462
02360	v888 1418	INDICATION FOR C/S (OB-55) -PRIOR OB HISTORY CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		463
02370	v889 1419	INDICATION FOR C/S (OB-55) -OBSTRUCTING TUMOR CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		464
02380	v890 1420	INDICATION FOR C/S (OB-55) -TOXEMIA CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		465
02390	v891 1421	INDICATION FOR C/S (OB-55) -DIABETES MELLITUS CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 8= NOT APPLICABLE- OTHER TYPE OF DELIVERY 9= UNKNOWN		466

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02400	v892 1422 1425	DURATION 1ST STAGE OF LABOR (HRS AND MINS) CODES: 0000= NONE 0001-9959= AS GIVEN 9999= UNKNOWN		124
	v893 1426	GROUP/INTERVAL CODE CODES: 0=NO LABOR 1=4 HRS. OR LESS 2=5-8 HRS. 3=9-12 HRS. 4=13-20 HRS. 5=21-36 HRS. 6=37-72 HRS. 7=73 HRS. OR MORE 9=UNKNOWN		
02410	v894 1427 1430	DURATION 2ND STAGE OF LABOR (HRS AND MINS) CODES: 0000= NONE 0001-9959= AS GIVEN 9999= UNKNOWN		125
	v895 1431	GROUP/INTERVAL CODE CODES: 0=NO 2ND. STAGE 1=LESS THAN 5 MIN. 2=5-10 MIN. 3=11-15 MIN. 4=16-20 MIN. 5=21-25 MIN. 6=26-30 MIN. 7=31-35 MIN. 8=36-50 MIN. 9=51-59 MIN. 10=60 MIN. OR MORE 99=UNKNOWN		
02420	v896 1433 1436	DURATION THIRD STAGE LABOR (HRS AND MINS) CODES: 0000= NONE 0001-9959= AS GIVEN 9999= UNKNOWN		369

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02430	v897 1437 1440	DURATION TOTAL (1ST & 2ND STAGES) (HRS AND MINS)		126
		CODES: 0000= NONE 0001-9959= AS GIVEN 9999= UNKNOWN		
	v898 1441	GROUP/INTERVAL CODE		
		CODES: 0=NO LABOR 1=4 HRS. OR LESS 2=5-8 HRS. 3=9-12 HRS. 4=13-20 HRS. 5=21-36 HRS. 6=37-72 HRS. 7=73 HRS. OR MORE 9=UNKNOWN		
02440	v899 1442 1445	DURATION TOTAL (1ST & 2ND & 3RD STAGES) (HRS AND MINS)		127
		CODES: 0000= NONE 0001-9959= AS GIVEN 9999= UNKNOWN		
	v900 1446	GROUP/INTERVAL CODE		
		CODES: 0=NO LABOR 1=LESS THAN 8 HRS. 2=8-12 HRS. 3=13-24 HRS. 4=25-48 HRS. 5=49-72 HRS. 6=73 HRS. OR MORE 9=UNKNOWN		
02450	v901 1447 1450	INTERVAL-RUPTURE OF MEMBRANE TO ONSET (HRS)		213
		CODES: THIS IS A SIGNED FIELD WITH SIGN RIGHT JUSTIFIED. -0001 TO -3999= AS GIVEN 0001 - 7999= AS GIVEN 0000= NO INTERVAL 9999= UNKNOWN		
02460	v902 1451	REACTION TO UTERINE STIMULANT(OB-55) -NO UTERINE RESPONSE		501
		CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02470	v903 1452	REACTION TO UTERINE STIMULANT (OB-55)-SUSTAINED CONTRACTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		502
02480	v904 1453	REACTION TO UTERINE STIMULANT (OB-55)-PERS. INCR. UTERINE TONE CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		503
02490	v905 1454	REACTION TO UTERINE STIMULANT (OB-55)-SIG. VAR. OF FHR CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		504
02500	v906 1455	REACTION TO UTERINE STIMULANT (OB-55)-TUM. LABOR AND/OR DELIV. CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		505
02510	v907 1456	REACTION TO UTERINE STIMULANT (OB-55)-OTHER UNUSUAL REACTION CODES: 0= NO 1= YES 7= NOT APPLICABLE- OB-34 9= UNKNOWN		506

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02520	v907a 1457 1460	INTERVAL-RUPTURE OF MEMBRANE TO DELIVERY (HRS) CODES: 0000= NO INTERVAL 0001-3999= AS GIVEN 9999= UNKNOWN		212
	v907b 1461 1462	GROUP/INTERVAL CODE CODES: 0=NO INTERVAL 1=LESS THAN 1 HR 2=1-2 HRS. 3=3-4 HRS. 4=5-6 HRS. 5=7-8 HRS. 6=9-12 HRS. 7=13-18 HRS. 8=19-24 HRS. 9=25-30 HRS. 10=31-36 HRS. 11=37-39 HRS. 99=UNKNOWN		
02540	v908 304	PATIENT STATUS CODES: 0=UNKNOWN 1=CLINIC 2=PRIVATE		271
02550	v909 305	VAGINAL BLEEDING DURING PREGNANCY CODES: 0=NONE 1-7= YES 9=UNKNOWN		606
02560	v910 306	FEVER DURING PREGNANCY CODES: 0=NO 1-7= YES 9=UNKNOWN		609
02570	v911 307	VOMITING DURING PREGNANCY CODES: 0=NO 1-7= YES 9=UNKNOWN		604
02580	v912 308	JAUNDICE DURING PREGNANCY CODES: 0=NO 1-7= YES 9=UNKNOWN		608

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02590	v913 309	EDEMA OF HANDS AND FACE DURING PREGNANCY CODES: 0=NO 1-7= YES 9=UNKNOWN		607
02600	v914 310	CONVULSIONS DURING PREGNANCY CODES: 0=NO 1-7= YES 9=UNKNOWN		605
02610	v915 311	DYSEMORRHEA CODES: 0=NONE 1=SLIGHT 2=MODERATE 3=SEVERE 8=IRREGULAR 9=UNKNOWN		128
02620	v916 312 313	AGE AT MENARCHE (YRS) CODES: 00=NEVER MENSTRUATED 04-26=AS GIVEN 99=UNKNOWN		013
02630	v917 314	MENSTRUAL CYCLE- UNUSUAL INTERVAL CODES: 0=NEVER MENSTRUATED 1=NO UNUSUAL INTERVAL 2=20 DAYS OR LESS 3=36 DAYS OR MORE 4=BOTH 20 OR LESS AND 30 OR MORE 8=IRREGULAR 9=UNKNOWN		626
02650	v918 315	CONFINING ILLNESS PAST 12 MONTHS - NUMBER CODES: 0=NONE 1-7=AS GIVEN 8=8 OR MORE 9=UNKNOWN		625
02660	v919 316	TRANSFUSIONS-GRAVIDA CODES: 0=NONE 1=1 OR MORE 9=UNKNOWN		331

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02670	v920 317	XRAY EXPOSURES CODES: 0=NONE 1=ABDOMINO-PELVIC AREA 2=OTHER AREAS 9=UNKNOWN	634	
02690	v921 318	HOSPITALIZATION 12 MONTHS OR MORE PRIOR TO STUDY CODES: 0=NONE 1-7=AS GIVEN 8=8 OR MORE 9=UNKNOWN		202
02700	v922 319	PELVIC SUMMATION- INLET CODES: 0=ADEQUATE 1=CONTRACTED 2=BORDERLINE 9=UNKNOWN		595
02710	v923 320 321	MAX WEIGHT GAIN DURING PREGNANCY (LBS) CODES: 00=NO CHANGE 01-96=AS GIVEN 97=97 LBS. OR MORE 98=WEIGHT LOSS 99=UNKNOWN		632
02720	v924 322	HYPERTENSIVE BLOOD PRESS. NUMBER (SYST OVER 139 A/O DIAS OVER 89) CODES: 0=NONE 1-7=AS GIVEN 8=8 OR MORE 9=UNKNOWN		596
02730	v925 323 324	URINE SPECIMENS-ALBUMIN= 2+ OR MORE: NUMBER CODES: 00=NONE 01-97=AS GIVEN 98=98 OR MORE 99=UNKNOWN		600
02740	v926 325	FETAL HEART SOUND AT ADMISSION CODES: 0=NOT HEARD 1=PRESENT 9=UNKNOWN		612

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02750	v927 326	VAGINAL BLEEDING AT ADMISSION FOR DELIVERY CODES: 0=NO 1=YES		551
02760	v928 327 328	URINE SPECIMENS-GLUCOSE= 2+ OR MORE: NUMBER CODES: 00=NONE 01-97=AS GIVEN 98=98 OR MORE 99=UNKNOWN		599
02770	v929 329 331	FIRST MATERNAL BLOOD PRESSURE - SYSTOLIC CODES: 040-280=AS GIVEN 999=UNKNOWN		142
	v930 332 333	GROUP/INTERVAL CODE CODES: 01=LESS THAN 80 02=80-89 03=90-99 04=100-109 05=110-119 06=120-129 07=130-139 08=140-149 09=150-159 10=160 OR MORE 99=UNKNOWN		
02780	v931 334 336	FIRST MATERNAL BLOOD PRESSURE - DIASTOLIC CODES: 010-200=AS GIVEN 999=UNKNOWN		141
	v932 337 338	GROUP/INTERVAL CODE CODES: 01=LESS THAN 40 02=40-49 03=50-59 04=60-69 05=70-79 06=80-89 07=90-99 08=100-109 09=110-119 10=120-129 11=130 OR MORE 99=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02790	v933 339	VAGINAL BLEEDING BEFORE, DURING OR AFTER ADMISSION CODES: 0=NO 1=YES 9=UNKNOWN		341
02800	v934 340	ACETONURIA CODES: 0=NONE 1=1+ 2=2+ 3=3+ 4=4+ 5=POSITIVE UNQUALIFIED 7=TRACE 8=QUESTIONABLE 9=UNKNOWN		008
02810	v935 341 343	FINAL WEIGHT OF GRAVIDA PRIOR TO DELIVERY CODES: 050-350, 357, 370, 372= AS GIVEN 999= UNKNOWN		139
02820	v936 344	BLOOD TYPE - GRAVIDA CODES: 1=O 2=A 3=B 4=AB 5=UNKNOWN		086
02830	v937 345	COOMBS TEST-GRAVIDA CODES: 0=NEGATIVE 1=POSITIVE 9=UNKNOWN		105
02840	v938 346	RH FACTOR-GRAVIDA CODES: 1=POSITIVE 2=NEGATIVE 9=UNKNOWN		311
02850	v939 347 352	HEMATOCRIT GRAVIDA DATE OF LOWEST (MONTH/DAY/YEAR) CODES: AS GIVEN 99= MONTH, DAY, OR YEAR UNKNOWN		433

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02860	v940 353 358	HEMOGLOBIN GRAVIDA DATE OF LOWEST(MONTH/DAY/YEAR) CODES: AS GIVEN 99= MONTH, DAY, OR YEAR UNKNOWN		432
02870	v941 359	MARITAL STATUS CHANGES CODES: 0=NONE 1-7=AS GIVEN 8=8 OR MORE 9=UNKNOWN		230
02880	v942 360 361	PERSONS SUPPORTED - NUMBER CODES: 01-19=AS GIVEN 20=20 OR MORE 99=UNKNOWN		279
	v943 362	GROUP/INTERVAL CODE CODES: 1=1 2=2 3=3 4=4 5=5 6=6 OR MORE 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02890	<span style="border: 1px solid black; padding: 2px;">v944</span> 363 364	OCCUPATION - GRAVIDA CODES: 00=NEVER WORKED 05=NO OCCUPATION REPORTED EXCEPT WELFARE 10=PROFESSIONAL, TECHNICAL 12=COLLEGE, PROFESSIONAL, GRADUATE SCHOOL 20=PROPRIETORS, MANAGERS, OFFICIALS, OFFICER 30=CLERICAL, KINDRED WORKERS 31=CLERICAL, KINDRED WORKERS, BABY-SITTING 40=SALES WORKERS, JUNK COLLECTORS 41=SALES WORKERS, JUNK COLLECTORS, BABY-SITTING 50=CRAFTSMEN, FOREMEN, KINDRED WORKERS 51=CRAFTSMEN, FOREMEN, KINDRED WORKERS, BABY-SITTING 60=OPERATORS, KINDRED WORKERS 61=OPERATORS, KINDRED WORKERS AND BABY-SITTING 70=PRIVATE HOUSEHOLD WORKERS 71=PRIVATE HOUSEHOLD WORKERS AND BABY-SITTING 72=SERVICE WORKERS, OTHER THAN PRIVATE HOUSEHOLDS 80=LABORERS, EXCEPT MINE 81=LABORERS, EXCEPT MINE AND BABY-SITTING 82=ALL OTHER STUDENTS 99=UNKNOWN		258
	<span style="border: 1px solid black; padding: 2px;">v945</span> 365	GROUP/INTERVAL CODE CODES: 1=NEVER WORKED 2=WHITE COLLAR 3=BLUE COLLAR 7=WELFARE 9=UNKNOWN		
02900	<span style="border: 1px solid black; padding: 2px;">v946</span> 366 369	PER CAPITA INCOME CODES: 0000=NO INCOME 0001-9997=AS GIVEN 9998-9998 OR MORE 9999=UNKNOWN		633

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02920	v947 370 371	OCCUPATION OF GRAVIDAS FATHER CODES: 00=NEVER WORKED 05=NO OCCUPATION REPORTED EXCEPT WELFARE 10=PROFESSIONAL OR TECHNICAL 12=COLLEGE PROFESSIONAL OR GRADUATE SCHOOL STUDENT 20=PROPRIETORS, MANAGERS, OFFICIALS, OFFICERS, FARM OWNERS 30=CLERICAL AND KINDRED WORKERS 40=SALES WORKERS 50=CRAFTSMEN, FOREMEN, AND KINDRED WORKERS 60=OPERATORS AND KINDRED WORKERS 70=PRIVATE HOUSEHOLD WORKERS 72=SERVICE WORKERS (OTHER THAN PRIVATE HOUSEHOLD) 80=LABORERS, FARMERS 82=ALL OTHER STUDENTS 99=UNKNOWN		550
	v948 372	GROUP/INTERVAL CODE CODES: 1=NEVER WORKED 2=PROFESSIONAL AND TECHNICAL 3=PROPS. AND MGRS. 4=CLERICAL SALES, CRAFTSMEN, ETC. 5=ALL OTHERS 9=UNKNOWN		
02930	v949 373	HUSBAND LIVING AT HOME CODES: 0=NO 1=YES 9=UNKNOWN		610
02940	v950 374 375	AGE OF FATHER OF BABY (YRS) CODES: 12-65=AS GIVEN 66=66 AND OLDER 88=NO HUSBAND OR FOB PRESENT 99=UNKNOWN		020
	v951 376	GROUP/INTERVAL CODE CODES: 1=12-19 2=20-24 3=25-29 4=30-34 5=35-39 6=40-59 7=60 AND MORE 8=NO HUSBAND OR FOB PRESENT 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02950	v952 377	EMPLOYMENT STATUS OF HUSBAND OR F. O. B. CODES: 0=NEVER WORKED 1=EMPLOYED 2=EMPLOYED, ARMED FORCES 3=STUDENT 4=UNEMPLOYED 8=NO HUSBAND OR FOB PRESENT 9=UNKNOWN		131
02960	v953 378 379	EDUCATION HUSBAND OR F. O. B. (YRS) CODES: 00=NONE 01-18=AS GIVEN 99=UNKNOWN		129
	v954 380	GROUP/INTERVAL CODE CODES: 1=7 OR LESS 2=8 3=9-11 4=12 5=13-15 6=16 OR MORE 9=UNKNOWN		
02970	v955 381	HUSBAND OR F.O.B. PRESENT CODES: 0=NOT PRESENT 1=PRESENT 9=UNKNOWN		204
02980	v956 382	RACE - F.O.B. CODES: 1=WHITE 2=NEGRO 3=ORIENTAL 4=PUERTO RICAN 8=OTHER 9=UNKNOWN		304

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
02990	<span style="border: 1px solid black; padding: 2px;">V957</span> 383 384	PLACE OF BIRTH - HUSBAND OR F.O.B. CODES: INSIDE CONTINENTAL UNITED STATES 00=MAINE, NEW HAMPSHIRE, VERMONT MASSACHUSETTS, RHODE ISLAND, CONNECTICUT 01=NEW YORK, NEW JERSEY, PENNSYLVANIA 02=MARYLAND, VIRGINIA, WEST VIRGINIA, DISTRICT OF COLUMBIA, DELAWARE, NORTH CAROLINA, SOUTH CAROLINA, GEORGIA, FLORIDA 03=KENTUCKY, TENNESSEE, ALABAMA, MISSISSIPPI 04=ARKANSAS, LOUISIANA, OKLAHOMA, TEXAS 05=ILLINOIS, INDIANA, OHIO, MICHIGAN, WISCONSIN 06=MINNESOTA, IOWA, MISSOURI, KANSAS, NEBRASKA, NORTH DAKOTA, SOUTH DAKOTA 07=WYOMING, IDAHO, COLORADO, MONTANA, UTAH, NEW MEXICO, ARIZONA, NEVADA 08=WASHINGTON, OREGON, CALIFORNIA 09=UNKNOWN STATE OUTSIDE CONTINENTAL UNITED STATES 10=PUERTO RICO 11=OTHER ISLANDS IN ATLANTIC 12=ALASKA AND CANADA 13=CENTRAL AMERICA AND SOUTH AMERICA 14=PACIFIC ISLANDS 15=EUROPE 16=ASIA AND AFRICA 19=UNKNOWN COUNTRY 99=UNKNOWN PLACE		281

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIR NO.
03000	v958 385 386	OCCUPATION - FATHER CODES: 00=NEVER WORKED 05=NO OCCUPATION REPORTED EXCEPT WELFARE 10=PROFESSIONAL, TECHNICAL 12=COLLEGE, PROFESSIONAL, GRADUATE STUDENT 20=PROP., MANAGERS, OFFICIALS, OFFICERS, FARM OWNERS 30=CLERICAL AND KINDRED WORKERS 40=SALES WORKERS, JUNK COLLECTORS 50=CRAFTSMAN, FOREMEN AND KINDRED WORKERS 60=OPERATORS AND KINDRED WORKERS 70=PRIVATE HOUSEHOLD WORKERS 72=SERVICE WORKERS 80=LABORERS, EXCEPT MINE 82=ALL OTHER STUDENTS 88=FATHER OF BABY NOT PRESENT 99=UNKNOWN		257
	v959 387	GROUP/INTERVAL CODE CODES: 1=NEVER WORKED 2=WHITE COLLAR 3=BLUE COLLAR 7=WELFARE 8=FATHER OF BABY NOT PRESENT 9=UNKNOWN		
03010	v960 388	PRIOR PREMATURES CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		292
03020	v961 389	PRIOR ABORTION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		287
03030	v962 390	PRIOR MULTIPLE PREGNANCIES CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		250

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03040	v963 391	PRIOR FETAL DEATHS (FETAL DEATHS GEST. 20 WKS. OR MORE) CODES: 0=NONE 1-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		631
03050	v964 392 393	PRIOR STILLBIRTHS AND NEONATAL DEATHS : NO. CODES: 00= NONE 01-07= AS GIVEN 08= 8 OR MORE 88= NO PRIOR PREGNANCY 99= UNKNOWN		251
03060	v965 394 395	LAST PRIOR OUTCOME WEEKS OF GESTATION CODES: 01-50=AS GIVEN 99=UNKNOWN (INCLUDES NO PRIOR PREGNANCIES)		413
03070	v966 396 397	FULL SIBS - NO. OF PRIOR PREGNANCIES CODES: 00=NONE 01-07=AS GIVEN 08=8 OR MORE 88=NO PRIOR PREGNANCY 99=UNKNOWN		630
03080	v967 398	FULL SIBS - PRIOR - FETAL DEATH - UNDER 20 WEEKS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		160
03090	v968 399	FULL SIBS-PRIOR-FETAL DEATH-20 WEEKS AND OVER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		159
03100	v969 400	FULL SIBS-PRIOR-LIVEBORN-MALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		162

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03110	v970 401	FULL SIBS-PRIOR-LIVEBORN-FEMALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		161
03120	v971 402	FULL SIBS-PRIOR-PREMATURE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		165
03130	v972 403	FULL SIBS-PRIOR-LIVING-UNDER 5 YEARS OLD CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		164
03140	v973 404	FULL SIBS-PRIOR-LIVING-5 YEARS OR OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		163
03150	v974 405	FULL SIBS-PRIOR-DIED-UNDER 28 DAYS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		158
03160	v975 406	FULL SIBS-PRIOR-DIED-28 DAYS OR OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		157
03170	v976 407	FULL SIBS-PRIOR-CONDITION-RH CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		154

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03180	v977 408	FULL SIBS-PRIOR-CONDITION-CONGENITAL MALFORMATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		151
03190	v978 409	FULL SIBS-PRIOR-CONDITION-SEIZURES, CONVULSIONS EPILEPSY CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		155
03200	v979 410	FULL SIBS-PRIOR-CONDITION-MOTOR DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		152
03210	v980 411	FULL SIBS-PRIOR-CONDITION-SENSORY DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		156
03220	v981 412	FULL SIBS-PRIOR-CONDITION-RETARDATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		153
03230	v982 413 414	HALF SIBS - NO. OF PRIOR PREGNANCIES CODES: 00=NONE 01-07=AS GIVEN 08=8 OR MORE 88=NO PRIOR PREGNANCY 99=UNKNOWN		629
03240	v983 415	HALF SIBS-PRIOR-PETAL DEATH-UNDER 20 WEEKS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		181

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03250	v984 416	HALF SIBS-PRIOR-FETAL DEATH-20 WEEKS AND OVER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		180
03270	v985 417	HALF SIBS-PRIOR-DIFFERENT FATHER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		179
03280	v986 418	HALF SIBS-PRIOR-UNKNOWN PATERNITY CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		187
03290	v987 419	HALF SIBS-PRIOR-LIVEBORN-MALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		183
03300	v988 420	HALF SIBS-PRIOR-LIVEBORN-FEMALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		182
03310	v989 421	HALF SIBS-PRIOR-PREMATURE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		186
03320	v990 422	HALF SIBS-PRIOR-LIVING-UNDER 5 YEARS OLD CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		185

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03330	v991 423	HALF SIBS-PRIOR-LIVING-5 YEARS AND OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		184
03340	v992 424	HALF SIBS-PRIOR-DIED-UNDER 28 DAYS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		178
03350	v993 425	HALF SIBS-PRIOR-DIED-28 DAYS AND OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		177
03360	v994 426	HALF SIBS-PRIOR-CONDITION-RH CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		174
03370	v995 427	HALF SIBS-PRIOR-CONDITION-CONGENITAL MALFORMATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		171
03380	v996 428	HALF SIBS-PRIOR-CONDITION-SEIZURES, EPILEPSY, CONVULSIONS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		175
03390	v997 429	HALF SIBS-PRIOR-CONDITION-MOTOR DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		172

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03400	v998 430	HALF SIBS-PRIOR-CONDITION-SENSORY DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		176
03410	v999 431	HALF SIBS-PRIOR-CONDITION-RETARDATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		173
03420	v1000 432	ALL SIBS-PRIOR-FETAL DEATH-UNDER 20 WEEKS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		041
03430	v1001 433	ALL SIBS-PRIOR-FETAL DEATH-20 WEEKS AND OVER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		039
03440	v1002 434	ALL SIBS-PRIOR-LIVEBORN-MALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		046
03450	v1003 435	ALL SIBS-PRIOR-LIVEBORN-FEMALE CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		045
03460	v1004 436	ALL SIBS-PRIOR-PREMATURES CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		053

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03470	v1005 437	ALL SIBS-PRIOR-LIVING-UNDER 5 YEARS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		048
03480	v1006 438	ALL SIBS-PRIOR-LIVING-5 YEARS AND OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		047
03490	v1007 439	ALL SIBS-PRIOR-DIED-UNDER 28 DAYS CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		038
03500	v1008 440	ALL SIBS-PRIOR-DIED-28 DAYS AND OLDER CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		037
03510	v1009 441	ALL SIBS-PRIOR-CONDITION-RH CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		036
03520	v1010 442	ALL SIBS-PRIOR-CONDITION-CONGENITAL MALFORMATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		377
03530	v1011 443	ALL SIBS-PRIOR-CONDITION-MOTOR DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		032

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03540	v1012 444	ALL SIBS-PRIOR-CONDITION-SENSORY DEFECT CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		034
03550	v1013 445	ALL SIBS-PRIOR-CONDITION-RETARDATION CODES: 0-6=AS GIVEN 7=7 OR MORE 8=NO PRIOR PREGNANCY 9=UNKNOWN		035
03560	v1014 446 447	FULL SIBS-PRIOR-TOTAL NUMBER LIVEBORN CODES: 00-25=AS GIVEN 88=NO PRIOR PREGNANCY 99=UNKNOWN		166
03570	v1015 448 449	ALL SIBS-PRIOR-TOTAL NUMBER LIVEBORN CODES: 00-25=AS GIVEN 88=NO PRIOR PREGNANCY 99=UNKNOWN		061
03580	v1016 450	ALL SIBS-PRIOR-CHILDREN UNABLE TO ATTEND REGULAR SCHOOL CODES: 0-5=AS GIVEN 6=6 OR MORE 7=NOT APPLICABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		025
03590	v1017 451	ALL SIBS-PRIOR-INCOMPATIBILITY-FETAL DEATH CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		042
03600	v1018 452	ALL SIBS-PRIOR-INCOMPATIBILITY-LIVEBORN, NO TRANSFUSION CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		044

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03610	v1019 453	ALL SIBS-PRIOR-INCOMPATIBILITY-LIVEBORN, EXCH. TRANSFUSION CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		043
03620	v1020 454	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-CLEFT LIP OR PALATE CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		026
03630	v1021 455	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-CLUB FOOT CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		027
03640	v1022 456	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-FINGERS OR TOES CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		028
03650	v1023 457	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-HEART CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		030
03660	v1024 458	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-HEAD OR SPINE CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		029
03670	v1025 459	ALL SIBS-PRIOR-CONGENITAL MALFORMATION-OTHER PHYSICAL DEFECTS		031

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO. TAPE LOCATIONS  
FROM TO

VARIABLE NAME

COND.  
CODES

NIH NO.

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

03680 **v1026** 460

ALL SIBS-PRIOR-MOTOR DEFECTS-INJURY

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

050

03690 **v1027** 461

ALL SIBS-PRIOR-MOTOR DEFECTS-INFECTION

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

049

03700 **v1028** 462

ALL SIBS-PRIOR-MOTOR DEFECTS-OTHER

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

051

03710 **v1029** 463

ALL SIBS-PRIOR-SENSORY DEFECTS-BLIND

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

057

03720 **v1030** 464

ALL SIBS-PRIOR-SENSORY DEFECTS-DEAF

CODES: 0=NO  
1=YES  
2=QUESTIONABLE  
8=NO PRIOR PREGNANCY  
9=UNKNOWN

058

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH  
LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03730	v1031 465	ALL SIBS-PRIOR-SENSORY DEFECTS-TROUBLE SPEAKING CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		059
03740	v1032 466	ALL SIBS-PRIOR-RETARDATION AND DISTURBANCE-PHYSICAL RETARDATION CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		056
03750	v1033 467	ALL SIBS-PRIOR-RETARDATION AND DISTURBANCE-MENTAL RETARDATION CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		055
03760	v1034 468	ALL SIBS-PRIOR-RETARDATION AND DISTURBANCE-EMOTIONAL DISTURBANCE CODES: 0=NO 1=YES 2=QUESTIONABLE 8=NO PRIOR PREGNANCY 9=UNKNOWN		054
03770	v1035 469	GRAVIDA- MALFORMATIONS CODES: 0=NO 1=YES 8=QUESTIONABLE 9=UNKNOWN		627

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03780	v1036 470	GRAVIDA- SENSORY DEFECTS CODES: 0=NONE 1=SEEING 2=HEARING 3=COMB. OF CODES 1+2. 4=SPEAKING CODES 5=COMB. OF CODES 1+4. 6=COMB OF CODES 2+4. 7=COMB. OF CODES 1,2+4. 9=UNKNOWN GROUP/INTERVAL CODE 0= NO 1= YES 9= UNKNOWN		614
	v1037 471			
03790	v1038 472	GRAVIDA- SEIZURES CODES: 0=NONE 1=BEFORE AGE 15 2=AGE 15 OR OLDER 3=COMB. OF CODES 1+2. 4=AGE UNKNOWN 5=ECLAmpsIA ONLY 8=QUESTIONABLE 9=UNKNOWN GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		615
	v1039 473			
03800	v1040 474	GRAVIDA- MOTOR DEFECTS CODES: 0=NONE 1=INJURY 2=INFECTION 3=COMB. OF CODES 1+2. 4=OTHER 5=COMB. OF CODES 1+4. 6=COMB. OF CODES 2+4. 7=COMB. OF CODES 1,2+4. 8=QUESTIONABLE 9=UNKNOWN GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		616
	v1041 475			

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03810	v1042 476	GRAVIDA- MENTAL RETARDATION CODES: 0=NONE 1=MENTALLY RETARDED 2=SPECIAL CLASS FOR SLOW LEARNERS, UNGRADED 9=UNKNOWN		617
	v1043 477	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03820	v1044 478	GRAVIDA- MENTAL ILLNESS CODES: 0=NONE 1=HOSPITALIZED 2=OUT-PATIENT CARE 3=ALCOHOLISM, DRUG ADDICTION 9=UNKNOWN		618
	v1045 479	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03830	v1046 480	FOB- MALFORMATIONS CODES: 0=NO 1=YES 9=UNKNOWN		628
03840	v1047 481	FOB- SENSORY DEFECTS CODES: 0=NONE 1=SEEING 2=HEARING 3=COMB. OF CODES 1+2. 4=SPEAKING 5=COMB. OF CODES 1+4. 6=COMB. OF CODES 2+4. 7=COMB. OF CODES 1,2+4. 9=UNKNOWN		619
	v1048 482	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03850	v1049 483	FOB- SEIZURES CODES: 0=NONE 1=BEFORE AGE 15 2=AGE 15 OR OLDER 3=COMB. OF CODES 1+2. 4=AGE UNKNOWN 9=UNKNOWN		621
	v1050 484	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03860	v1051 485	FOB- MOTOR DEFECTS CODES: 0=NONE 1=INJURY 2=INFECTION 3=COMB. OF CODES 1+2. 4=OTHER 5=COMB. OF CODES 1+4. 6=COMB. OF CODES 2+4. 7=COMB. OF CODES 1,2+4 9=UNKNOWN		622
	v1052 486	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03870	v1053 487	FOB- MENTAL RETARDATION CODES: 0=NONE 1=MENTALLY RETARDED 2=SPECIAL CLASS FOR SLOW LEARNER, UNGRADED 9=UNKNOWN		623
	v1054 488	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03880	v1055 489	FOB- MENTAL ILLNESS CODES: 0=NONE 1=HOSPITALIZED 2=OUT-PATIENT CARE 3=ALCOHOLISM, DRUG ADDICTION 9=UNKNOWN		624
	v1056 490	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03890	v1057 491	FOB- DIABETES CODES: 0=NONE 1=ONSET BEFORE AGE 15 2=ONSET AT AGE 15 OR OLDER 4=AGE AT ONSET UNKNOWN 9=UNKNOWN		620
	v1058 492	GROUP/INTERVAL CODE CODES: 0=NO 1=YES 9=UNKNOWN		
03900	v1059 1109	3 YR. SLH-REFERRAL-TEST PERFORMANCE CODES: 0=NO REFERRAL 1=REFERRED FOR FURTHER EXAM 9=UNKNOWN		307
03910	v1060 1110	3 YR. SLH-SPONDAIC WORD TEST SUMMARY SCORE CODES: 0=FAIL 1=PASS 9=UNKNOWN		321
03920	v1061 1111	3 YR. SLH-HEARING-RIGHT EAR CODES: 0=FAIL 1=PASS 9=UNKNOWN		191
03930	v1062 1112	3 YR. SLH-HEARING-LEFT EAR CODES: 0=FAIL 1=PASS 9=UNKNOWN		192

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
03940	v1063 1113	3 YR. SLH-AGE OF CHILD CODES: 1=LESS THAN 2 YRS.10 MONTHS 16 DAYS 2=2 YRS 10 MONTHS 16 DAYS-3 YRS 2 MONTHS 15 DAYS 3=3 YRS 2 MONTHS 16 DAYS OR MORE 9=UNKNOWN		017
03950	v1064 1114	3 YR. SLH LANGUAGE RECEPTION CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		365
03960	v1065 1115	3 YR. SLH LANGUAGE EXPRESSION CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		217
03970	v1066 1116	3 YR. SLH HEARING-SUMMARY CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		193
03970	v1067 1117	3 YR. SLH-SPEECH MECHANISM CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		319
03990	v1068 1118	3 YR. SLH-SPEECH PRODUCTION CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		320
04000	v1069 1119	3 YR. SLH-GLOBAL SCORING CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		169

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04010	v1070 1120	3 YR. SLH-ADEQUACY CODES: 0=ADEQUATE 1=INADEQUATE 9=UNKNOWN		011
04020	v1071 1121	ARTICULATION SUM. SCORE CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 9=UNKNOWN		071
04030	v1072 1122	FIRST CRY: BEFORE OR AFTER DELIVERY CODES: 0=BEFORE 1=AFTER 9=UNKNOWN		140
04040	v1073 1123	NEUROLOGICAL ABNORMALITIES: NEONATAL CODES: 0=NORMAL 1=SUSPECT 2=ABNORMAL 3=OTHER 9=UNKNOWN		238
04050	v1074 1124	NEUROLOGICAL ABNORMALITIES: 4 MONTH CODES: 0=NONE 1=SUSPICIOUS 2=DEFINITE 9=UNKNOWN		239
04060	v1075 1125	LOCOMOTOR AND POSTURAL DEVELOPMENT-REPORTED CODES: 0=WALKS UNAIDED 1=WALKS SUPPORTED 2=STANDS UNAIDED 3=PULLS TO STANDING 4=STANDS SUPPORTED 5=CREEPS 8=NONE OF ABOVE 9=UNKNOWN		223

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04070	v1076 1126	LOCOMOTOR AND POSTURAL DEVELOPMENT-OBSERVED CODES: 0=WALKS UNAIDED 1=WALKS SUPPORTED 2=STANDS UNAIDED 3=PULLS TO STANDING 4=STANDS SUPPORTED 5=CREEPS 8=NONE OF ABOVE 9=UNKNOWN		222
04080	v1077 1127 1128	AGE OF CHILD AT 4-MO. EXAM CODES: 01-97=NO. OF WEEKS 98=98 WEEKS OR MORE 99=UNKNOWN		014
04090	v1078 1129	BLOOD TYPE, CHILD CODES: 1=O 2=A 3=B 4=AB 9=UNKNOWN		085
04100	v1079 1130	RH FACTOR-CHILD CODES: 1=POSITIVE 2=NEGATIVE 9=UNKNOWN		310
04110	v1080 1131 1133	HEMOGLOBIN CHILD: AGE AT LOWEST (HRS) CODES: 000=LESS THAN 1 HR 001-997=AS GIVEN 998=998 OR MORE 999=UNKNOWN		435
04120	v1081 1134 1136	HEMATOCRIT CHILD: AGE AT LOWEST (HRS) CODES: 000=LESS THAN 1 HR 001-997=AS GIVEN 998=998 OR MORE 999=UNKNOWN		434

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04130	v1082 1137	4 YR. PSYCH. EXAM-CLINICAL IMPRESSION:INTELLIGENCE CODES: 1=SUPERIOR 2=AVERAGE 3=BORDERLINE 4=MENTALLY DEFECTIVE 8=COMMENT ONLY 9=UNKNOWN		099
04140	v1083 1138	4 YR. PSYCH. EXAM-CLINICAL IMPRESSION: FINE MOTOR DEVELOP. CODES: 1=NORMAL 2=SUSPECT 3=ABNORMAL 8=COMMENT ONLY 9=UNKNOWN		100
04150	v1084 1139	4 YR. PSYCH. EXAM-CLINICAL IMPRESSION: GROSS MOTOR DEVELOP. CODES: 1=NORMAL 2=SUSPECT 3=ABNORMAL 8=COMMENT ONLY 9=UNKNOWN		101
04160	v1085 1140	4 YR. PSYCH. EXAM-CLINICAL IMPRESSION: CONCEPT FORMATION CODES: 1=NORMAL 2=SUSPECT 3=ABNORMAL 8=COMMENT ONLY 9=UNKNOWN		368
04170	v1086 1141	CLINICAL IMPRESSION: BEHAVIORAL CODES: 1=NORMAL 2=SUSPECT 3=ABNORMAL 8=COMMENT ONLY 9=UNKNOWN		098
04180	v1087 1142	4 YR. TEST BATTERY-ADEQUACY OF ENTIRE CODES: 1=ADEQUATE 2=NOT ADEQUATE 8=COMMENT 9=UNKNOWN		012

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04190	v1088 1143	4 YR. PSYCH. EXAM-OVERALL IMPRESSION: SUMMARY CODES: 1=NORMAL 2=SUSPECT 3=ABNORMAL 9=UNKNOWN		268
04200	v1089 1144 1146	4 YR. PSYCH. EXAM-AGE OF CHILD (YRS & MOS) CODES: 300-500=AS GIVEN		018
04210	v1090 1147 1148	4 YR. PSYCH. EXAM-GRAHAM BLOCK SORT-BAW SCORE TOTAL CODES: 00-45=AS GIVEN 88=INCOMPLETE TEST 99=UNKNOWN		170
04220	v1091 1149	4 YR. NEURO. EXAM-DOMINANCE-HAND CODES: 1=RIGHT 2=LEFT 3=INDETERMINATE 9=UNKNOWN		121
04230	v1092 1150	4 YR. NEURO. EXAM-DOMINANCE-LEG CODES: 1=RIGHT 2=LEFT 3=INDETERMINATE 9=UNKNOWN		122
04240	v1093 1151	4 YR. NEURO. EXAM-DOMINANCE-EYE CODES: 1=RIGHT 2=LEFT 3=INDETERMINATE 9=UNKNOWN		120
04250	v1094 1152	4 YR. NEURO. EXAM-DOMINANCE-OVERALL SUMMARY CODES: 1=RIGHT 2=LEFT 3=OTHER 9=UNKNOWN		123
04260	v1095 1153 1155	AGE OF CHILD AT 7 YR. NEURO. EXAM (YRS & MOS) CODES: 600-800=AS GIVEN		019

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04270	v1096 1156	NEUROLOGICAL ABNORMALITIES-7 YR. CODES: 0=NONE 1=SUSPICIOUS 2=DEFINITE 9=UNKNOWN		241
04280	v1097 1157 1158	CHEST CIRCUMFERENCE AT BIRTH CODES: 12,15-43,45,48,50=AS GIVEN 99=UNKNOWN		092
04290	v1098 1159 1160	HEAD CIRCUMFERENCE-NEONATAL (CMS.) CODES: 14-44,46=AS GIVEN 99=UNKNOWN		188
	v1099 1161	GROUP/INTERVAL CODE CODES: 1=30 OR LESS 2=31-34 3=35-36 4=37-38 5=39-40 6=41-42 7=43 OR MORE 9=UNKNOWN		
04300	v1099a 1162 1163	HEAD CIRCUMFERENCE-4 MONTHS (CMS.) CODES: 27,30-50,53,60=AS GIVEN 99=UNKNOWN		189
	v1099b 1164	GROUP/INTERVAL CODE CODES: 1=34 OR LESS 2=35-36 3=37-38 4=39-40 5=41-42 6=43-44 7=45 OR MORE 9=UNKNOWN		
04310	v1099c 1165 1166	HEAD CIRCUMFERENCE-8 MO. (CMS.) CODES: AS GIVEN 99= UNKNOWN		360
04320	v1099d 1167 1168	HEAD CIRCUMFERENCE-3 YR. (CMS.) CODES: AS GIVEN 99= UNKNOWN		361

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04330	v1099e 1169 1170	HEAD CIRCUMFERENCE-4 YR. (CMS.) CODES: AS GIVEN 99= UNKNOWN		362
04340	v1099f 1171 1172	HEAD CIRCUMFERENCE-7 YR. (CMS.) CODES: 40-60= AS GIVEN 99= UNKNOWN		363
04350	v1099g 1173 1176	WEIGHT-NURSERY MAXIMUM (GMS) CODES: AS GIVEN 9999=UNKNOWN		351
04360	v1099h 1177 1180	WEIGHT 4 MO. (LBS. & OZ.) CODES: 0500-2515=AS GIVEN) 9999=UNKNOWN		637
04370	v1100 1181 1184	WEIGHT-8 MO. (LBS. & OZ.) CODES: AS GIVEN 9999= UNKNOWN		638
04380	v1101 1185 1187	WEIGHT-1 YR. (KGMS) CODES: AS GIVEN 999= UNKNOWN		347
04390	v1102 1188 1190	WEIGHT-3 YR. (KGMS) CODES: AS GIVEN 999= UNKNOWN		348
04400	v1103 1191 1193	WEIGHT-4 YR. (KGMS) CODES: AS GIVEN 999= UNKNOWN		349
04410	v1104 1194 1196	WEIGHT-7 YR. (KGMS) CODES: AS GIVEN 999= UNKNOWN		350

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04420	v1105 1197 1198	BODY LENGTH AT BIRTH (CMS.) CODES: 15-61,63=AS GIVEN 99=UNKNOWN		087
	v1106 1199	GROUP/INTERVAL CODE CODES: 1=24 OR LESS 2=25-29 3=30-34 4=35-39 5=40-44 6=45-49 7=50-54 8=55 OR MORE 9=UNKNOWN		
04430	v1101 1200 1201	BODY LENGTH - 4 MO. (CMS.) CODES: 25-78,80=AS GIVEN 99=UNKNOWN		088
04440	v1108 1202 1203	BODY LENGTH - 8 MO. (CMS.) CODES: AS GIVEN 99= UNKNOWN		358

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04450	v1108a 1204 1205	BODY LENGTH - 1 YR. (CMS.) CODES: 48,50-90=AS GIVEN 99=UNKNOWN		089
	v1108b 1206 1207	GROUP/INTERVAL CODE CODES: 01=59 OR LESS 02=60-61 03=62-63 04=64-65 05=66-67 06=68-69 07=70 08=71 09=72 10=73 11=74 12=75 13=76 14=77 15=78 16=79 17=80-81 18=82-83 19=84 20=85-90 99=UNKNOWN		
04460	v1108c 1208 1210	BODY LENGTH - 3 YR. (CMS.) CODES: AS GIVEN 999= UNKNOWN		356
04470	v1108d 1211 1213	BODY LENGTH - 4 YR. (CMS.) CODES: AS GIVEN 999=UNKNOWN		357

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04480	v1109 1214 1216	BODY LENGTH - 7 YR. (CMS.) CODES: 090-150=AS GIVEN 999=UNKNOWN		359
	v1110 1217	GROUP/INTERVAL CODE CODES: 1=104 OR LESS 2=105-109 3=110-114 4=115-119 5=120-124 6=125-129 7=130-134 8=135 OR MORE 9=UNKNOWN		
04490	v1111 1463	HOSPITALIZATION- ANTEPARTUM CODES: 0= NONE 1-7= AS GIVEN 8= 8 OR MORE 9= UNKNOWN		201
04500	v1112 1464	UTERINE DYSFUNCTION CODES: 0= NO 1= YES 8= QUESTIONABLE 9= UNKNOWN		613
04510	v1113 1465	ANESTHESIA DURING DELIVERY CODES: 0= NO 1= YES 9= UNKNOWN		062
04520	v1114 1466	MARGINAL SINUS RUPTURE CODES: 0= NO 1= YES 9= UNKNOWN		228
04530	v1115 1467 1472	ONSET OF LABOR (MONTH/DAY/YEAR) CODES: AS GIVEN 00000= NO LABOR 99= MONTH, DAY, OR YEAR UNKNOWN		265

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04540	v1116 1473	INDIC. FOR UTERINE STIM. FOR INDUCTION-ELECTIVE-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		442
04550	v1117 1474	INDIC. FOR UTERINE STIM. FOR INDUCTION-RUPT. MEMBR.-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		443
04560	v1118 1475	INDIC. FOR UTERINE STIM. FOR INDUCTION-TOXEMIA-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		444
04570	v1119 1476	INDIC. FOR UTERINE STIM. FOR INDUC.-ABRUPTIO PLAC.-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		445
04580	v1120 1477	INDIC. FOR UTERINE STIM. FOR INDUC.-DIABETES MELLITUS-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		446
04590	v1121 1478	INDIC. FOR UTERINE STIM. FOR INDUC.-ERYTHROBLASTOSIS-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		447
04600	v1122 1479	INDIC. FOR UTERINE STIM. FOR INDUC.-PYELONEPHRITIS-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		448

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.



VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04610	v1123 1480	INDIC. FOR UTERINE STIM. FOR INDUC.-INTRAUTERINE INFECT.-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		449
04620	v1124 1481	INDIC. FOR UTERINE STIM. FOR INDUC.-OTHER-OB-55 CODES: 0= NO 1= YES 7= NOT APPLICABLE, OB-34 9= UNKNOWN		450
04630	v1125 493	FOB - RELIGION CODES: 1=PROTESTANT 2=CATHOLIC 3=OTHER 8=NOT APPLICABLE OTHER REVISION 9=UNKNOWN		576
04640	v1126 494	HOSPITALIZATIONS SINCE LMP: CODES: 0-9=AS GIVEN		597
04650	v1127 1218 1221	TIME OF BIRTH (HRS. & MINS.) CODES: 0001-2400=AS GIVEN 8888=DELIVERED ELSEWHERE 9999=UNKNOWN		577
04660	v1128 1222 1223	TIME OF FIRST BREATH (MINS.) CODES: 00=LESS THAN ONE MINUTE 01-20,22,23,25,26,31,33-35,52=AS GIVEN 88=DELIVERED ELSEWHERE 99=UNKNOWN		552
04670	v1129 1224	MOLDING CODES: 0=ABSENT OR MINIMAL 1=MARKED 8=DELIVERED ELSEWHERE 9=UNKNOWN		571

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04680	v1130 1225	FORCEPS MARKS CODES: 0=ABSENT 1=PRESENT 8=DELIVERED ELSEWHERE 9=UNKNOWN		572
04690	v1131 1226	UMBILICAL CORD STAINING CODES: 0=UNSTAINED 1=STAINED 8=NOT COLLECTED 9=UNKNOWN		573
04700	v1132 1227 1228	HEMOGLOBIN - 48 HOURS CODES: 05-30,50,55,57,59,60,62=AS GIVEN 99=UNKNOWN		574
04710	v1133 1229 1230	HEMATOCRIT - 48 HOURS CODES: 19,22-90=AS GIVEN 99=UNKNOWN		575
04720	v1134 1231	TEN MINUTE APGAR - HEART RATE CODES: 0=ABSENT 1=SLOW 2=100 OR OVER 9=UNKNOWN		553
04730	v1135 1232	TEN MINUTE APGAR - RESPIRATORY EFFORT CODES: 0=ABSENT 1=WEAK CRY 2=CRYING LUSTILY 9=UNKNOWN		554
04740	v1136 1233	TEN MINUTE APGAR - MUSCLE TONE CODES: 0=FLACCID 1=SOME FLEXION 2=WELL FLEXED 9=UNKNOWN		555
04750	v1137 1234	TEN MINUTE APGAR - REFLEX IRRITABILITY CODES: 0=NO RESPONSE 1=SOME MOTION 2=CRY 9=UNKNOWN		556

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04760	v1138 1235	TEN MINUTE APGAR - COLOR CODES: 0=BLUE PALE 1=BLUE HANDS & FEET 2=ENTIRELY PINK 9=UNKNOWN		557
04770	v1139 1236 1237	TEN MINUTE APGAR - SCORE CODES: 00-10=AS GIVEN 20-29=PART SCORE 99=UNKNOWN		558
	v1140 1238	GROUP/INTERVAL CODE CODES: 1=3 OR LESS 2=4-6 3=7-10 4=PART SCORE 9=UNKNOWN		
04780	v1141 1239	FIFTEEN MINUTE APGAR - HEART RATE CODES: 0=ABSENT 1=SLOW 2=100 OR OVER 9=UNKNOWN		559
04790	v1142 1240	FIFTEEN MINUTE APGAR - RESPIRATORY EFFORT CODES: 0=ABSENT 1=WEAK CRY 2=CRYING LUSTILY 9=UNKNOWN		560
04800	v1143 1241	FIFTEEN MINUTE APGAR - MUSCLE TONE CODES: 0=FLACCID 1=SOME FLEXION 2=WELL FLEXED 9=UNKNOWN		561
04810	v1144 1242	FIFTEEN MINUTE APGAR - REFLEX IRRITABILITY CODES: 0=NO RESPONSE 1=SOME MOTION 2=CRY 9=UNKNOWN		562

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04820	v1145 1243	FIFTEEN MINUTE APGAR - COLOR CODES: 0=BLUE PALE 1=BLUE HANDS & FEET 2=ENTIRELY PINK 9=UNKNOWN		563
04830	v1146 1244 1245	FIFTEEN MINUTE APGAR - SCORE CODES: 00-10=AS GIVEN 20-29=PART SCORE 99=UNKNOWN		564
	v1147 1246	GROUP/INTERVAL CODE CODES: 1=3 OR LESS 2=4-6 3=7-10 4=PART SCORE 9=UNKNOWN		
04840	v1148 1247	TWENTY MINUTE APGAR - HEART RATE CODES: 0=ABSENT 1=SLOW 2=100 OR OVER 9=UNKNOWN		565
04850	v1149 1248	TWENTY MINUTE APGAR - RESPIRATORY EFFORT CODES: 0=ABSENT 1=WEAK CRY 2=CRYING LUSTILY 9=UNKNOWN		566
04860	v1150 1249	TWENTY MINUTE APGAR - MUSCLE TONE CODES: 0=FLACCID 1=SOME FLEXION 2=WELL FLEXED 9=UNKNOWN		567
04870	v1151 1250	TWENTY MINUTE APGAR - REFLEX IRRITABILITY CODES: 0=NO RESPONSE 1=SOME MOTION 2=CRY 9=UNKNOWN		568

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04880	v1152 1251	TWENTY MINUTE APGAR - COLOR CODES: 0=BLUE PALE 1=BLUE HANDS AND FEET 2=ENTIRELY PINK 9=UNKNOWN		569
04890	v1153 1252 1253	TWENTY MINUTE APGAR - SCORE CODES: 00-10=AS GIVEN 20-29=PART SCORE 99=UNKNOWN		570
	v1154 1254	GROUP/INTERVAL CODE CODES: 1=3 OR LESS 2=4-6 3=7-10 4=PART SCORE 9=UNKNOWN		
04900	v1155 1255	MOTOR ACTIVITY AND TONE - NEONATE (REV 3) CODES: 0=NORMAL & SYMMETRICAL 1=OTHER 8=NOT ON THIS REVISION 9=UNKNOWN		601
04910	v1156 1256	SKIN CODES: 0=NORMAL 1=PALLOR 2=GENERAL CYANOSIS 3=PETECHAIE 4=STAINED 5=CYANOSIS 6=JAUNDICE 7=COMB. OF CODES 8=OTHER 9=UNKNOWN OR BLANK		602
04920	v1157 1257	CRY CODES: 0=PRESENT 1=ABNORMAL 2=ABSENT 8=DELIVERED ELSEWHERE 9=UNKNOWN		603

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION. BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
04930	v1158 1258	MOTOR ACTIVITY - NEONATE (REV 2) CODES: 0=NORMAL & SYMMETRICAL 1=OTHER 8=NOT ON THIS REVISION 9=UNKNOWN		611
04940	v1159 1259	8 MO EXAM - ADEQUACY CODES: 1=ADEQUATE 2=NOT ADEQUATE 9=UNKNOWAN		579
04950	v1160 1260 1261	TOTAL RAW SCORE - MOTHER/MOTHER SURROGATE CODES: 00-60=AS GIVEN 88=EXAM NOT ADEQUATE		580
04960	v1161 1262 1264	RANK QUOTIENT - MOTHER/MOTHER SURROGATE CODES: 060-140=AS GIVEN 888=EXAM NOT ADEQUATE		581
04970	v1162 1265	4 YR PSYCH EXAM - ADEQUACY OF INTELLIGENCE SCALE ADMINISTERED CODES: 1=ADEQUATE 2=NOT ADEQUATE 9=UNKNOWN		578
04980	v1163 1266	4 YR PSYCH EXAM - LINE WALK - SCORE CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		582
04990	v1164 1267	4 YR PSYCH EXAM - HOPPING - RIGHT FOOT CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		583
05000	v1165 1268	4 YR PSYCH EXAM - HOPPING - LEFT FOOT CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		584

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
05010	v1166 1269	4 YR PSYCH EXAM - BALL CATCH - TRIAL 1 CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		585
05020	v1167 1270	4 YR PSYCH EXAM - BALL CATCH - TRIAL 2 CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		586
05030	v1168 1271	4 YR PSYCH EXAM - BALL CATCH - TRIAL 3 CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		587
05040	v1169 1272	4 YR PSYCH EXAM - WALLIN PEGBOARD - RIGHT HAND CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		588
05050	v1170 1273	4 YR PSYCH EXAM - WALLIN PEGBOARD - LEFT HAND CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		589
05060	v1171 1274	4 YR PSYCH EXAM - COPY FORMS - CIRCLE CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		590
05070	v1172 1275	4 YR PSYCH EXAM - COPY FORMS - CROSS CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		591

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

NOTE: IN ADDITION TO CODES SPECIFIED, CODE BLANK IS ALSO VALID FOR EACH LOCATION, BLANK = NOT IN DATA FILE EXCEPT WHEN OTHERWISE SPECIFIED.

PERINATAL RESEARCH BRANCH, NINDS  
 NUMERIC VARIABLE NO. SEQUENCE  
 FEBRUARY 28, 1972

PAGE NO. 136

VARIABLE FILE DEFINITION OF CODES

VARIABLE NO.	TAPE LOCATIONS FROM TO	VARIABLE NAME	COND. CODES	NIH NO.
05080	v1173 1276	4 YR PSYCH EXAM - COPY FORMS - SQUARE CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		592
05090	v1174 1277	4 YR PSYCH EXAM - STRINGING BEADS CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		593
05100	v1175 1278	4 YR PSYCH EXAM - PORTEUS MAZE IV CODES: 1=PASSED 2=FAILED 8=ITEM NOT ADMINISTERED 9=UNKNOWN		594
05200	v1176 495	FETAL HEART RATE <110 AND/OR >160 CODES: 0=NO 1=YES 9=UNKNOWN		633
05210	v1177 1279 1280	FIRST CRY: TIME (MINS.) CODES: 00=LESS THAN ONE MINUTE 01-98=AS GIVEN 88=DELIVERED ELSEWHERE 99=UNKNOWN		635
05220	v1178 1482 1486	WEIGHT - 4 MO. - (GRAMS) CODES: AS GIVEN 99999=UNKNOWN		345
05230	v1179 1487 1491	WEIGHT - 8 MO. - (GRAMS) CODES: AS GIVEN 99999=UNKNOWN		346